
ATELIER

—

1/ MARIA TERESA
2/ IMPERO&DECO
3/ BRASS&SPOTS
4/ GLASS
5/ PROGRAMS
6/ CHANDELIERS

2021

MASIERO



MARIA TERESA

ATELIER


MASIERO



MARIA TERESA

ATELIER

MASIERO



MARIA TERESA

La spettacolare magnificenza degli antichi saloni nobiliari di Venezia vive attraverso la collezione Maria Teresa.
La classicità più preziosa mantiene l'iconica estetica, trasformandone la personalità attraverso il fascino creativo delle diverse tipologie di effetto luminoso ottenuto con i sistemi illuminotecnici avanzati.

The Maria Teresa collection brings to life the spectacular magnificence of the rooms in ancient Venetian stately homes.
The precious classical style maintains its original iconic look, but adopts a new personality thanks to the fascinating creativity of a varied range of lighting effects achieved by the latest control systems.



MT_TRADITIONAL



- **Telaio in metallo** con finitura galvanica in colore cromo o oro
- **Braccia** ricoperte in vetro trasparente
- **Bobeches** in vetro trasparente
- **Pendagli** in colore trasparente nelle varianti Half Cut Glass, Cut Crystal e Swarovski
- **Illuminazione** tradizionale con portalampada attacco E14
- **Apparecchio** dimmerabile a taglio di fase
- **Paralumi** inclusi solo se presenti nella foto. Forma, tessuto e colore come nella foto.

- ***Metal frame*** *in galvanic gold or chrome colour finish*
- *Transparent* ***glass arms*** *coverage*
- ***Arm's cups*** *in transparent glass*
- ***Pendants*** *in transparent color in the variations, Half Cut Glass, Cut Crystal, Swarovski*
- ***Lighting*** *with bulbs with E14 lamp holder*
- *Triac dimmable* ***device***
- ***Lampashades*** *included only when in the picture of the catalogue. Shape, fabric and colour as in the picture.*



CG _ COLOURED GLASS



- **Telaio in metallo** verniciato nella palette colori prestabilita
- **Braccia** ricoperte in vetro colorato nella palette colori prestabilita
- **Bobeches** in vetro colorato nella palette colori prestabilita
- **Pendagli** disponibili solo in vetro verniciato nella variante cromatica scelta
- **Illuminazione** tradizionale con portalampada attacco E14
- **Apparecchio** dimmerabile a taglio di fase
- **Paralumi** inclusi solo se presenti nella foto Forma, tessuto e colore come nella foto.

- ***Metal frame*** *in powder-coated finish in the pre-established colour palette*
- *Painted* ***glass arms*** *coverage in the pre-established colour palette*
- ***Arm's cups*** *in painted glass in the pre-established colour palette*
- ***Glass pendants*** *(Half Cut Glass) painted in the pre-established colour variations*
- ***Lighting*** *with bulbs with E14 lamp holder*
- *Triac dimmable* ***device***
- ***Lampashades*** *included only when in the picture of the catalogue. Shape, fabric and colour as in the picture.*



DW_ DYNAMIC WHITE



- **Telaio in metallo** con finitura galvanica in colore cromo o oro
- **Braccia** ricoperte in vetro trasparente
- **Bobeches** in vetro trasparente
- **Pendagli** in colore trasparente nelle varianti Half Cut Glass, Cut Crystal e Swarovski
- **Illuminazione** con sorgenti a Led integrato con tecnologia brevettata nella versione Bianco Dinamico DW
- **Luce bianca** compresa tra 2700K e 6500K
- **Apparecchio** gestito con protocollo DMX
- **Disponibile su richiesta** Telecomando

- ***Metal frame*** *in galvanic finish in gold or chrome colour*
- *Transparent* ***glass arms*** *coverage*
- ***Arm's cups*** *in transparent glass*
- ***Pendants*** *in transparent colour in the variations, Half Cut Glass, Cut Crystal, Swarovski*
- ***Lighting*** *with integrated LED sources (technology developed by Masiero) in the White Dynamic DW version*
- ***White light*** *between 2700K and 6500K*
- ***Device*** *managed with DMX protocol*
- ***Available on request*** *Radio Control*



RW _ RGB-W



- **Telaio in metallo** con finitura galvanica in colore cromo o oro
- **Braccia** ricoperte in vetro trasparente
- **Bobeches** in vetro trasparente
- **Pendagli** in colore trasparente nelle varianti Half Cut Glass, Cut Crystal e Swarovski
- **Illuminazione** con sorgenti a Led integrato con tecnologia brevettata nella nella versione RGB-W
- **Luce bianca** a 3000K
- **Apparecchio** gestito con protocollo DMX
- **Disponibile su richiesta** APP Masiero Smart Light o Telecomando

- ***Metal frame*** *in galvanic finish in chrome colour Transparent glass arms coverage*
- ***Arm's cups*** *in transparent glass*
- ***Pendants*** *in transparent colour in the variations, Half Cut Glass, Cut Crystal, Swarovski*
- ***Lighting*** *with integrated LED sources (technology developed by Masiero) in the RBG + White version*
- ***White light*** *at 3000K*
- ***Device*** *managed with DMX protocol*
- ***Available on request*** *APP Masiero Smart Light or Radio Control*

DYNAMIC WHITE CONTROL

6000K — 2700K

Il sistema **DYNAMIC WHITE** Control è dotato di una centralina* di controllo che consente di gestire tutte le funzioni in base alle esigenze dell'utilizzatore.

The control unit in the **Dynamic White** Control system allows all functions to be managed according to the user's needs.*

RGB-W CONTROL

RGB-W

Il sistema **RGB-W Control** è dotato di una centralina* di controllo che consente di gestire tutte le funzioni in base alle esigenze dell'utilizzatore.

The control unit in the **RGB-W** Control system allows all functions to be managed according to the user's needs.*

**Centralina non inclusa*
Control unit not included

Ogni dispositivo **Maria Teresa** può essere integrato nei sistemi domotici di qualsiasi abitazione gestiti con **protocollo DMX**.

Su richiesta è possibile fornire il dispositivo di uno di questi sistemi di gestione:

- **RADIOCOMANDO:**
  Ogni singolo dispositivo può essere controllato con un radiocomando.
  Su richiesta, un unico radiocomando può gestire più dispositivi diversi.

- **APP SU SMARTPHONE O TABLET:**
  MASIERO ha sviluppato una **APP** disponibile per **sistemi IOS** e **Android** che, con un'interfaccia semplice ed intuitiva, permette di gestire un numero infinito di dispositivi, contemporaneamente oppure singolarmente.

Each **Maria Teresa** *device can be integrated into any home automation system managed with the DMX protocol.*

On request, the device can be provided with one of the following control systems:

- **RADIO CONTROL***:*
  Each individual device can be controlled via a radio remote control.
  On request, a single remote control can manage several different devices.

- **APP ON YOUR SMARTPHONE OR TABLET:**
  MASIERO has developed an **APP** *for* **IOS** *and* **Android systems** *with a simple, intuitive interface to allow an infinite number of devices to be controlled together or individually.*

RADIO CONNECTION WITH REMOTE CONTROL

(Per versione DW e RGB-W)
(For DW and RGB-W version)



WI-FI CONNECTION WITH "MASIERO SMART LIGHT" APP

(Solo per versione RGB-W)
(Only for RGB-W version)



DMX CONNECTION WITH DOMOTIC NET

(Per versione DW e RGB-W)
(For DW and RGB-W version)



MT TRADITIONAL

Il modello Maria Teresa nella versione classica ricrea la stessa atmosfera degli storici palazzi veneziani.
Telaio in metallo disponibile in finitura oro lucido e cromo lucido.
Braccia ricoperte in vetro trasparente e pendagli disponibili in vetro, Cut Crystal o in Swarovski.

The classic version of the Maria Teresa model recreates the atmosphere of historic Venetian stately homes.
The metal frame is available in polished gold or polished chrome.
The arms are covered in clear glass and the pendants are available in glass, cut crystal or Swarovski glass.







VE 935/30

DW
DYNAMIC WHITE

Il modello Maria Teresa dotato del sistema di illuminazione brevettato LED Bianco Dinamico, permette di personalizzare la temperatura della luce, andando a ricreare il ciclo naturale del sole e scandendo così il ritmo del ciclo circadiano. La luce bianca può essere regolata con una temperatura tra i 2700K e 6500K. Grazie alla tecnologia LED si è pertanto in grado di assecondare l'esigenza di confort e benessere del corpo umano.

In the Maria Teresa model with patented Dynamic White LED lighting system, light temperature can be customised to recreate the natural cycle of the sun, following the rhythm of the circadian cycle. The white light can be adjusted to a temperature between 2700K and 6500K. The LED technology thus makes it possible to provide the comfort and wellness needed by the human body.



VE 951/24 DW


2700° K


3200° K


3600° K


4100° K


4600° K


5000° K


5500° K


6000° K


6500° K


VE 989/15 DW

RW
RGB-W

La collezione Maria Teresa realizzata con tecnologia brevettata LED RGB-W consente di trasformare la luce in puro colore, rinnovando completamente la percezione visiva dello spazio, che si riempie di infinite sfumature. Le superfici cambiano aspetto e l'ambiente muta secondo desiderio ed umore.
E' possibile ottenere anche luce bianca a 3000K.

The Maria Teresa collection with patented RGB-W LED technology, can transform light into pure colour, filling the space with an infinity of hues for a completely new visual perception. Surfaces alter their appearance and the whole ambience changes mood to reflect your personal preferences. White light at 3000K can also be obtained.



VE 907/65 RW





VE 951/24 RW

CG
COLOURED GLASS

La collezione Maria Teresa in vetro colorato interpreta un classico senza tempo in chiave contemporanea. Il colore è protagonista assoluto e veste il telaio, le braccia, i paralumi ed i pendagli.
Telaio in metallo verniciato e pendagli in vetro verniciato disponibili in nove colori.
Sistema di illuminazione tradizionale.

The Maria Teresa collection in coloured glass interprets a timeless classic with a contemporary twist.
Colour is the absolute protagonist, adorning the frame, arms, shades and pendants.
The painted metal frame and painted glass pendants are available in a choice of nine colours.
Traditional lighting system.



VE 903/56 CG






















VE 951/24 CG

VE 945/18




L 107 cm / 42.21”
SP 65 cm / 25.59”
H 45 cm / 17.71”
W 25 kg / 55.11 lb

WW 18×E14×40 W max *(not included)*
USA 18×E12×40 W max *(not included)*

RW-DW 18×LED source –72 W tot

VE 945/20




L 153 cm / 60.23”
SP 93 cm / 36.61”
H 66 cm / 25.98”
W 34 kg / 74.95 lb

WW 20×E14×40 W max *(not included)*
USA 20×E12×40 W max *(not included)*

RW-DW 20×LED - 80 W tot

VE 945/24




L 129 cm / 50.78”
SP 88 cm / 34.64”
H 70 cm / 27.55”
W 45 kg / 99.20 lb

WW 24×E14×40 W max *(not included)*
USA 24×E12×40 W max *(not included)*

RW-DW 24×LED - 96 W tot

VE 945/32




L 200 cm / 78.74”
SP 88 cm / 34.64”
H 80 cm / 31.49”
W 57 kg / 125.66 lb

WW 32×E14×40 W max *(not included)*
USA 32×E12×40 W max *(not included)*

RW-DW 32×LED - 128 W tot

VE 945/46



L 192 cm / 75.59”
SP 114 cm / 44.88”
H 110 cm / 43.30”
W 60 kg / 132.27 lb


WW 46×E14×40 W max *(not included)*
USA 46×E12×40 W max *(not included)*

RW-DW 46×LED - 184 W tot

VE 945/32



VE 996/15 CE ETL




Ø	95 cm / 37.40"
H	60 cm / 23.62"
W	17 kg / 37.47 lb

WW 15×E14×40 W max ***(not included)***
USA 15×E12×40 W max ***(not included)***

RW-DW 15×LED - source 60 W tot

VE 996/36 CE ETL




Ø	165 cm / 64.96"
H	95 cm / 37.40"
W	48 kg / 105.82 lb

WW 36×E14×40 W max ***(not included)***
USA 36×E12×40 W max ***(not included)***

RW-DW 36×LED - source 144 W tot

VE 996/48 CE ETL



Ø	210 cm / 82.67"
H	110 cm / 43.30"
W	95 kg / 209.43 lb

WW 48×E14×40 W max ***(not included)***
USA 48×E12×40 W max ***(not included)***


RW-DW 48×LED - source 192 W tot



VE 996/36



VE 961/8




Ø 75 cm / 29.52”
H 42 cm / 16.53”
W 11 kg / 24.25 lb

WW 8×E14×40 W max *(not included)*
USA 8×E12×40 W max *(not included)*

RW-DW 8×LED source –32 W tot

VE 961/10




Ø 85 cm / 33.46”
H 42 cm / 16.53”
W 17 kg / 37.47 lb

WW 10×E14×40 W max *(not included)*
USA 10×E12×40 W max *(not included)*

RW-DW 10×LED source –40 W tot

VE 961/12




Ø 75 cm / 29.52”
H 60 cm / 23.62”
W 16 kg / 35.27 lb

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*

RW-DW 12×LED source –48 W tot

VE 961/15




Ø 85 cm / 33.46”
H 60 cm / 23.62”
W 22 kg / 48.50 lb

WW 15×E14×40 W max *(not included)*
USA 15×E12×40 W max *(not included)*

RW-DW 15×LED source –60 W tot

VE 961/24



Ø 150 cm /59.05”
H 105 cm / 41.33”
W 40 kg / 88.18 lb


WW 24×E14×40 W max *(not included)*
USA 24×E12×40 W max *(not included)*

RW-DW 24×LED source –576 W tot





VE 921/24




L	150 cm / 59.06"
SP	85 cm / 33.46"
H	68 cm / 26.77"
W	43 kg / 94.79 lb

WW 12×E14×40 W max ***(not included)***
12×E27×60 W max ***(not included)***
USA 12×E12×40 W max ***(not included)***
12×E26×60 W max ***(not included)***

RW-DW 24×LED source –56 W tot

VE 921/32



L	200 cm / 78.74"
SP	110 cm / 43.30"
H	65 cm / 25.59"
W	60 kg / 132.27 lb

WW 16×E14×40 W max ***(not included)***
16×E27×60 W max ***(not included)***
USA 16×E12×40 W max ***(not included)***
16×E26×60 W max ***(not included)***


RW-DW 32×LED source –96 W tot



VE 921/ 24



VE 998/18




Ø	125 cm / 49.21"
H	130 cm / 51.18"
W	30 kg / 66.13 lb

WW 18×E14×40 W max ***(not included)***
USA 18×E12×40 W max ***(not included)***

RW-DW 18×LED source – 72 W tot

VE 998/40




Ø	170 cm / 66.92"
H	120 cm / 47.24"
W	60 kg / 132.27 lb

WW 40×E14×40 W max ***(not included)***
USA 40×E12×40 W max ***(not included)***

RW-DW 40×LED source – 160 W

VE 998/56



Ø	215 cm / 84.64"
H	120 cm / 47.24"
W	120 kg / 264.5 lb

WW 56×E14×40 W max ***(not included)***
USA 56×E12×40 W max ***(not included)***


RW-DW 56×LED source – 224 W



VE 998/18



VE 992/18



Ø 85 cm / 33.46"
H 100 cm / 39.37"
W 25 kg / 55.11 lb

WW 18×E14×40 W max *(not included)*
USA 18×E12×40 W max *(not included)*


RW-DW 18×LED source – 72 W tot



VE 992/18



VE 992/30



Ø	115 cm / 45.27"
H	140 cm / 55.12"
W	40 kg / 88.18 lb

WW 30×E14×40 W max ***(not included)***
USA 30×E12×40 W max ***(not included)***


RW-DW 30×LED source – 120 W



VE 992/30



VE 992/48




Ø	120 cm / 47.24″
H	240 cm / 94.49″
W	80 kg / 176.37 lb

WW 48×E14×40 W max ***(not included)***
USA 48×E12×40 W max ***(not included)***

RW-DW 48×LED source – 72 W tot

VE 992/70



Ø	150 cm / 59.05″
H	380 cm / 149.60″
W	100 kg / 220.4 lb

WW 70×E14×40 W max ***(not included)***
USA 70×E12×40 W max ***(not included)***


RW-DW 70×LED source – 120 W



VE 992/48



VE 986/15




Ø	95 cm / 37.40"
H	70 cm / 27.55"
W	18 kg / 39.68 lb

WW 15×E14×40 W max ***(not included)***
USA 15×E12×40 W max ***(not included)***

RW-DW 15×LED source – 60 W tot

VE 986/18




Ø	135 cm / 53.14"
H	90 cm / 35.43"
W	30 kg / 66.13 lb

WW 18×E14×40 W max ***(not included)***
USA 18×E12×40 W max ***(not included)***

RW-DW 18×LED source – 72 W tot

VE 986/39



Ø	190 cm / 74.80"
H	125 cm / 49.21"
W	70 kg / 154.32 lb

WW 39×E14×40 W max ***(not included)***
USA 39×E12×40 W max ***(not included)***


RW-DW 39×LED source – 156 W



VE 986/18



VE 987/15




Ø	95 cm / 37.40”
H	130 cm / 51.18”
W	20 kg / 44.09 lb

WW 15×E14×40 W max ***(not included)***
USA 15×E12×40 W max ***(not included)***

RW-DW 15×LED source – 60 W tot

VE 987/18




Ø	140 cm / 55.11”
H	200 cm / 78.74”
W	38 kg / 83.77 lb

WW 18×E14×40 W max ***(not included)***
USA 18×E12×40 W max ***(not included)***

RW-DW 18×LED source – 72 W tot

VE 987/39



Ø	190 cm / 74.80”
H	210 cm / 82.67”
W	80 kg / 176.37 lb


WW 39×E14×40 W max ***(not included)***
USA 39×E12×40 W max ***(not included)***

RW-DW 39×LED source – 156 W



VE 987/18

VE 906/15




Ø 100 cm / 39.37”
H 78 cm / 30.37”
W 25 kg / 55.11 lb

WW 15×E14×40 W max ***(not included)***
USA 15×E12×40 W max ***(not included)***

RW-DW 15×LED source –60 W tot

VE 906/32




Ø 125 cm / 49.21”
H 90 cm / 35.43”
W 40 kg / 88.18 lb

WW 32×E14×40 W max ***(not included)***
USA 32×E12×40 W max ***(not included)***

RW-DW 32×LED source – 128 W tot

VE 906/42




Ø 150 cm / 59.05”
H 180 cm / 70.86”
W 75 kg / 165.34 lb

WW 42×E14×40 W max ***(not included)***
USA 42×E12×40 W max ***(not included)***

RW-DW 42×LED source – 168 W tot

VE 906/49



Ø 190 cm / 74.80”
H 170 cm / 66.92”
W 90 kg / 198.41 lb


WW 49×E14×40 W max ***(not included)***
USA 49×E12×40 W max ***(not included)***

RW-DW 49×LED source – 196 W tot

VE 906/49 CG



VE 905/15




Ø	90 cm / 35.43"
H	80 cm / 31.49"
W	38 kg / 83.77 lb

WW 15×E14×40 W max ***(not included)***
USA 15×E12×40 W max ***(not included)***

RW-DW 15×LED source – 60 W tot

VE 905/24




Ø	145 cm / 57.08"
H	120 cm / 47.24"
W	60 kg / 132.27 lb

WW 24×E14×40 W max ***(not included)***
USA 24×E12×40 W max***(not included)***

RW-DW 24×LED source –96 W tot

VE 905/56



Ø	210 cm / 102.40"
H	195 cm / 118.20"
W	140 kg / 308.6 lb

WW 56×E14×40 W max ***(not included)***
USA 56×E12×40 W max ***(not included)***


RW-DW 56×LED source –224 W tot



VE 905/56



VE 991/15




Ø	95 cm / 37.40″
H	65 cm / 25.59″
W	17 kg / 37.47 lb

WW 15×E14×40 W max ***(not included)***
USA 15×E12×40 W max ***(not included)***

RW-DW 15×LED source – 60 W tot

VE 991/24




Ø	140 cm / 55.11″
H	100 cm / 39.37″
W	30 kg / 66.13 lb

WW 24×E14×40 W max ***(not included)***
USA 24×E12×40 W max***(not included)***

RW-DW 24×LED source –96 W tot

VE 991/36



Ø	165 cm / 64.96″
H	95 cm / 37.40″
W	50 kg / 110.23 lb

WW 36×E14×40 W max ***(not included)***
USA 36×E12×40 W max ***(not included)***


RW-DW 36×LED source –224 W tot



VE 991/24



VE 973/70



Ø 290 cm / 114.17"
H 300 cm / 118.20"
W 135 kg / 297.6 lb


WW 70×E14×40 W max *(not included)*
USA 70×E12×40 W max *(not included)*

RW-DW 70×LED source –280 W tot



VE 973/70 CG

VE 910/25




Ø 100 cm / 39.37"
H 75 cm / 29.52"
W 26 kg / 57.32 lb

WW 25×E14×40 W max ***(not included)***
USA 25×E12×40 W max ***((not included)***

RW-DW 25×LED source –100 W tot

VE 910/32




Ø 125 cm / 49.21"
H 90 cm / 35.43"
W 40 kg / 88.18 lb

WW 32×E14×40 W max ***(not included)***
USA 32×E12×40 W max ***((not included)***

RW-DW 32×LED source –128 W tot

VE 910/42




Ø 150 cm / 59.05"
H 180 cm / 70.87"
W 70 kg / 154.32 lb

WW 42×E14×40 W max ***(not included)***
USA 42×E12×40 W max ***((not included)***

RW-DW 42×LED source –168 W tot

VE 910/49




Ø 185 cm /72.83"
H 165 cm / 64.96"
W 85 kg / 187.39 lb

WW 49×E14×40 W max ***(not included)***
USA 49×E12×40 W max ***((not included)***

RW-DW 49×LED source –196 W tot

VE 910/56



Ø 185 cm /72.83"
H 165 cm / 64.96"
W 100 kg / 220.5 lb

WW 56×E14×40 W max ***(not included)***
USA 56×E12×40 W max ***((not included)***


RW-DW 56×LED source –224 W tot



VE 910/56



VE 929/24




Ø	120 cm / 47.24"
H	120 cm / 47.24"
W	57 kg / 125.66 lb

WW 24×E14×40 W max ***(not included)***
USA 24×E12×40 W max ***(not included)***

RW-DW 24×LED source –96 W tot

VE 929/36




Ø	165 cm / 64.96"
H	160 cm / 62.99"
W	90 kg / 198.41 lb

WW 36×E14×40 W max ***(not included)***
USA 36×E12×40 W max ***(not included)***


RW-DW 36×LED source –144 W tot



VE 929/24



VE 981/12



Ø	106 cm / 41.73"
H	70 cm / 27.55"
W	20 kg / 44.09 lb

WW 12×E14×40 W max ***(not included)***
USA 12×E12×40 W max ***(not included)***


RW-DW 12×LED source – 48 W tot



VE 981/12



VE 981/24




Ø	140 cm / 55.11”
H	70 cm / 27.55”
W	40 kg / 88.18 lb

WW 24×E14×40 W max ***(not included)***
USA 24×E12×40 W max ***(not included)***

RW-DW 24×LED source –96 W tot

VE 981/60



Ø	220 cm / 86.61”
H	75 cm / 29.52”
W	72 kg / 158.73 lb


WW 60×E14×40 W max ***(not included)***
USA 60×E12×40 W max ***(not included)***

RW-DW 60×LED source – 240 W



VE 981/24 RW

VE 911/110



Ø	250 cm / 98.42”
H	400 cm / 157.48”
W	190 kg / 418.87lb


WW 110×E14×40 W max ***(not included)***
USA 110×E12×40 W max ***(not included)***

RW-DW 110×LED source –224 W

VE 911/110



VE 911/25




Ø 100 cm / 39.37″
H 160 cm / 62.99″
W 30 kg / 66.13 lb

WW 25×E14×40 W max ***(not included)***
USA 25×E12×40 W max ***(not included)***

RW-DW 25×LED source –60 W tot

VE 911/32




Ø 125 cm / 49.21″
H 170 cm / 66.92″
W 45 kg / 99.20 lb

WW 32×E14×40 W max***(not included)***
USA 32×E12×40 W max ***(not included)***

RW-DW 32×LED source –128 W tot

VE 911/45




Ø 150 cm / 59.05″
H 270 cm / 106.29″
W 80 kg / 176.36 lb

WW 45×E14×40 W max***(not included)***
USA 45×E12×40 W max ***(not included)***

RW-DW 45×LED source –168 W tot

VE 911/56



Ø 185 cm / 72.83″
H 240 cm / 94.48″
W 110 kg / 242.5 lb

WW 56×E14×40 W max ***(not included)***
USA 56×E12×40 W max ***(not included)***


RW-DW 56×LED source –196 W tot



VE 911/56



VE 920/14




L	90 cm / 35.43"
SP	45 cm / 17.72"
H	50 cm / 19.69"
W	48 kg / 105.82 lb

WW 14×E14×40 W max ***(not included)***
USA 14×E12×40 W max ***(not included)***

RW-DW 14×LED source –56 W tot

VE 920/24




L	160 cm / 62.99"
SP	70 cm / 27.55"
H	60 cm / 23.62"
W	77.5 kg / 170.8 lb

WW 24×E14×40 W max ***(not included)***
USA 24×E12×40 W max ***(not included)***

RW-DW 24×LED source –96 W tot

VE 920/30



L	200 cm / 78.74"
SP	70 cm / 27.55"
H	60 cm / 23.62"
W	100 kg / 220.4 lb

WW 30×E14×40 W max (***not included***)
USA 30×E12×40 W max (***not included***)


RW-DW 30×LED source –120 W tot



VE 920/24



VE 980/12




Ø	106 cm / 41.73"
H	70 cm / 27.55"
W	16 kg / 35.27 lb

WW 12×E14×40 W max ***(not included)***
USA 12×E12×40 W max ***(not included)***

RW-DW 12×LED source – 48 W tot

VE 980/24




Ø	140 cm / 55.11"
H	70 cm / 27.55"
W	37 kg / 81.57 lb

WW 24×E14×40 W max ***(not included)***
USA 24×E12×40 W max ***(not included)***

RW-DW 24×LED source –96 W tot

VE 980/60



Ø	220 cm / 86.61"
H	75 cm / 29.52"
W	67 kg / 147.70 lb

WW 60×E14×40 W max (***not included)***
USA 60×E12×40 W max ***(not included)***

RW-DW 60×LED source – 240 W




VE 980/24





VE 915/12

VE 915/12




Ø	95 cm / 37.40”
H	82 cm / 32.28”
W	25 kg / 55.11 lb

WW 12×E14×40 W max ***(not included)***
USA 12×E12×40 W max ***(not included)***

RW-DW 12×LED source – 48 W tot

VE 915/36




Ø	170 cm / 66.92”
H	90 cm / 35.43”
W	60 kg / 132.27 lb

WW 36×E14×40 W max ***(not included)***
USA 36×E12×40 W max ***(not included)***

RW-DW 36×LED source – 144 W

VE 915/48




Ø	205 cm / 80.70”
H	140 cm / 55.11”
W	95 kg / 209.43 lb

WW 48×E14×40 W max ***(not included)***
USA 48×E12×40 W max ***(not included)***

RW-DW 48×LED source – 192



VE 988/32




Ø	130 cm / 51.18"
H	90 cm / 35.43"
W	30 kg / 66.13 lb

WW 32×E14×40 W max ***(not included)***
USA 32×E12×40 W max ***(not included)***

RW-DW 32×LED source –128 W tot

VE 988/48



Ø	130 cm / 51.18"
H	90 cm / 35.43"
W	51 kg / 112.43 lb


WW 48×E14×40 W max ***(not included)***
USA 48×E12×40 W max ***(not included)***

RW-DW 48×LED source –192 W tot



VE 988/48

VE 984/12




Ø	106 cm / 41.73″
H	70 cm / 27.55″
W	18 kg / 39.68 lb

WW 12×E14×40 W max ***(not included)***
USA 12×E12×40 W max ***(not included)***

RW-DW 12×LED source – 48 W tot

VE 984/24




Ø	140 cm / 55.11″
H	70 cm / 27.55″
W	37 kg / 81.57 lb

WW 24×E14×40 W max ***(not included)***
USA 24×E12×40 W max ***(not included)***

RW-DW 24×LED source –96 W tot

VE 984/60



Ø	220 cm / 86.61″
H	75 cm / 29.52″
W	69 kg / 152.11 lb


WW 60×E14×40 W max ***(not included)***
USA 60×E12×40 W max ***(not included)***

RW-DW 60×LED source – 240 W



VE 984/60

VE 918/30




Ø	100 cm / 39.37”
H	90 cm / 35.43”
W	28 kg / 61.72 lb

WW 30×E14×40 W max ***(not included)***
USA 30×E12×40 W max ***(not included)***

RW-DW 30×LED source –120 W tot

VE 918/48




Ø	165 cm / 64.96”
H	110 cm / 43.30”
W	50 kg / 110.23 lb

WW 48×E14×40 W max ***(not included)***
USA 48×E12×40 W max ***(not included)***

RW-DW 48×LED source –192 W tot

VE 918/72



Ø	200 cm / 78.74”
H	160 cm / 62.99”
W	90 kg / 198.41 lb


WW 72×E14×40 W max ***(not included)***
USA 72×E12×40 W max ***(not included)***

RW-DW 72×LED source –288 W tot

VE 918/30



VE 931/12



Ø 100 cm / 39.37”
H 46 cm / 18.11”
W 18 kg / 39.68 lb

WW 12×E14×40 W max ***(not included)***
USA 12×E12×40 W max ***(not included)***


RW-DW 12×LED source – 48 W tot



VE 931/12



VE 934/12




Ø	95 cm / 37.40”
H	80 cm / 31.49”
W	17 kg / 37.47 lb

WW 12×E14×40 W max ***(not included)***
USA 12×E12×40 W max ***(not included)***

RW-DW 12×LED source – 48 W tot

VE 934/40



Ø	150 cm / 59.05”
H	95 cm / 37.40”
W	50 kg / 110.23 lb

WW 40×E14×40 W max ***(not included)***
USA 40×E12×40 W max ***(not included)***


RW-DW 40×LED source – 160 W



VE 934/40



VE 950/18 CE



Ø	105 cm / 41.33"
H	65 cm / 25.59"
W	18 kg / 39.68 lb

WW 18×E14×40 W max ***(not included)***
USA 18×E12×40 W max ***(not included)***


RW-DW 18×LED source – 72 W tot



VE 950/18



VE 917/15



Ø	85 cm / 33.46″
H	60 cm / 23.62″
W	18 kg / 39.68 lb

WW 15×E14×40 W max ***(not included)***
USA 15×E12×40 W max ***(not included)***


RW-DW 15×LED source – 60 W tot



VE 917/15



VE 975/16 CE ETL



Ø	110 cm / 43.31"
H	70 cm / 27.55"
W	28 kg / 61.72 lb


WW 16×E14×40 W max ***(not included)***
USA 16×E12×40 W max ***(not included)***

RW-DW 16×LED source – 64 W tot



VE 975/16

VE 956/1



Ø	40 cm / 15.75"
H	40 cm / 15.75"
W	7 kg / 15.43 lb

WW 1×E27×60 W max ***(not included)***
USA 1×E26×60 W max ***(not included)***


RW-DW 1×LED source –4 W tot



VE 956/1



VE 954/1



Ø	40 cm / 15.75"
H	50 cm / 19.69"
W	6 kg / 13.22 lb


WW 1×E27×60 W max ***(not included)***
USA 1×E26×60 W max ***(not included)***

RW-DW 1×LED source –4 W tot



VE 954/1

VE 940/5




Ø 60 cm / 23.62″
H 50 cm / 19.68″
W 7 kg / 15.43 lb

WW 5×E14×40 W max *(not included)*
USA 5×E12×40 W max *((not included)*

RW-DW 5×LED source –20 W tot

VE 940/8




Ø 62 cm / 24.40″
H 50 cm / 19.68″
W 8.3 kg / 18.29 lb

WW 8×E14×40 W max*(not included)*
USA 8×E12×40 W max *((not included)*

RW-DW 8×LED source – 32 W tot

VE 940/12




Ø 65 cm / 25.59″
H 57 cm / 22.44″
W 12 kg / 26.45 lb

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *((not included)*

RW-DW 12×LED source – 48 W tot

VE 940/18




Ø 105 cm /41.33″
H 85 cm / 33.46″
W 25 kg / 55.11 lb

WW 18×E14×40 W max *(not included)*
USA 18×E12×40 W max *((not included)*

RW-DW 18×LED source – 72 W tot

VE 940/24



(

Ø 100 cm /39.37″
H 70 cm / 27.55″
W 20 kg / 44.09 lb

WW 24×E14×40 W max *(not included)*
USA 24×E12×40 W max *(not included)*


RW-DW 24×LED source – 96 W tot



VE 940/5



VE 944/3




Ø	47 cm / 18.50"
H	42 cm / 16.53"
W	3.5 kg / 7.71 lb

WW 3×E14×40 W max ***(not included)***
USA 3×E12×40 W max ***(not included)***

RW-DW 3×LED source –12 W tot

VE 944/5




Ø	47 cm / 18.50"
H	42 cm / 16.53"
W	5 kg / 11.02 lb

WW 5×E14×40 W max ***(not included)***
USA 5×E12×40 W max ***(not included)***


RW-DW 5×LED source –20 W tot



VE 944/5



VE 903/15




Ø	90 cm / 35.43”
H	70 cm / 27.55”
W	30 kg / 66.13 lb

WW 15×E14×40 W max ***(not included)***
USA 15×E12×40 W max ***(not included)***

RW-DW 15×LED source – 60 W tot

VE 903/24




Ø	150 cm / 59.05”
H	120 cm / 47.24”
W	48 kg / 105.82 lb

WW 24×E14×40 W max ***(not included)***
USA 24×E12×40 W max ***(not included)***

RW-DW 24×LED source – 96 W tot

VE 903/56



Ø	210 cm / 82.67”
H	180 cm / 70.86”
W	140 kg / 308.6 lb


WW 56×E14×40 W max (***not included)***
USA 56×E12×40 W max ***(not included)***

RW-DW 56×LED source – 224



VE 903/56 CG

VE 901/70




Ø	260 cm / 102.40"
H	300 cm / 118.20"
W	120 kg / 264.5 lb

WW 70×E14×40 W max ***(not included)***
USA 70×E12×40 W max ***(not included)***


RW-DW 70×LED source –280 W tot



VE 901/70 DW



VE 907/35




Ø	140 cm / 55.10"
H	210 cm / 82.70"
W	80 kg / 176.5 lb

WW 35×E14×40 W max ***(not included)***
USA 35×E12×40 W max ***(not included)***

RW-DW 35×LED source –140 W tot

VE 907/65



Ø	170 cm / 66.92"
H	250 cm / 98.42"
W	120 kg / 264.5 lb

WW 65×E14×40 W max ***(not included)***
USA 65×E12×40 W max ***(not included)***


RW-DW 65×LED source –260 W tot



VE 907/65 RW



VE 909/15




Ø	110 cm / 43.30"
H	110 cm / 43.30"
W	35 kg / 77.16 lb

WW 15×E14×40 W max ***(not included)***
USA 15×E12×40 W max ***(not included)***

RW-DW 15×LED source – 60 W tot

VE 909/30




Ø	144 cm / 56.69"
H	102 cm / 40.15"
W	55 kg / 121.25 lb

WW 30×E14×40 W max***(not included)***
USA 30×E12×40 W max ***(not included)***

RW-DW 30×LED source –120 W tot

VE 909/60




Ø	190 cm / 74.80"
H	145 cm / 57.80"
W	110 kg / 242.5 lb

WW 60×E14×40 W max ***(not included)***
USA 60×E12×40 W max ***(not included)***


RW-DW 60×LED source –240 W tot



VE 909/30 DW



VE 913/12




Ø 110 cm / 43.30″
H 95 cm / 37.40″
W 38 kg / 83.77 lb

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*

RW-DW 12×LED source – 48 W tot

VE 913/36




Ø 167 cm / 65.74″
H 98 cm / 38.58″
W 58 kg / 127.86 lb

WW 36×E14×40 W max*(not included)*
USA 36×E12×40 W max *(not included)*

RW-DW 36×LED source – 144 W

VE 913/46



Ø 205 cm / 80.70″
H 120 cm / 47.24″
W 100 kg / 220.4 lb

WW 46×E14×40 W max (*not included)*
USA 46×E12×40 W max *(not included)*

RW-DW 46×LED source – 184 W



VE 913/36




VE 923/13

Ø 80 cm / 31.49″
H 65 cm / 25.59″
W 19 kg / 41.88 lb

WW 10×E14×40 W max ***(not included)***
3×E27×60 W max ***(not included)***
USA 10×E12×40 W max ***(not included)***
3×E26×60 W max ***(not included)***

RW-DW 13×LED source –52 W tot

VE 923/18




Ø 100 cm / 39.37″
H 65 cm / 25.59″
W 40 kg / 88.18 lb

WW 12×E14×40 W max ***(not included)***
6×E27×60 W max ***(not included)***
USA 12×E12×40 W max ***(not included)***
6×E26×60 W max ***(not included)***

RW-DW 18×LED source –72 W tot

VE 923/21



Ø 125 cm / 49.21″
H 75 cm / 29.52″
W 80 kg / 176.36 lb

WW 14×E14×40 W max ***(not included)***
7×E27×60 W max ***(not included)***
USA 14×E12×40 W max ***(not included)***
7×E26×60 W max ***(not included)***


RW-DW 21×LED source –84 W tot



VE 923/13



VE 927/12




Ø	85 cm / 33.46"
H	70 cm / 27.55"
W	25 kg / 55.11 lb

WW 12×E14×40 W max ***(not included)***
USA 12×E12×40 W max ***(not included)***

RW-DW 12×LED source – 48W tot

VE 927/16




Ø	118 cm / 46.45"
H	84 cm / 33.07"
W	33 kg / 72.75 lb

WW 16×E14×40 W max ***(not included)***
USA 16×E12×40 W max ***(not included)***

RW-DW 16×LED source –64 W tot

VE 927/24




Ø	118 cm / 46.45"
H	84 cm / 33.07"
W	40 kg / 88.18 lb

WW 24×E14×40 W max***(not included)***
USA 24×E12×40 W max ***(not included)***

RW-DW 24×LED source –96 W tot

VE 927/30



Ø	165 cm / 64.96"
H	105 cm / 41.38"
W	82 kg / 180.77 lb

WW 30×E14×40 W max ***(not included)***
USA 30×E12×40 W max ***(not included)***


RW-DW 30×LED source –120 W tot



VE 927/16



VE 935/12




Ø	75 cm / 29.52″
H	60 cm / 23.62″
W	20 kg / 44.09 lb

WW 12×E14×40 W max ***(not included)***
USA 12×E12×40 W max ***(not included)***

RW-DW 12×LED source – 48 W tot

VE 935/18




Ø	120 cm / 47.24″
H	75 cm / 29.52″
W	30 kg / 66.13 lb

WW 18×E14×40 W max ***(not included)***
USA 18×E12×40 W max ***(not included)***

RW-DW 18×LED source –72 W tot

VE 935/30



Ø	170 cm / 66.92″
H	85 cm / 33.46″
W	50 kg / 110.23 lb


WW 30×E14×40 W max ***(not included)***
USA 30×E12×40 W max ***(not included)***

RW-DW 30×LED source –120 W tot





VE 925/15




Ø	100 cm / 39.37”
H	80 cm / 31.49”
W	24 kg / 52.91 lb

WW 15×E14×40 W max ***(not included)***
USA 15×E12×40 W max ***(not included)***


RW-DW 15×LED source – 60 W tot



VE 925/15



VE 951/15




Ø	105 cm / 41.33"
H	85 cm / 33.46"
W	20 kg / 44.09 lb

WW 15×E14×40 W max ***(not included)***
USA 15×E12×40 W max ***(not included)***

RW-DW 15×LED source –60 W tot

VE 951/24




Ø	145 cm / 57.09"
H	125 cm / 49.21"
W	42.5 kg / 93.69 lb

WW 24×E14×40 W max ***(not included)***
USA 24×E12×40 W max ***(not included)***

RW-DW 24×LED source –96 W tot

VE 951/40



Ø	200 cm / 78.74"
H	135 cm / 53.14"
W	80 kg / 176.36 lb


WW 40×E14×40 W max ***(not included)***
USA 40×E12×40 W max ***(not included)***

RW-DW 40×LED source –160 W tot



VE 951/24 RW

VE 933/12




Ø	80 cm / 31.49″
H	65 cm / 25.59″
W	20 kg / 44.09 lb

WW 12×E14×40 W max ***(not included)***
USA 12×E12×40 W max ***(not included)***

RW-DW 12×LED source – 48 W tot

VE 933/15




Ø	80 cm / 31.49″
H	65 cm / 25.59″
W	20 kg / 44.09 lb

WW 15×E14×40 W max ***(not included)***
USA 15×E12×40 W max ***(not included)***

RW-DW 15×LED source – 40 W tot

VE 933/24




Ø	120 cm / 47.24″
H	110 cm / 43.30″
W	45 kg / 99.20 lb

WW 24×E14×40 W max***(not included)***
USA 24×E12×40 W max ***(not included)***

RW-DW 24×LED source – 96 W tot

VE 933/50



Ø	160 cm / 62.99″
H	155 cm / 61.02″
W	83 kg / 182.98 lb

WW 50×E14×40 W max (***not included)***
USA 50×E12×40 W max ***(not included)***


RW-DW 50×LED source – 200W tot



VE 933/50



VE 959/12




Ø 115 cm / 45.27″
H 95 cm / 37.40″
W 30 kg / 66.13 lb

WW 12×E14×40 W max ***(not included)***
USA 12×E12×40 W max ***(not included)***

RW-DW 12×LED source – 48 W tot

VE 959/30




Ø 155 cm / 61.02″
H 125 cm / 49.21″
W 48 kg / 105.82 lb

WW 30×E14×40 W max ***(not included)***
USA 30×E12×40 W max ***(not included)***

RW-DW 30×LED source – 120 W

VE 959/56



Ø 200 cm / 78.74″
H 140 cm / 55.11″
W 84 kg / 185.18 lb


WW 56×E14×40 W max ***(not included)***
USA 56×E12×40 W max ***(not included)***

RW-DW 56×LED source – 224 W



VE 959/12 CG

VE 989/15




Ø	95 cm / 37.40″
H	55 cm / 21.63″
W	17 kg / 37.47 lb

WW 15×E14×40 W max ***(not included)***
USA 15×E12×40 W max ***(not included)***

RW-DW 15×LED source – 60 W tot

VE 989/24




Ø	140 cm / 55.11″
H	80 cm / 31.49″
W	30 kg / 66.13 lb

WW 24×E14×40 W max ***(not included)***
USA 24×E12×40 W max ***(not included)***

RW-DW 24×LED source – 96 W tot

VE 989/36



Ø	165 cm / 64.96″
H	90 cm / 35.43″
W	48 kg / 105.82 lb


WW 40×E14×40 W max ***(not included)***
USA 40×E12×40 W max ***(not included)***

RW-DW 36×LED source – 144 W

VE 989/15 DW



VE 919/PL10




Ø	90 cm / 35.43″
H	35 cm / 13.77″
W	34 kg / 74.95 lb

WW 10×E14×40 W max ***(not included)***
USA 10×E12×40 W max ***(not included)***

RW-DW 10×LED source –40 W tot

VE 919/PL12




Ø	105 cm / 41.33″
H	35 cm / 13.77″
W	44 kg / 97 lb

WW 12×E14×40 W max ***(not included)***
USA 12×E12×40 W max ***(not included)***

RW-DW 12×LED source –48 W tot

VE 919/PL20



Ø	130 cm / 51.18″
H	45 cm / 17.71″
W	80 kg / 176.36 lb

WW 20×E14×40 W max ***(not included)***
USA 20×E12×40 W max ***(not included)***


RW-DW 20×LED source –80 W tot



VE 919/PL12



VE 937/A2




L	44 cm / 17.32"
SP	22 cm / 8.66"
H	36 cm / 14.17"

WW 2×E14×40 W max ***(not included)***
USA 2×E12×40 W max ***(not included)***


RW-DW 2×LED source – 8 W tot



VE 937/A2




VE 921/A3+1



VE 986/A3

VE 921/A3+1




L	60 cm / 23.62"
SP	30 cm / 11.81"
H	40 cm / 15.75"

WW 4×E14×40 W max ***(not included)***
USA 4×E12×40 W max ***(not included)***

RW-DW 4×LED source –16 W tot

VE 986/A3




L	50 cm / 19.69"
SP	25 cm / 9.84"
H	55 cm / 21.64

WW 3×E14×40 W max ***(not included)***
USA 3×E12×40 W max ***(not included)***

RW-DW 3×LED source – 12 W tot




VE 996/A4




L	48 cm / 18.90"
SP	27 cm / 10.63"
H	41 cm / 16.14"

WW 4×E14×40 W max ***(not included)***
USA 4×E12×40 W max ***(not included)***

RW-DW 4×LED source –16 W tot




VE 998/A5



L	42 cm / 16.54"
SP	32 cm / 12.60"
H	53 cm / 20.87"

WW 5×E14×40 W max ***(not included)***
USA 5×E12×40 W max ***(not included)***

RW-DW 5×LED source – 20 W tot




VE 938/A2



VE 938/TL5

VE 938/STL5

VE 938/A1




L 15 cm / 5.91″
SP 22 cm / 8.66″
H 40 cm / 15.75″

WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*

RW-DW 1×LED source – 4 W tot

VE 938/A2




L 30 cm / 11.81″
SP 22 cm / 8.66″
H 50 cm / 19.69″

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

RW-DW 2×LED source – 8 W tot

VE 938/STL5




Ø 50 cm / 19.69″
H 185 cm / 72.83″

WW 5×E14×40 W max*(not included)*
USA 5×E12×40 W max *(not included)*

RW-DW 5×LED source – 20 W tot

VE 938/TL5




Ø 50 cm / 19.69″
H 65 cm / 25.59″

WW 5×E14×40 W max (*not included)*
USA 5×E12×40 W max *(not included)*

RW-DW 5×LED source – 20 W tot




VE 940/A5



VE 940/TL2

VE 940/A5




L	35 cm / 13.77″
SP	35 cm / 13.77″
H	50 cm / 19.68″

WW 5×E14×40 W max ***(not included)***
USA 5×E12×40 W max ***(not included)***

RW-DW 5×LED source –20 W tot

VE 940/TL1




Ø	20 cm / 7.87″
H	25 cm / 9.84″

WW 1×E14×40 W max ***(not included)***
USA 1×E12×40 W max ***(not included)***

RW-DW 1×LED source –4 W tot


VE 940/TL2



Ø	20 cm / 7.87″
H	35 cm / 13.78″


WW 2×E14×40 W max***(not included)***
USA 2×E12×40 W max ***(not included)***

RW-DW 2×LED source –8 W tot



VE 942/A5

VE 942/A5




L	45 cm / 17.72"
SP	25 cm / 9.84"
H	40 cm / 15.75"

WW 5×E14×40 W max *(not included)*
USA 5×E12×40 W max *(not included)*

RW-DW 5×LED source – 20 W tot

VE 942/STL5



Ø	55 cm / 21.65"
H	185 cm / 72.83"

WW 5×E14×40 W max*(not included)*
USA 5×E12×40 W max *(not included)*


RW-DW 5×LED source – 20 W tot



VE 942/STL5




VE 944/TL3




Ø 45 cm / 17.72″
H 60 cm / 23.62″

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*

RW-DW 3×LED source – 12 W tot



VE 944/A1




L 12 cm / 4.72″
SP 20 cm / 7.87″
H 28 cm / 11.02″

WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*

RW-DW 1×LED source –4 W tot

VE 944/A2




L 28 cm / 11.02″
SP 20 cm / 7.87″
H 28 cm / 11.02″

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

RW-DW 2×LED source –8 W tot

VE 944/TL1




Ø 20 cm / 7.87″
H 28 cm / 11.02″

WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*

RW-DW 1×LED source –4 W tot


VE 944/TL2



Ø 20 cm / 7.87″
H 35 cm / 13.78″

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

RW-DW 2×LED source –8 W tot



TECHNICAL INFO




FINITURE / FINISHING

Bagno galvanico / Galvanic Bath



G03 Oro lucido
Shiny gold



G04 Cromo lucido
Shiny chrome

Verniciati / Painted



V31 Rosso lucido
Shiny red




V23 Arancio lucido
Shiny orange

V22 Giallo lucido
Shiny yellow



V63 Verde lucido
Shiny green




V9L Nero lucido
Shiny black

V92 Bianco lucido
Shiny white



V42 Melanzana lucido
Shiny aubergine



V41 Lilla lucido
Shiny lilac



V53 Blu lucido
Shiny blue

Verificare la disponibilità di ciascuna finitura per specifici articoli / Availability of each finish to be confirmed for specific items.

Indice/Index

ART.	LIGHTS	Ø/L-SP	H	PAG.
VE 901	70	260 cm	300 cm	97
VE 903	15	90 cm	70 cm	94
	24	150 cm	120 cm	94
	56	210 cm	180 cm	95
VE 905	15	90 cm	80 cm	46
	24	145 cm	120 cm	46
	56	210 cm	195 cm	47
VE 906	15	100 cm	78 cm	44
	32	125 cm	90 cm	44
	42	150 cm	180 cm	44
	49	190 cm	170 cm	45
VE 907	35	140 cm	210 cm	98
	65	170 cm	250 cm	99
VE 909	15	110 cm	110 cm	100
	30	144 cm	102 cm	101
	60	190 cm	145 cm	100
VE 910	25	100 cm	75 cm	52
	32	125 cm	90 cm	52
	42	150 cm	180 cm	52
	49	185 cm	165 cm	52
	56	185 cm	165 cm	53
VE 911	25	100 cm	160 cm	62
	32	125 cm	170 cm	62
	45	150 cm	270 cm	62
	56	185 cm	240 cm	63
	110	250 cm	400 cm	61
VE 913	12	110 cm	95 cm	102
	36	167 cm	98 cm	103
	46	205 cm	120 cm	102
VE 915	12	95 cm	82 cm	69
	36	170 cm	90 cm	68
	48	205 cm	140 cm	68
VE 917	15	85 cm	60 cm	83
VE 918	30	100 cm	90 cm	75
	48	165 cm	110 cm	74
	72	200 cm	160 cm	74
VE 919	PL10	90 cm	35 cm	120
	PL12	105 cm	35 cm	121
	PL20	130 cm	45 cm	120
VE 920	14	90 x 45 cm	50 cm	64
	24	160 x 70 cm	60 cm	65
	30	200 x 70 cm	60 cm	64
VE 921	24	150 x 85 cm	68 cm	31
	32	200 x 110 cm	65 cm	30
	A3+1	60 x 30 cm	40 cm	124
VE 923	13	80 cm	65 cm	105
	18	100 cm	65 cm	104
	21	125 cm	75 cm	104
VE 925	15	100 cm	80 cm	111
VE 927	12	85 cm	70 cm	106
	16	118 cm	84 cm	107
	24	118 cm	84 cm	106
	30	165 cm	105 cm	106
VE 929	24	120 cm	120 cm	55
	36	165 cm	160 cm	54
VE 931	12	100 cm	46 cm	77
VE 933	12	80 cm	65 cm	114
	15	80 cm	65 cm	114
	24	120 cm	110 cm	114
	50	160 cm	155 cm	115
VE 934	12	95 cm	80 cm	78
	40	150 cm	95 cm	79
VE 935	12	75 cm	60 cm	108
	18	120 cm	75 cm	108
	30	170 cm	85 cm	109
VE 937	A2	44 x 22 cm	36 cm	123
VE 938	A1	15 x 22 cm	40 cm	128
	A2	30 x 22 cm	50 cm	128
	STL5	50 cm	185 cm	129
	TL5	50 cm	65 cm	129
VE 940	5	60 cm	50 cm	91
	8	62 cm	50 cm	90
	12	62 cm	57 cm	90
	18	105 cm	85 cm	90
	24	100 cm	70 cm	90
	A5	35 x 35 cm	50 cm	130
	TL1	20 cm	25 cm	131
	TL2	20 cm	35 cm	131
VE 942	A5	45 x 25 cm	40 cm	132
	STL5	55 cm	185 cm	133
VE 944	3	47 cm	42 cm	92
	5	47 cm	42 cm	93
	A1	12 x 20 cm	28 cm	135
	A2	28 x 20 cm	28 cm	135
	TL1	20 cm	28 cm	135
	TL2	20 cm	35 cm	134
	TL3	45 cm	60 cm	134
VE 945	18	107 x 65 cm	50 cm	24
	20	153 x 93 cm	66 cm	24
	24	129 x 88 cm	69 cm	24
	32	200 x 88 cm	80 cm	25
	46	192 x 114 cm	110 cm	24
VE 950	18	105 cm	65 cm	81
VE 951	15	105 cm	85 cm	112
	24	145 cm	125 cm	113
	40	200 cm	135 cm	112
VE 954	1	40 cm	50 cm	89
VE 956	1	40 cm	40 cm	87
VE 959	12	115 cm	95 cm	117
	30	155 cm	125 cm	116
	56	200 cm	140 cm	116
VE 961	8	75 cm	42 cm	29
	10	85 cm	42 cm	28
	12	75 cm	60 cm	28
	15	85 cm	60 cm	28
	24	150 cm	105 cm	28
VE 973	70	290 cm	300 cm	51
VE 975	16	110 cm	70 cm	85
VE 980	12	106 cm	70 cm	66
	24	140 cm	70 cm	67
	60	220 cm	75 cm	66
VE 981	12	106 cm	70 cm	57
	24	140 cm	70 cm	59
	60	220 cm	75 cm	58
VE 984	12	106 cm	70 cm	72
	24	140 cm	70 cm	72
	60	220 cm	75 cm	73
VE 986	15	95 cm	70 cm	40
	18	135 cm	90 cm	41
	39	190 cm	125 cm	40
	A3	50 x 25 cm	55 cm	125
VE 987	15	95 cm	130 cm	42
	18	140 cm	200 cm	43
	39	190 cm	210 cm	42
VE 988	32	130 cm	90 cm	70
	48	130 cm	90 cm	71
VE 989	15	95 cm	55 cm	119
	24	140 cm	80 cm	118
	36	165 cm	90 cm	118
VE 991	15	95 cm	65 cm	48
	24	140 cm	100 cm	49
	36	165 cm	95 cm	48
VE 992	18	85 cm	100 cm	35
	30	115 cm	140 cm	37
	48	120 cm	240 cm	39
	70	150 cm	380 cm	38
VE 996	15	95 cm	60 cm	26
	36	165 cm	95 cm	27
	48	210 cm	110 cm	26
	A4	48 x 27 cm	41 cm	126
VE 998	18	125 cm	130 cm	33
	40	170 cm	120 cm	32
	56	215 cm	120 cm	32
	A5	42 x 32 cm	53 cm	127

CE

Attesta la conformità del prodotto alle disposizioni delle Direttive comunitarie.

It certifies the conformity of the products to the European Commuinity provisions.

Il atteste la conformité du produit aux dispositions des directives communitaires.

Konformität des Produktes mit den Richtlinien der europäischen Gemeinschaft.

НАСТОЯЩИМ ПОДТВЕРЖДАЕТСЯ СООТВЕТСТВИЕ ПРОДУКЦИИ ПОЛОЖЕНИЯМ ДИРЕКТИВ ЕС.

Certifica la conformidad del producto según las disposiciones de las directivas comunitarias.

CE标记是指产品的制造商证明该产品符合适用的EC指令的所有基本要求.

يُشهد بمطابقة المنتج لأحكام توجيهات المجتمع الأوروبي.

Intertek

Il logo “ETL” si riferisce agli articoli che possono essere modificati con componenti certificati ETL. L’elenco degli articoli ETL si riferisce a prodotti testati e valutati in base agli standard di sicurezza del mercato statunitense. Per il mercato USA fare riferimento al listino dedicato.

“ETL” logos refers to articles which can be modified with ETL- compliance components. The “ETL” listing articles stands for tested and evaluated product to recorgnised US safety standards. For the US market, refer to the relevant price list.

“ETL” logo se réfère aux articles qui peuvent être modifiées par des composants certifiés ETL. la liste des articles ETL se réfère à des produits testés et évalués selon les normes de sécurité du marché américain. Pour le marché américain se référer à la liste des prix.

Das “ETL”-Logo bezieht sich auf Artikel, die mit ETL-zertifizierten Komponenten modifiziert werden können. Die Liste der ETL-Artikel bezieht sich auf Produkte, die nach den Sicherheitsstandards des US-Marktes getestet und bewertet wurden. Für den US-Markt beachten Sie bitte die entsprechende Preisliste.

ЛОГОТИП «ETL» ОТНОСИТСЯ К ЭЛЕМЕНТАМ, КОТОРЫЕ МОГУТ БЫТЬ МОДИФИЦИРОВАНЫ С ПОМОЩЬЮ СЕРТИФИЦИРОВАННЫХ ETL КОМПОНЕНТОВ. СПИСОК ЭЛЕМЕНТОВ ETL ОТНОСИТСЯ К ПРОДУКЦИИ, ПРОТЕСТИРОВАННОЙ И ОЦЕНЕННОЙ В СООТВЕТСТВИИ С ПРИЗНАННЫМИ СТАНДАРТАМИ БЕЗОПАСНОСТИ США. ДЛЯ ПОТРЕБИТЕЛЕЙ НАХОДЯЩИХСЯ В США СМ. СООТВЕТСТВУЮЩИЙ ПРАЙС-ЛИСТ.

El logo “ETL” indica los artículos, que pueden modificarse con componentes certificados ETL. La lista de los artículos ETL se refiere a los productos sometidos a prueba y evaluados en función de los estándares de seguridad del mercado estadounidense. Consultar la lista de precios específica para el mercado de los Estados Unidos.

“ETL” 徽标是指可以使用ETL认证的组件进行修改的项目。 ETL项目列表是指根据美国市场的安全标准进行测试和评估的产品。 对于美国市场，请参考美国市场价格表。

يشير شعار «ETL» إلى المنتجات التي يمكن تعديلها باستخدام مكونات مُعتمدة من ETL. تشير قائمة منتجات ETL إلى المنتجات التي تم اختبارها وتقييمها وفقًا لمعايير السلامة في السوق الأمريكي. بالنسبة لسوق الولايات المتحدة الأمريكية، يُرجى الرجوع إلى قائمة الأسعار المُخصصة.

lm

Flusso luminoso nominale.
L’indicazione si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente.

Nominal luminous flux.
It refers to the value without any refraction, as declared by the component manufacturer.

L’unité SI de flux lumineux.
L’indication corresponds à la valeur en l’absence de réfraction, comme indiqué par le fabricant du composant.

Die Maßeinheit für den Lichtstrom. Die Angabe bezieht sich auf den Wert in der Abwesenheit von Brechung, wie vom Hersteller der Komponente angegeben.

НОМИНАЛЬНЫЙ СВЕТОВОЙ ПОТОК. УКАЗАНИЕ ОТНОСИТСЯ К ЗНАЧЕНИЮ В ОТСУТСТВИЕ РЕФРАКЦИИ, КАК ЗАЯВЛЕНО ПРОИЗВОДИТЕЛЕМ КОМПОНЕНТОВ.

Flujo luminoso nominal.
La indicación se refiere al valor sin refracción, como declarado por el fabricante del componente.

标称光通量。
指示是指组件制造商声明的没有折射的值。

التدفق الضوئي الاسمي.يشير المؤشر إلى القيمة في حالة عدم وجود انكسار للضوء، كما هو مُعلن من قبل الشركة المصنعة للعنصر.

MASIERO

Masiero si riserva il diritto di apportare ai propri articoli, senza nessun preavviso, qualsiasi modifica ritenesse opportuna.

Masiero reserves the right to introduce any changes to its own products, without notice in advance.

Masiero se rèserve le droit d’apporter une quelconque modification à les modèles sans préavis.

Masiero behalt sich das Recht vor änderungen vorzunehmen, ohne sofortige Benachrichtigung.

КОМПАНИЯ MASIERO ОСТАВЛЯЕТ ЗА СОБОЙ ПРАВО БЕЗ ПРЕДВАРИТЕЛЬНОГО УВЕДОМЛЕНИЯ, ЕСЛИ ЭТО БУДЕТ СОЧТЕНО ЦЕЛЕСООБРАЗНЫМ, ВНОСИТЬ В СОБСТВЕННЫЕ МОДЕЛИ ЛЮБЫЕ ИЗМЕНЕНИЯ.

Masiero se reserva el derecho de aportar modificaciones consideradas oportunas a sus artículos sin preaviso.

Masiero保留对其认为适当的任何更改的权利，恕不另行通知。

تحتفظ شركة مازيرو "Masiero" بالحق في إجراء أي تعديلات تراها مناسبة على منتجاتها، دون إشعار مسبق.

Masiero srl

via Peschiere, 53
31032 Casale sul Sile
Treviso, Italy
T +39 0422 7861
F +39 0422 786250


info@masierogroup.com
masierogroup.com

Design by Masiero
Photo, Studio Pointer
Print Italy, April 2021
by Grafica Antiga

masierogroup.com

IMPERO&DECO

ATELIER




MASIERO

IMPERO&DECO

ATELIER



MASIERO




IMPERO&DECO

L’eleganza inconfondibile di un lusso contemporaneo che prende ispirazione dal gusto rinascimentale, per evolversi in un classico senza tempo.
Cadute di cristallo di varie forme e dimensioni riflettono la luce, moltiplicandola all’infinito.
Lampadari unici che ricordano una nobile storia, celebrando il bello di un oggetto d’arte.

The unmistakable elegance of a contemporary luxury that takes its inspiration from Renaissance taste and evolves it into a timeless classic.
Crystal pendants in various shapes and sizes reflect the light and multiply it to infinity. Unique chandeliers revive the noblest history and celebrate the true beauty of a piece of art.

VE 802/12+6




Ø	110 cm / 43.31"
H	150 cm / 59.06"
W	26 kg / 57.32 lb


WW 18×E14×40 W max *(not included)*
USA 18×E12×40 W max *(not included)*



VE 802/12+6




VE 802/12+6



VE 802/A3


VE 802/12+6 CE ETL



Ø	110 cm / 43.31″
H	150 cm / 59.06″
W	26 kg / 57.32 lb

WW	18×E14×40 W max *(not included)*
USA	18×E12×40 W max *(not included)*

VE 802/A3 CE ETL




L	60 cm / 23.62″
SP	32 cm / 12.60″
H	90 cm / 35.43″
W	7 kg / 15.43 lb

WW	3×E14×40 W max *(not included)*
USA	3×E12×40 W max *(not included)*



VE 803/13+6



Ø	100 cm / 39.37"
H	130 cm / 51.18"
W	35 kg / 77.16 lb


WW	13×E14×40 W max *(not included)*
	6×E27×60 W max *(not included)*
USA	13×E12×40 W max *(not included)*
	6×E26×60 W max *(not included)*



VE 803/13+6




VE 804/6+3+3



VE 804/A3


VE 804/6+3+3 CE ETL



Ø	60 cm / 23.60″
H	100 cm / 39.37″
W	37 kg / 81.57 lb

WW	12×E14×40 W max *(not included)*
USA	12×E12×40 W max *(not included)*


VE 804/8 + 4 + 4 CE ETL



Ø	90 cm / 35.40″
H	120 cm / 47.20″
W	45 kg / 99.00 lb

WW	16×E14×40 W max *(not included)*
USA	16×E12×40 W max *(not included)*

VE 804 / A3 CE ETL




L	45 cm / 17.72″
SP	25 cm / 9.84″
H	60 cm / 23.62″
W	9 kg / 19.84 lb

WW	3×E14×40 W max *(not included)*
USA	3×E12×40 W max *(not included)*



VE 804/20




Ø	120 cm / 47.24"
H	150 cm / 59.06"
W	58 kg / 127.86 lb

WW 20×E14×40 W max *(not included)*
USA 20×E12×40 W max *(not included)*




VE 804/20



VE 805/8+4+1


VE 805/8+4+1 CE ETL



Ø	100 cm / 39.37"
H	100 cm / 39.37"
W	26 kg / 57.32 lb

WW 12×E14×40 W max *(not included)*
1×E27×60 W max *(not included)*
USA 12×E12×40 W max *(not included)*
1×E26×60 W max *(not included)*

VE 805/12+6+1 CE ETL




Ø	140 cm / 55.15"
H	150 cm / 59.10"
W	40 kg / 88.18 lb


WW 18×E14×40 W max *(not included)*
1×E27×60 W max *(not included)*
USA 18×E12×40 W max *(not included)*
1×E26×60 W max *(not included)*



VE 805/12+6+1




VE 818/12



Ø	60 cm / 23.62"
H	100 cm / 39.37"
W	20 kg / 44.09 lb

WW 12×E27×60 W max *(not included)*
USA 12×E26×60 W max *(not included)*


VE 818/16



Ø	78 cm / 30.71"
H	140 cm / 55.12"
W	30 kg / 66.13 lb

WW 16×E27×60 W max *(not included)*
USA 16×E26×60 W max *(not included)*

VE 818/18



Ø	100 cm / 39.37"
H	165 cm / 64.96"
W	55 kg / 121.25 lb

WW 18×E27×60 W max *(not included)*
USA 18×E26×60 W max *(not included)*






VE 818/PL18



VE 818/A3


VE 818/PL12 CE ETL



Ø	60 cm / 23.62"
H	45 cm / 17.72"
W	18 kg / 39.68 lb

WW	12×E27×60 W max *(not included)*
USA	12×E26×60 W max x *(not included)*


VE 818/PL16 CE ETL



Ø	78 cm / 30.71"
H	60 cm / 23.62"
W	27 kg / 59.52 lb

WW	16×E27×60 W max *(not included)*
USA	16×E26×60 W max *(not included)*


VE 818/PL18 CE ETL



Ø	100 cm / 39.37"
H	70 cm / 27.55"
W	45 kg / 99.20 lb


WW	18×E27×60 W max *(not included)*
USA	18×E26×60 W max *(not included)*

VE 818/A3 CE ETL




L	32 cm / 12.60"
SP	19 cm / 7.48"
H	70 cm / 27.56"
W	6 kg / 13.22 lb

WW	3×E14×40 W max *(not included)*
USA	3×E12×40 W max *(not included)*



VE 823/PL12


VE 823/PL12



Ø	90 cm / 35.43”
H	60 cm / 23.62”
W	30 kg / 66.13 lb

WW 12×E27×60 W max *(not included)*
USA 12×E26×60 W max *(not included)*

VE 823/A3



L	30 cm / 11.81”
SP	15 cm / 5.91”
H	55 cm / 21.65”
W	7 kg / 15.43 lb


WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*



VE 823/A3



VE 823/20



Ø	90 cm / 35.43"
H	160 cm / 62.99"
W	48 kg / 105.82 lb

WW 20×E27×60 W max *(not included)*
USA 20×E26×60 W max *(not included)*



VE 823/20




VE 827/PL10



VE 827/A4


VE 827/PL8



Ø	70 cm / 27.56"
H	55 cm / 21.65"
W	18 kg / 39.68 lb

WW 8×E27×60 W max *(not included)*
USA 8×E26×60 W max *(not included)*


VE 827/PL10



Ø	90 cm / 35.43"
H	70 cm / 27.56"
W	23 kg / 50.70 lb

WW 10×E27×60 W max *(not included)*
USA 10×E26×60 W max *(not included)*

VE 827/A4




L	45 cm / 17.72"
SP	20 cm / 7.87"
H	70 cm / 27.56"
W	8 kg / 17.63 lb

WW 4×E14×40 W max *(not included)*
USA 4×E12×40 W max *(not included)*



VE 827/20




Ø	116 cm / 45.67"
H	160 cm / 62.99"
W	47 kg / 103.61 lb

WW	10×E27×60 W max *(not included)* 10×E14×40 W max *(not included)*
USA	10×E26×60 W max *(not included)* 10×E12×40 W max *(not included)*




VE 827/20



VE 829/A3


VE 829/A3



L 35 cm / 13.78″
SP 18 cm / 7.09″
H 62 cm / 24.41″
W 5 kg / 11.02 lb

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*


VE 829/PL6



Ø 60 cm / 23.62″
H 40 cm / 15.75″
W 18 kg / 39.68 lb

WW 6×E27×60 W max *(not included)*
USA 6×E26×60 W max *(not included)*


VE 829/PL8



Ø 80 cm / 31.50″
H 50 cm / 19.69″
W 24 kg / 52.91 lb

WW 8×E27×60 W max *(not included)*
USA 8×E26×60 W max *(not included)*

VE 829/PL12



Ø 115 cm / 45.28″
H 70 cm / 27.56″
W 32 kg / 70.54 lb


WW 12×E27×60 W max *(not included)*
USA 12×E26×60 W max *(not included)*



VE 829/PL12




VE 829/22



Ø	115 cm / 45.28"
H	190 cm / 74.80"
W	58 kg / 127.8 lb

WW 22×E27×60 W max *(not included)*
USA 22×E26×60 W max *(not included)*

VE 829/66




Ø	180 cm / 70.87"
H	300 cm / 118.11"
W	120 kg / 264.5 lb


WW 66×E27×60 W max *(not included)*
USA 66×E26×60 W max *(not included)*



VE 829/22




VE 830/PL12



VE 831/PL12


VE 830/PL8



Ø	70 cm / 27.56″
H	40 cm / 15.75″
W	18 kg / 39.68 lb

WW 8×E14×40 W max *(not included)*
USA 8×E12×40 W max *(not included)*


VE 830/PL12



Ø	100 cm / 39.37″
H	50 cm / 19.69″
W	28 kg / 61.72 lb

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*


VE 831/PL6



Ø	45 cm / 17.72″
H	40 cm / 15.75″
W	15 kg / 33.06 lb

WW 6×E14×40 W max *(not included)*
USA 6×E12×40 W max *(not included)*


VE 831/PL10



Ø	80 cm / 31.50″
H	50 cm / 19.69″
W	20 kg / 44.09 lb


WW 10×E14×40 W max *(not included)*
USA 10×E12×40 W max *(not included)*

VE 831/PL12




Ø	100 cm / 39.37″
H	55 cm / 21.65″
W	26 kg / 57.32 lb

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*



VE 849/PL12


VE 849/PL10



Ø 70 cm / 27.56”
H 55 cm / 21.65”
W 18 kg / 39.68 lb

WW 10×E27×60 W max *(not included)*
USA 10×E26×60 W max *(not included)*


VE 849/PL12



Ø 95 cm / 37.40”
H 70 cm / 27.56”
W 28 kg / 61.72 lb

WW 12×E27×60 W max *(not included)*
USA 12×E26×60 W max *(not included)*

VE 849/26




Ø 120 cm / 47.30”
H 270 cm / 106.30”
W 60 kg / 132.27 lb


WW 15×E27×60 W max *(not included)*
11×E14×40 W max *(not included)*
USA 15×E26×60 W max *(not included)*
11×E12×40 W max *(not included)*



VE 849/26



VE 770/S34



L	160 cm / 63.00"
SP	40 cm / 15.75"
H	40 cm / 15.75"
W	58 kg / 127.86 lb

WW 34×E14×40 W max *(not included)*
USA 34×E12×40 W max *(not included)*



VE 770/S34




VE 770/S28



VE 770 A2


VE 770/S28 CE ETL



L	120 cm / 47.20"
SP	40 cm / 15.75"
H	40 cm / 15.75"
W	48 kg / 105.82 lb


WW 28×E14×40 W max *(not included)*
USA 28×E12×40 W max *(not included)*

VE 770/ A2 CE ETL




L	17 cm / 6.65"
SP	12 cm / 4.70"
H	40 cm / 15.75"
W	4 kg / 8.81lb

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*




VE 760/PL8 RD CE



Ø	60 cm / 23.62″
H	18 cm / 7.08″
W	21 kg / 46.29 lb

WW 8×E27×60 W max *(not included)*
USA 8×E26×60 W max *(not included)*


VE 760/PL10 RD CE



Ø	90 cm / 35.43″
H	18 cm / 7.08″
W	32 kg / 70.54 lb

WW 10×E27×60 W max *(not included)*
USA 10×E26×60 W max *(not included)*

VE 760/PL16 RD CE




Ø	120 cm / 47.24″
H	18 cm / 7.08″
W	40 kg / 88.18 lb

WW 16×E27×60 W max *(not included)*
USA 16×E26×60 W max *(not included)*




VE 760/PL16 RD



VE 760/PL6 LN


VE 760/PL5 LN CE



L	80 cm / 31.49"
SP	17 cm / 6.70"
H	18 cm / 7.08"
W	12 kg / 26.45 lb

WW 5×E27×60 W max *(not included)*
USA 5×E26×60 W max *(not included)*


VE 760/PL6 LN CE



L	100 cm / 39.37"
SP	17 cm / 6.70 "
H	18 cm / 7.08"
W	15 kg / 33.06 lb


WW 6×E27×60 W max *(not included)*
USA 6×E26×60 W max *(not included)*

VE 760/PL7 LN CE




L	120 cm / 47.24"
SP	17 cm / 6.70"
H	18 cm / 7.08"
W	18 kg / 39.68lb

WW 7×E27×60 W max *(not included)*
USA 7×E26×60 W max *(not included)*



VE 760/S6 LN


VE 760/S5 LN CE ETL



L	80 cm / 31.49"
SP	17 cm / 6.70"
H	18 cm / 7.08"
W	12 kg / 26.45 lb

WW 5×E27×60 W max *(not included)*
USA 5×E26×60 W max *(not included)*


VE 760/S6 LN CE ETL



L	100 cm / 39.37"
SP	17 cm / 6.70 "
H	18 cm / 7.08"
W	15 kg / 33.06 lb


WW 6×E27×60 W max *(not included)*
USA 6×E26×60 W max *(not included)*

VE 760/S7 LN CE ETL




L	120 cm / 47.24"
SP	17 cm / 6.70"
H	18 cm / 7.08"
W	18 kg / 39.68lb

WW 7×E27×60 W max *(not included)*
USA 7×E26×60 W max *(not included)*




VE 760/S8 RD



Ø 60 cm / 23.62″
H 18 cm / 7.08″
W 21 kg / 46.29 lb

WW 8×E27×60 W max *(not included)*
USA 8×E26×60 W max *(not included)*


VE 760/S10 RD



Ø 90 cm / 35.43″
H 18 cm / 7.08″
W 32 kg / 70.54 lb

WW 10×E27×60 W max *(not included)*
USA 10×E26×60 W max *(not included)*

VE 760/S16 RD



Ø 120 cm / 47.24″
H 18 cm / 7.08″
W 40 kg / 88.18 lb

WW 16×E27×60 W max *(not included)*
USA 16×E26×60 W max *(not included)*



VE 760/S16 RD



VE 760/PL26 RC

VE 760/PL16 RC CE

L	100 cm / 39.37"
SP	60 cm / 23.62 "
H	18 cm / 7.08"
W	27 kg / 59.52lb

WW 16×E27×60 W max *(not included)*
USA 16×E26×60 W max *(not included)*

VE 760/PL20 RC CE


L	150 cm / 59.05"
SP	60 cm / 23.62"
H	18 cm / 7.08"
W	35 kg / 77.16lb

WW 20×E27×60 W max *(not included)*
USA 20×E26×60 W max *(not included)*

VE 760/PL26 RC CE


L	200 cm / 78.74"
SP	80 cm / 31.49"
H	18 cm / 7.08"
W	52 kg / 114.64 lb

WW 26×E27×60 W max *(not included)*
USA 26×E26×60 W max *(not included)*



VE 760/S26 RC


VE 760/S16 RC CE ETL



L	100 cm / 39.37"
SP	60 cm / 23.62 "
H	18 cm / 7.08"
W	27 kg / 59.52lb

WW 16×E27×60 W max *(not included)*
USA 16×E26×60 W max *(not included)*


VE 760/S20 RC CE ETL



L	150 cm / 59.05"
SP	60 cm / 23.62"
H	18 cm / 7.08"
W	35 kg / 77.16lb


WW 20×E27×60 W max *(not included)*
USA 20×E26×60 W max *(not included)*

VE 760/S26 RC CE ETL




L	200 cm / 78.74"
SP	80 cm / 31.49"
H	18 cm / 7.08"
W	52 kg / 114.64 lb

WW 26×E27×60 W max *(not included)*
USA 26×E26×60 W max *(not included)*




VE 760/PL12 SQ CE



L	60 cm / 23.62"
SP	60 cm / 23.62"
H	18 cm / 7.08"
W	20 kg / 44.09 lb

WW 12×E27×60 W max *(not included)*
USA 12×E26×60 W max *(not included)*


VE 760/PL16 SQ CE



L	90 cm / 35.40"
SP	90 cm / 35.40"
H	18 cm / 7.08"
W	30 kg / 66.13 lb

WW 16×E27×60 W max *(not included)*
USA 16×E26×60 W max *(not included)*


VE 760/PL24SQ CE



L	120 cm / 47.24"
SP	120 cm / 47.24 "
H	18 cm / 7.08"
W	40 kg / 88.18lb


WW 24×E27×60 W max *(not included)*
USA 24×E26×60 W max *(not included)*

VE 760/PL16 SQ



VE 760/PL12 OV


VE 760/PL12 OV



L	103 cm / 40.55″
SP	63 cm / 24.80 ″
H	18 cm / 7.08″
W	21 kg / 46.29 lb

WW 12×E27×60 W max *(not included)*
USA 12×E26×60 W max *(not included)*


VE 760/PL16 OV



L	150 cm / 59.10″
SP	75 cm / 29.50″
H	18 cm / 7.08″
W	40 kg / 88.18lb


WW 16×E27×60 W max *(not included)*
USA 16×E26×60 W max *(not included)*

VE 760/PL22 OV




L	200 cm / 78.74″
SP	85 cm / 33.50″
H	18 cm / 7.08″
W	59 kg / 130.07lb

WW 22×E27×60 W max *(not included)*
USA 22×E26×60 W max *(not included)*



VE 760/S12 OV


VE 760/S12 OV



L	103 cm / 40.55″
SP	63 cm / 24.80 ″
H	18 cm / 7.08″
W	21 kg / 46.29 lb

WW 12×E27×60 W max *(not included)*
USA 12×E26×60 W max *(not included)*


VE 760/S16 OV



L	150 cm / 59.06″
SP	75 cm / 29.50″
H	18 cm / 7.08″
W	40 kg / 88.18lb

WW 16×E27×60 W max *(not included)*
USA 16×E26×60 W max *(not included)*


VE 760/S22 OV



L	200 cm / 78.74″
SP	85 cm / 33.50″
H	18 cm / 7.08″
W	59 kg / 130.07lb

WW 22×E27×60 W max *(not included)*
USA 22×E26×60 W max *(not included)*


VE 760/S12 SQ



L	60 cm / 23.62"
SP	60 cm / 23.62"
H	18 cm / 7.08"
W	20 kg / 44.09 lb

WW 12×E27×60 W max *(not included)*
USA 12×E26×60 W max *(not included)*


VE 760/S16 SQ



L	90 cm / 35.40"
SP	90 cm / 35.40"
H	18 cm / 7.08"
W	30 kg / 66.13 lb

WW 16×E27×60 W max *(not included)*
USA 16×E26×60 W max *(not included)*

VE 760/S24SQ



L	120 cm / 47.24"
SP	120 cm / 47.24 "
H	18 cm / 7.08"
W	40 kg / 88.18lb

WW 24×E27×60 W max *(not included)*
USA 24×E26×60 W max *(not included)*

VE 760/S16 SQ




VE 760/A2 RD



VE 760/A2 RC


VE 760/A2 RD



L	32 cm / 12.59"
SP	17 cm / 6.69"
H	18 cm / 7.10"
W	2 kg / 4.40 lb


WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

VE 760/A2 RC




L	30 cm / 11.81"
SP	14 cm / 5.51 "
H	18 cm / 7.10"
W	2 kg / 4.40 lb

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*




VE 764/A4 P CE ETL



L	22 cm / 8.65"
SP	8 cm / 3.15"
H	70 cm / 27.60 "
W	2 kg / 4.40 lb

WW 4×E14×40 W max *(not included)*
USA 4×E12×40 W max *(not included)*

VE 764/A9 G CE ETL



L	24 cm / 9.45"
SP	12 cm / 4.70"
H	104 cm / 40.95"
W	7 kg / 15.43 lb


WW 9×E14×40 W max *(not included)*
USA 9×E12×40 W max *(not included)*

VE 764 A4 P

VE 764 A9 G



VE 764/S16



Ø	86 cm / 33.85"
H	88 cm / 34.65"
W	45 kg / 99.20 lb


WW 16×E27×60 W max *(not included)*
USA 16×E26×60 W max *(not included)*



VE 764/S16




VE 1150/S12



VE 1150/A2


VE 1150/S12



Ø	90 cm / 35.40"
H	40 cm / 15.75"
W	50 kg / 110.23lb


WW	12×E14×40 W max *(not included)*
USA	12×E12×40 W max *(not included)*

VE 1150/A2




L	25 cm / 9.84 "
SP	13 cm / 5.11 "
H	40 cm / 15.74 "
W	5 kg / 11.02 lb

WW	2×E14×40 W max *(not included)*
USA	2×E12×40 W max *(not included)*



VE 1152/S6 LN


VE 1152/S4 LN



L	75 cm / 29.50″
SP	22.5 cm / 8.85″
H	38 cm / 14.95″
W	15 kg / 33.00 lb

WW 4×E27×60 W max *(not included)*
USA 4×E26×60 W max *(not included)*


VE 1152/S5 LN



L	105 cm / 41.30″
SP	22.5 cm / 8.85″
H	38 cm / 14.95″
W	20 kg / 44.00 lb


WW 5×E27×60 W max *(not included)*
USA 5×E26×60 W max *(not included)*

VE 1152/S6 LN



L	130 cm / 51.20″
SP	22.5 cm / 8.85″
H	38 cm / 14.95″
W	24 kg / 52.80 lb

WW 6×E27×60 W max *(not included)*
USA 6×E26×60 W max *(not included)*



VE 1152/S24 RC

VE 1152/S16 RC

L	105 cm / 41.30″
SP	75 cm / 29.50″
H	38 cm / 14.95″
W	58 kg / 127.60 lb

WW 16×E27×60 W max *(not included)*
USA 16×E26×60 W max *(not included)*

VE 1152/S18 RC


L	130 cm / 51.20″
SP	75 cm / 29.50″
H	38 cm / 14.95″
W	68 kg / 149.60 lb

WW 18×E27×60 W max *(not included)*
USA 18×E26×60 W max *(not included)*


VE 1152/S24 RC

L	165 cm / 64.95″
SP	90 cm / 35.10″
H	38 cm / 14.95″
W	79 kg / 173.80 lb

WW 24×E27×60 W max *(not included)*
USA 24×E26×60 W max *(not included)*




VE 846/PL5 CE



Ø	40 cm / 15.75"
H	20 cm / 7.87"
W	5 kg / 11.02 lb

WW 5×E14×40 W max *(not included)*
USA 5×E12×40 W max *(not included)*


VE 846/PL6 CE



Ø	70 cm / 27.56"
H	35 cm / 13.78"
W	8 kg / 17.63 lb

WW 6×E14×40 W max *(not included)*
USA 6×E12×40 W max *(not included)*

VE 846/PL8 CE




Ø	80 cm / 31.50"
H	40 cm / 15.75"
W	10 kg / 22.04 lb

WW 8×E14×40 W max *(not included)*
USA 8×E12×40 W max *(not included)*




VE 846 PL5




VE 836/PL3

VE 836/PL3 CE



Ø	30 cm / 11.81"
H	25 cm / 9.84"
W	3.5 kg / 7.71 lb
WW	3×E14×40 W max *(not included)*
USA	3×E12×40 W max *(not included)*


VE 836/PL6 CE




Ø	40 cm / 15.75"
H	35 cm / 13.78"
W	4 kg / 8.81 lb
WW	6×E14×40 W max *(not included)*
USA	6×E12×40 W max *(not included)*



VE 836/PL6




VE 809/PL4



L	50 cm / 19.69″
SP	50 cm / 19.69″
H	25 cm / 9.84″
W	27 kg / 59.52 lb

WW 4×E27×60 W max *(not included)*
USA 4×E26×60 W max *(not included)*


VE 809/PL8



L	70 cm / 27.56″
SP	70 cm / 27.56″
H	30 cm / 11.81″
W	30 kg / 66.13 lb

WW 8×E27×60 W max *(not included)*
USA 8×E26×60 W max *(not included)*


VE 809/PL12



L	105 cm / 41.34″
SP	105 cm / 41.34″
H	35 cm / 13.78″
W	60 kg / 132.27 lb

WW 12×E27×60 W max *(not included)*
USA 12×E26×60 W max *(not included)*

VE 809/PL48



L	160 cm / 62.99″
SP	160 cm / 62.99″
H	40 cm / 15.75″
W	120 kg / 264.5 lb

WW 48×E27×60 W max *(not included)*
USA 48×E26×60 W max *(not included)*




VE 809/PL 48



VE 808/PL8+4


VE 808/PL3 40 CE ETL



Ø	40 cm / 15.75"
H	25 cm / 9.84"
W	15 kg / 33.06 lb

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*


VE 808/PL3 50 CE ETL



Ø	50 cm / 19.69"
H	30 cm / 11.81"
W	16 kg / 35.27 lb

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*


VE 808/PL8+4 CE ETL



Ø	75 cm / 29.53"
H	35 cm / 13.78"
W	30 kg / 66.13 lb


WW 12×E27×60 W max *(not included)*
USA 12×E26×60 W max *(not included)*

VE 808/PL16 CE ETL




Ø	100 cm / 39.37"
H	45 cm / 17.72"
W	50 kg / 110.23 lb

WW 16×E27×60 W max *(not included)*
USA 16×E26×60 W max *(not included)*




VE 809/A3

VE 809/A3 CE




L	40 cm / 15.75"
SP	14 cm / 5.51"
H	12 cm / 4.72"
W	7 kg / 15.43 lb

WW 3×G9×40W max *(not included)*
USA 3×G9×40W max *(not included)*



VE 810/S24+1


VE 810/S15+1



Ø	60 cm / 23.62”
H	100 cm / 39.37”
W	45.5 kg / 100.3 lb

WW 15×E14×40 W max *(not included)*
1×E27×60 W max *(not included)*
USA 15×E12×40 W max *(not included)*
1×E26×60 W max *(not included)*


VE 810/S24+1



Ø	100 cm / 39.40”
H	220 cm / 86.60”
W	110 kg / 242.0 lb

WW 24×E14×40 W max *(not included)*
1×E27×60 W max *(not included)*
USA 24×E12×40 W max *(not included)*
1×E26×60 W max *(not included)*

VE 810/S28+1



Ø	120 cm / 47.24”
H	250 cm / 98.43”
W	230 kg / 507 lb


WW 28×E14×40 W max *(not included)*
1×E27×60 W max *(not included)*
USA 28×E12×40 W max *(not included)*
1×E26×60 W max *(not included)*



VE 810/S15+1




VE 821/PL24




VE 821/PL44

VE 821/PL24 CE




L	80 cm / 31.50″
SP	80 cm / 31.50″
H	27 cm / 10.63″
W	26 kg / 57.32 lb
WW	24×E14×40 W max *(not included)*
USA	24×E12×40 W max *(not included)*

VE 821/PL28 CE




L	110 cm / 43.30″
SP	60 cm / 23.62″
H	27 cm / 10.63″
W	33 kg / 72.75 lb
WW	28×E14×40 W max *(not included)*
USA	28×E12×40 W max *(not included)*

VE 821/PL32 CE



L	122 cm / 48.03″
SP	60 cm / 23.62″
H	27 cm / 10.63″
W	40 kg / 88.18 lb
WW	32×E14×40 W max *(not included)*
USA	32×E12×40 W max *(not included)*

VE 821/PL44 CE




L	166 cm / 65.35″
SP	80 cm / 31.50″
H	27 cm / 10.63″
W	50 kg / 110.23 lb
WW	44×E14×40 W max *(not included)*
USA	44×E12×40 W max *(not included)*



VE 820/PL12+2


VE 820/PL10+2 CE



L	80 cm / 31.50"
SP	40 cm / 15.74"
H	50 cm / 19.68"
W	25 kg / 55.11 lb

WW 2×E27×60 W max *(not included)*
10×E14×40 W max *(not included)*
USA 2×E26×60 W max *(not included)*
10×E12×40 W max *(not included)*


VE 820/PL12+2 CE



L	100 cm / 39.37"
SP	55 cm / 21.65"
H	50 cm / 19.69"
W	34 kg / 74.95 lb

WW 2×E27×60 W max *(not included)*
12×E14×40 W max *(not included)*
USA 2×E26×60 W max *(not included)*
12×E12×40 W max *(not included)*


VE 820/PL20 CE



L	150 cm / 59.10"
SP	47 cm / 18.50"
H	50 cm / 19.69"
W	50 kg / 110.2 lb

WW 2×E27×60 W max *(not included)*
18×E14×40 W max *(not included)*
USA 2×E26×60 W max *(not included)*
18×E12×40 W max *(not included)*

VE 820/PL26 CE




L	200 cm / 78.74"
SP	55 cm / 21.65"
H	50 cm / 19.69"
W	80 kg / 176.36 lb


WW 2×E27×60 W max *(not included)*
24×E14×40 W max *(not included)*
USA 2×E26×60 W max *(not included)*
24×E12×40 W max *(not included)*



VE 820/PL20




VE 897/PL8



VE 897/PL16


VE 897/PL4 CE



Ø	40 cm / 15.75″
H	20 cm / 7.90″
W	10 kg / 22.04 lb

WW 4×E27×60 W max *(not included)*
USA 4×E26×60 W max *(not included)*


VE 897/PL6 CE



Ø	60 cm / 23.70″
H	20 cm / 7.90″
W	15 kg / 33.06 lb

WW 6×E27×60 W max *(not included)*
USA 6×E26×60 W max *(not included)*


VE 897/PL8 CE



Ø	90 cm / 35.50″
H	20 cm / 7.90″
W	20 kg / 44.09 lb

WW 8×E27×60 W max *(not included)*
USA 8×E26×60 W max *(not included)*


VE 897/PL16 CE



Ø	120 cm / 47.25″
H	20 cm / 7.90″
W	26 kg / 57.32 lb

WW 16×E27×60 W max *(not included)*
USA 16×E26×60 W max *(not included)*


VE 814/12 50



L	50 cm / 19.69″
SP	50 cm / 19.69″
H	170 cm / 66.93″
W	28 kg / 61.72 lb

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*

VE 814/16 75




L	75 cm / 29.53″
SP	75 cm / 29.53″
H	200 cm / 78.74″
W	50 kg / 110.23 lb


WW 16×E14×40 W max *(not included)*
USA 16×E12×40 W max *(not included)*



VE 814/12 50



VE 825 /S6



Ø	30 cm / 11.81"
H	230 cm / 90.55"
W	22 kg / 48.50 lb

WW 6×E27×60 W max *(not included)*
USA 6×E26×40 W max *(not included)*



VE 825/S6




VE 825/A8 G



VE 825/A8 M


VE 825/A8 G CE



L	30 cm / 11.81"
SP	13 cm / 5.12"
H	100 cm / 39.37"
W	6 kg / 13.22 lb

WW 8×G9×40W max *(not included)*
USA 8×G9×40W max *(not included)*

VE 825/A8 M CE



L	25 cm / 9.84"
SP	12 cm / 4.72"
H	70 cm / 27.56"
W	4 kg / 8.81 lb

WW 8×G9×40W max *(not included)*
USA 8×G9×40W max *(not included)*


VE 840/PL8 CE



Ø	40 cm / 15.60"
H	200 cm / 78.75"
W	27 kg / 59.40 lb

WW	8×E14×40 W max *(not included)*
USA	8×E12×40 W max *(not included)*


VE 840/PL12 CE



Ø	60 cm / 23.70"
H	200 cm / 78.74"
W	40 kg / 88.00 lb


WW	12×E14×40 W max *(not included)*
USA	12×E12×40 W max *(not included)*

VE 840/PL8



VE 840/A2


VE 840/A2



L	30 cm / 11.81"
SP	13 cm / 5.12"
H	40 cm / 15.75"
W	2 kg / 4.40 lb

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*


VE 840/PL4



Ø	29 cm / 11.42"
H	80 cm / 31.50"
W	4 kg / 8.81 lb

WW 1×E27×60 W max *(not included)*
3×E14×40 W max *(not included)*
USA 1×E26×60 W max *(not included)*
3×E12×40 W max *(not included)*

VE 840/PL6




Ø	37 cm / 14.57"
H	90 cm / 35.43"
W	5 kg / 11.02 lb


WW 1×E27×60 W max *(not included)*
5×E14×40 W max *(not included)*
USA 1×E26×60 W max *(not included)*
5×E12×40 W max *(not included)*



VE 840/PL6



VE 841/G CE



Ø	77 cm / 30.31"
H	200 cm / 78.74"
W	28 kg / 61.72 lb


WW 13×E27×60 W max *(not included)*
USA 13×E26×60 W max *(not included)*



VE 841/G




VE 841/M




VE 841/P

VE 841/P CE




Ø	27 cm / 10.63"
H	100 cm / 39.37"
W	4 kg / 8.81 lb
WW	3×E14×40 W max *(not included)*
USA	3×E12×40 W max *(not included)*

VE 841/M CE



Ø	44 cm / 17.50"
H	170 cm / 67.00"
W	14 kg / 30.86 lb
WW	4×E14×40 W max *(not included)*
USA	4×E12×40 W max *(not included)*

VE 843/13 CE




Ø	60 cm / 23.70"
H	240 cm / 94.50"
W	35 kg / 220.4 lb

WW 13×E27×60 W max ***(not included)***
USA 13×E26×60 W max ***(not included)***

VE 843/13



VE 845/16+1




Ø	120 cm / 47.25”
H	110 cm / 43.30”
W	35 kg / 77.16 lb

WW 17×E27×60 W max *(not included)*
USA 17×E26×60 W max *(not included)*



VE 845/16+1



VE 864/24 150

VE 864/24 150


Ø	150 cm / 59.10″
H	250 cm / 98.50″
W	86 kg / 189.59 lb

WW 24×E27×60 W max *(not included)*
USA 24×E26×60 W max *(not included)*



VE 864/A4


VE 864/20 120



Ø	120 cm / 47.30″
H	200 cm / 78.75″
W	53 kg / 116.84 lb

WW 20×E27×60 W max *(not included)*
USA 20×E26×60 W max *(not included)*


VE 864/14 90



Ø	90 cm / 35.50″
H	150 cm / 59.10″
W	37.5 kg / 82.67 lb

WW 14×E27×60 W max *(not included)*
USA 14×E26×60 W max *(not included)*


VE 864/10 60



Ø	60 cm / 23.70″
H	110 cm / 43.31″
W	23 kg / 50.70 lb


WW 10×E27×60 W max *(not included)*
USA 10×E26×60 W max *(not included)*

VE 864/A4




L	30 cm / 11.80″
SP	21cm / 8.30″
H	57 cm / 22.45″
W	4 kg / 8.81 lb

WW 4×E14×40 W max *(not included)*
USA 4×E12×40 W max *(not included)*



VE 892/S6 TRASP


VE 892/S6 TRASP



Ø	30 cm / 11.80″
H	180 cm / 70.90″
W	20 kg / 44.09 lb

WW 6×E27×60 W max *(not included)*
USA 6×E26×60 W max *(not included)*

VE 892/S6



Ø	30 cm / 11.80″
H	180 cm / 70.90″
W	20 kg / 44.09 lb

WW 6×E27×60 W max *(not included)*
USA 6×E26×60 W max *(not included)*



VE 892/S6




VE 892/A2 TRASP



VE 892/A2


VE 892/A2 TRASP CE ETL



L	15 cm / 6.00″
SP	12 cm / 4.80″
H	70 cm / 27.60″
W	3 kg / 6.61 lb

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

VE 892/A2 CE ETL




L	15 cm / 6.00″
SP	12 cm / 4.80″
H	70 cm / 27.60″
W	3 kg / 6.61 lb

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*




VE 895/S6



L	126 cm / 49.60″
SP	15 cm / 5.90″
H	40 cm / 15.75″
W	17 kg / 37.47 lb

WW 6×E14×40 W max *(not included)*
USA 6×E12×40 W max *(not included)*


VE 895/S8



L	160 cm / 63.00″
SP	15 cm / 5.90″
H	40 cm / 15.75″
W	23 kg / 50.70 lb

WW 8×E14×40 W max *(not included)*
USA 8×E12×40 W max *(not included)*

VE 895/S10




L	200 cm / 78.75″
SP	15 cm / 5.90″
H	40 cm / 15.75″
W	32 kg / 70.54 lb

WW 10×E14×40 W max *(not included)*
USA 10×E12×40 W max *(not included)*

VE 895/S6


VE 895/S6 TR



L	126 cm / 49.60″
SP	15 cm / 5.90″
H	40 cm / 15.75″
W	17 kg / 37.47 lb

WW	6×E14×40 W max *(not included)*
USA	6×E12×40 W max *(not included)*


VE 895/S8 TR



L	160 cm / 63.00″
SP	15 cm / 5.90″
H	40 cm / 15.75″
W	23 kg / 50.70 lb

WW	8×E14×40 W max *(not included)*
USA	8×E12×40 W max *(not included)*


VE 895/S10 TR



L	200 cm / 78.75″
SP	15 cm / 5.90″
H	40 cm / 15.75″
W	32 kg / 70.54 lb


WW	10×E14×40 W max *(not included)*
USA	10×E12×40 W max *(not included)*

VE 895/S6 TR



VE 893/S9 TR


VE 893/S9



Ø	70 cm / 27.60″
H	80 cm / 31.50″
W	25 kg / 55.11 lb

WW 9×E27×60 W max *(not included)*
USA 9×E26×60 W max *(not included)*

VE 893/S9 TR



Ø	70 cm / 27.60″
H	80 cm / 31.50″
W	25 kg / 55.11 lb


WW 9×E27×60 W max *(not included)*
USA 9×E26×60 W max *(not included)*



VE 893/S9




VE 815/12+1



VE 815/A2+2


VE 815/10+1 CE



Ø	80 cm / 31.50″
H	90 cm / 35.43″
W	16 kg / 35.27 lb

WW	10×G9×40 W max *(not included)* 1×E27 PAR30×60 W max *(not included)*
USA	10×G9×40 W max *(not included)* 1×E26 PAR30×60 W max *(not included)*


VE 815/12+1 CE



Ø	100 cm / 39.37″
H	90 cm / 35.43″
W	18 kg / 39.68 lb

WW	10×G9×40 W max *(not included)* 1×E27 PAR30×60 W max *(not included)*
USA	10×G9×40 W max *(not included)* 1×E26 PAR30×60 W max *(not included)*


VE 815/A2 CE



L	30 cm / 11.81″
SP	14 cm / 5.51″
H	20 cm / 7.87″
W	2.5 kg / 5.51 lb


WW	2×G9×40 W max *(not included)*
USA	2×G9×40 W max *(not included)*

VE 815/A2+2 CE




L	48 cm / 18.90″
SP	14 cm / 5.51″
H	24 cm / 9.45″
W	5 kg / 11.02 lb

WW	2×G9×40 W max *(not included)* 2×E14×40 W max *(not included)*
USA	2×G9×40 W max *(not included)* 2×E12×40 W max *(not included)*




VE 811/S3 RD



Ø	40 cm / 15.60"
H	30 cm / 11.80"
W	4 kg / 8.80 lb

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*


VE 811/S8 RD



Ø	60 cm / 23.70"
H	40 cm / 15.60 "
W	8 kg / 17.60 lb

WW 8×E27×60 W max *(not included)*
USA 8×E26×60 W max *(not included)*


VE 811/S10 RD



Ø	80 cm / 31.50"
H	50 cm / 19.70"
W	15 kg / 33.00 lb

WW 10×E27×60 W max *(not included)*
USA 10×E26×60 W max *(not included)*

VE 811/S12 RD



Ø	100 cm / 39.40"
H	60 cm / 23.70"
W	28 kg / 61.60 lb


WW 12×E27×60 W max *(not included)*
USA 12×E26×60 W max *(not included)*



VE 811/S12 RD




VE 811/PL3 RD



Ø	40 cm / 15.60″
H	30 cm / 11.80″
W	4 kg / 8.80 lbb

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*


VE 811/PL8 RD



Ø	60 cm / 23.70″
H	40 cm / 15.60″
W	8 kg / 17.60 lb

WW 8×E27×60 W max *(not included)*
USA 8×E26×60 W max *(not included)*


VE 811/PL10 RD



Ø	80 cm / 31.50″
H	50 cm / 19.70″
W	15 kg / 33.06 lb

WW 10×E27×60 W max *(not included)*
USA 10×E26×60 W max *(not included)*

VE 811/PL12 RD



Ø	100 cm / 39.40″
H	60 cm / 23.70″
W	28 kg / 61.60 lb

WW 12×E27×60 W max *(not included)*
USA 12×E26×60 W max *(not included)*




VE 811/PL12 RD



VE 811/S6 OV


VE 811/S4 OV



L	80 cm / 31.50″
SP	40 cm / 15.60″
H	30cm / 11.80 ″
W	9 kg / 19.80 lb

WW 4×E27×60 W max *(not included)*
USA 4×E26×60 W max *(not included)*


VE 811/S5 OV



L	100 cm / 39.40 ″
SP	40 cm / 15.70″
H	40 cm / 15.70″
W	12 kg / 26.40 lb


WW 5×E27×60 W max *(not included)*
USA 5×E26×60 W max *(not included)*

VE 811/S6 OV




L	120 cm / 47.30″
SP	60 cm / 23.70″
H	50 cm / 19.70″
W	16 kg / 35.20 lb

WW 6×E27×60 W max *(not included)*
USA 6×E26×60 W max *(not included)*



VE 811/PL6 OV


VE 811/PL4 OV



L	80 cm / 31.50″
SP	40 cm / 15.60″
H	30cm / 11.80 ″
W	9 kg / 19.80 lb

WW 4×E27×60 W max *(not included)*
USA 4×E26×60 W max *(not included)*


VE 811/PL5 OV



L	100 cm / 39.40 ″
SP	40 cm / 15.70″
H	40 cm / 15.70″
W	12 kg / 26.40 lb


WW 5×E27×60 W max *(not included)*
USA 5×E26×60 W max *(not included)*

VE 811/PL6 OV



L	120 cm / 47.30″
SP	60 cm / 23.70″
H	50 cm / 19.70″
W	16 kg / 35.20 lb

WW 6×E27×60 W max *(not included)*
USA 6×E26×60 W max *(not included)*



TECHNICAL INFO

FINITURE / FINISHING


Bagno galvanico / Galvanic Bath



G07 Nickel spazzolato
Brushed nickel



G06 Cromo opaco
Matt chrome



G04 Cromo lucido
Shiny chrome



G21 Cromo anticato
Antiqued chrome



G14 Ottone brunito
Burnished brass



G01 Brunito
Burnished



G05 Oro opaco
Matt gold



G03 Oro lucido
Shiny gold



G12 Oro spazzolato
Brushed gold



G20 Oro anticato
Antiqued gold



G18 Ottone spazzolato
Brushed brass

Verniciati / Painted



V71 Nickel opaco verniciato
Painted matt nickel



V93 Oro verniciato
Painted gold

Verificare la disponibilità di ciascuna finitura per specifici articoli / Availability of each finish to be confirmed for specific items.

Indice/Index

COD.	ART.	Ø/L-SP	H	PAG.
VE 760	S8 RD - PL8 RD	60 cm	18 cm	**44-40**
	S10 RD - PL10 RD	90 cm	18 cm	**44-40**
	S16 RD - PL16 RD	120 cm	18 cm	**45-41**
	S12 SQ - PL12 SQ	60 - 60 cm	18 cm	**52-48**
	S16 SQ - PL16 SQ	90 - 90 cm	18 cm	**53-48**
	S24 SQ - PL24 SQ	120 - 120 cm	18 cm	**52-48**
	S16 RC - PL16 RC	100 - 60 cm	18 cm	**47-46**
	S20 RC - PL20 RC	150 - 60 cm	18 cm	**47-46**
	S26 RC - PL26 RC	200 - 80 cm	18 cm	**47-46**
	S5 LN - PL5 LN	80 - 17 cm	18 cm	**42-43**
	S6 LN - PL6 LN	100 - 17 cm	18 cm	**42-43**
	S7 LN - PL7 LN	120 - 17 cm	18 cm	**42-43**
	S12 OV - PL12 OV	103 - 63 cm	18 cm	**51-50**
	S16 OV - PL16 OV	150 - 75 cm	18 cm	**51-50**
	S22 OV - PL22 OV	200 - 85 cm	18 cm	**51-50**
	A2 RC	30- 14 cm	18 cm	**55**
	A2 RD	32 - 17 cm	18 cm	**54**
VE 764	A9 G	24 - 12 cm	104 cm	**57**
	A4 P	22 - 8 cm	70 cm	**57**
	S16	86 cm	88 cm	**59**
VE 770	A2	17 - 12 cm	40 cm	**39**
	S28	120 - 40 cm	40 cm	**38**
	S34	160 - 40 cm	40 cm	**37**
VE 802	12+6	110 cm	150 cm	**5-6**
	A3	60 - 32 cm	90 cm	**7**
VE 803	13+6	100 cm	130 cm	**9**
VE 804	6+3+3	60 cm	100 cm	**10**
	8+4+4	90 cm	120 cm	**11**
	20	120 cm	150 cm	**13**
	A3	45 - 25 cm	60 cm	**11**
VE 805	8+4+1	100 cm	100 cm	**14**
	12+6+1	140 cm	150 cm	**15**
VE 808	PL3 40	40 cm	25 cm	**70**
	PL3 50	50 cm	30 cm	**70**
	PL 8+4	75 cm	35 cm	**70**
	PL16	100 cm	45 cm	**70**
VE 809	A3	40 - 14 cm	12 cm	**71**
	PL4	50 - 50 cm	25 cm	**68**
	PL8	70 - 70 cm	30 cm	**68**
	PL12	105 -105 cm	35 cm	**68**
	PL48	160 - 160 cm	40 cm	**69**
VE 810	S15+1	60 cm	100 cm	**73**
	S24+1	100 cm	220 cm	**72**
	S28+1	120 cm	250 cm	**72**
VE 811	PL 3 RD - S3 RD	40 cm	30 cm	**114-112**
	PL8 RD - S8 RD	60 cm	40 cm	**114-112**
	PL10 RD - S10 RD	80 cm	50 cm	**114-112**
	PL12 RD - S12 RD	100 cm	60 cm	**115-113**
	PL4 OV - S4 OV	80 - 40 cm	30 cm	**117-116**
	PL5 OV - S5 OV	100 - 40 cm	40 cm	**117-116**
	PL6 OV - S6 OV	120 - 60 cm	50 cm	**117-116**
VE 814	12 50	50 - 50 cm	170 cm	**81**
	16 75	75 - 75 cm	200 cm	**80**
VE 815	10+1	80 cm	90 cm	**111**
	12+1	100 cm	90 cm	**110**
	A2	30 - 14 cm	20 cm	**111**
	A2+2	48 - 14 cm	24 cm	**111**
VE 818	12	60 cm	100 cm	**16**
	16	78 cm	140 cm	**16**
	18	100 cm	165 cm	**17**
	A3	32 - 19 cm	70 cm	**19**
	PL 12	60 cm	45 cm	**19**
	PL16	78 cm	60 cm	**19**
	PL18	100 cm	70 cm	**18**
VE 820	PL10+2	80 -40 cm	50 cm	**76**
	PL12+2	100 - 55 cm	50 cm	**76**
	PL20	150 - 47 cm	50 cm	**77**
	PL26	200 - 55 cm	50 cm	**76**

COD.	ART.	Ø/L-SP	H	PAG.
VE 821	PL24	80 - 80 cm	27 cm	**74**
	PL28	110 - 60 cm	27 cm	**75**
	PL32	122 - 60 cm	27 cm	**75**
	PL44	166 - 80 cm	27 cm	**75**
VE 823	20	90 cm	160 cm	**23**
	A3	30 - 15 cm	55 cm	**21**
	PL12	90 cm	60 cm	**20**
VE 825	A8 G	30 - 13 cm	100 cm	**84**
	A8 M	25 -12 cm	70 cm	**85**
	S6	30 cm	230 cm	**83**
VE 827	20	116 cm	160 cm	**27**
	A4	45 - 20 cm	70 cm	**25**
	PL8	70 cm	55 cm	**25**
	PL10	90 cm	70 cm	**24**
VE 829	22	115 cm	190 cm	**31**
	66	180 cm	300 cm	**30**
	A3	35 - 18 cm	62 cm	**28**
	PL6	60 cm	40 cm	**28**
	PL8	80 cm	50 cm	**28**
	PL12	115 cm	70 cm	**29**
VE 830	PL8	70 cm	40 cm	**32**
	PL12	100 cm	50 cm	**32**
VE 831	PL6	45 cm	40 cm	**33**
	PL10	80 cm	50 cm	**33**
	PL12	100 cm	55 cm	**33**
VE 836	PL3	30 cm	25 cm	**66**
	PL6	40 cm	35 cm	**67**
VE 840	A2	30 - 13 cm	40 cm	**88**
	PL4	29 cm	80 cm	**88**
	PL6	37 cm	90 cm	**89**
	PL8	40 cm	200 cm	**87**
	PL12	60 cm	200 cm	**86**
VE 841	G	77 cm	200 cm	**91**
	M	44 cm	170 cm	**92**
	P	27 cm	100 cm	**93**
VE 843	13	60 cm	240 cm	**95**
VE 845	16+1	120 cm	110 cm	**97**
VE 846	PL5	40 cm	20 cm	**65**
	PL6	70 cm	35 cm	**64**
	PL8	80 cm	40 cm	**64**
VE 849	26	120 cm	270 cm	**35**
	PL10	70 cm	55 cm	**34**
	PL12	95 cm	70 cm	**34**
VE 864	10 60	60 cm	110 cm	**99**
	14 90	90 cm	150 cm	**99**
	20 120	120 cm	200 cm	**99**
	24 150	150 cm	250 cm	**98**
	A4	30 - 21 cm	57 cm	**99**
VE 892	A2 - A2 TRASP	15 - 12 cm	70 cm	**103-102**
	S6 - S6 TRASP	30 cm	180 cm	**101-100**
VE 893	S9 - S9 TRASP	70 cm	80 cm	**109-108**
VE 895	S6 - S6 TRASP	126 - 15 cm	40 cm	**104-106**
	S8 - S8 TRASP	160 -15 cm	40 cm	**104-106**
	S10 - S10 TRASP	200 - 15 cm	40 cm	**104-106**
VE 897	PL4	40 cm	20 cm	**79**
	PL6	60 cm	20 cm	**79**
	PL8	90 cm	20 cm	**78**
	PL16	120 cm	20 cm	**79**
VE 1150	A2	25 - 13 cm	40 cm	**61**
	S12	90 cm	40 cm	**60**
VE 1152	S4 LN	75 - 22,5 cm	38 cm	**62**
	S5 LN	105 - 22,5 cm	38 cm	**62**
	S6 LN	130 - 22,5 cm	38 cm	**62**
	S16 RC	105 - 75 cm	38 cm	**63**
	S18 RC	130 - 75 cm	38 cm	**63**
	S24 RC	165 - 90 cm	38 cm	**63**

CE

Attesta la conformità del prodotto alle disposizioni delle Direttive comunitarie.

It certifies the conformity of the products to the European Commuinity provisions.

Il atteste la conformité du produit aux dispositions des directives communitaires.

Konformität des Produktes mit den Richtlinien der europäischen Gemeinschaft.

НАСТОЯЩИМ ПОДТВЕРЖДАЕТСЯ СООТВЕТСТВИЕ ПРОДУКЦИИ ПОЛОЖЕНИЯМ ДИРЕКТИВ ЕС.

Certifica la conformidad del producto según las disposiciones de las directivas comunitarias.

CE标记是指产品的制造商证明该产品符合适用的EC指令的所有基本要求.

يُشهد بمطابقة المنتج لأحكام توجيهات المجتمع الأوروبي.

Intertek

Il logo “ETL” si riferisce agli articoli che possono essere modificati con componenti certificati ETL. L’elenco degli articoli ETL si riferisce a prodotti testati e valutati in base agli standard di sicurezza del mercato statunitense. Per il mercato USA fare riferimento al listino dedicato.

“ETL” logos refers to articles which can be modified with ETL- compliance components. The “ETL” listing articles stands for tested and evaluated product to recorgnised US safety standards. For the US market, refer to the relevant price list.

“ETL” logo se réfère aux articles qui peuvent être modifiées par des composants certifiés ETL. la liste des articles ETL se réfère à des produits testés et évalués selon les normes de sécurité du marché américain. Pour le marché américain se référer à la liste des prix.

Das “ETL”-Logo bezieht sich auf Artikel, die mit ETL-zertifizierten Komponenten modifiziert werden können. Die Liste der ETL-Artikel bezieht sich auf Produkte, die nach den Sicherheitsstandards des US-Marktes getestet und bewertet wurden. Für den US-Markt beachten Sie bitte die entsprechende Preisliste.

ЛОГОТИП «ETL» ОТНОСИТСЯ К ЭЛЕМЕНТАМ, КОТОРЫЕ МОГУТ БЫТЬ МОДИФИЦИРОВАНЫ С ПОМОЩЬЮ СЕРТИФИЦИРОВАННЫХ ETL КОМПОНЕНТОВ. СПИСОК ЭЛЕМЕНТОВ ETL ОТНОСИТСЯ К ПРОДУКЦИИ, ПРОТЕСТИРОВАННОЙ И ОЦЕНЕННОЙ В СООТВЕТСТВИИ С ПРИЗНАННЫМИ СТАНДАРТАМИ БЕЗОПАСНОСТИ США. ДЛЯ ПОТРЕБИТЕЛЕЙ НАХОДЯЩИХСЯ В США СМ. СООТВЕТСТВУЮЩИЙ ПРАЙС-ЛИСТ.

El logo “ETL” indica los artículos, que pueden modificarse con componentes certificados ETL. La lista de los artículos ETL se refiere a los productos sometidos a prueba y evaluados en función de los estándares de seguridad del mercado estadounidense. Consultar la lista de precios específica para el mercado de los Estados Unidos.

“ETL” 徽标是指可以使用ETL认证的组件进行修改的项目。 ETL项目列表是指根据美国市场的安全标准进行测试和评估的产品。 对于美国市场，请参考美国市场价格表。

يشير شعار «ETL» إلى المنتجات التي يمكن تعديلها باستخدام مكونات مُعتمدة من ETL. تشير قائمة منتجات ETL إلى المنتجات التي تم اختبارها وتقييمها وفقًا لمعايير السلامة في السوق الأمريكي. بالنسبة لسوق الولايات المتحدة الأمريكية، يُرجى الرجوع إلى قائمة الأسعار المُخصصة.

lm

Flusso luminoso nominale.
L’indicazione si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente.

Nominal luminous flux.
It refers to the value without any refraction, as declared by the component manufacturer.

L’unité SI de flux lumineux.
L’indication corresponds à la valeur en l’absence de réfraction, comme indiqué par le fabricant du composant.

Die Maßeinheit für den Lichtstrom. Die Angabe bezieht sich auf den Wert in der Abwesenheit von Brechung, wie vom Hersteller der Komponente angegeben.

НОМИНАЛЬНЫЙ СВЕТОВОЙ ПОТОК. УКАЗАНИЕ ОТНОСИТСЯ К ЗНАЧЕНИЮ В ОТСУТСТВИЕ РЕФРАКЦИИ, КАК ЗАЯВЛЕНО ПРОИЗВОДИТЕЛЕМ КОМПОНЕНТОВ.

Flujo luminoso nominal.
La indicación se refiere al valor sin refracción, como declarado por el fabricante del componente.

标称光通量。
指示是指组件制造商声明的没有折射的值。

التدفق الضوئي الاسمي.يشير المؤشر إلى القيمة في حالة عدم وجود انكسار للضوء، كما هو مُعلن من قبل الشركة المصنعة للعنصر.

MASIERO

Masiero si riserva il diritto di apportare ai propri articoli, senza nessun preavviso, qualsiasi modifica ritenesse opportuna.

Masiero reserves the right to introduce any changes to its own products, without notice in advance.

Masiero se rèserve le droit d’apporter une quelconque modification à les modèles sans préavis.

Masiero behalt sich das Recht vor änderungen vorzunehmen, ohne sofortige Benachrichtigung.

КОМПАНИЯ MASIERO ОСТАВЛЯЕТ ЗА СОБОЙ ПРАВО БЕЗ ПРЕДВАРИТЕЛЬНОГО УВЕДОМЛЕНИЯ, ЕСЛИ ЭТО БУДЕТ СОЧТЕНО ЦЕЛЕСООБРАЗНЫМ, ВНОСИТЬ В СОБСТВЕННЫЕ МОДЕЛИ ЛЮБЫЕ ИЗМЕНЕНИЯ.

Masiero se reserva el derecho de aportar modificaciones consideradas oportunas a sus artículos sin preaviso.

Masiero保留对其认为适当的任何更改的权利，恕不另行通知。

تحتفظ شركة مازيرو "Masiero" بالحق في إجراء أي تعديلات تراها مناسبة على منتجاتها، دون إشعار مسبق.

Masiero srl

via Peschiere, 53
31032 Casale sul Sile
Treviso, Italy
T +39 0422 7861
F +39 0422 786250

info@masierogroup.com
masierogroup.com

Design by Masiero
Photo, Studio Pointer
Print Italy, April 2021
by Grafica Antiga

masicrogroup.com

BRASS&SPOTS

ATELIER

MASIERO



BRASS&SPOTS

ATELIER

MASIERO




BRASS&SPOTS

La maestria artigianale modella i metalli più nobili per dar vita ad una collezione di punti luce discreti e raffinati. Lampade da parete che come piccoli gioielli luminosi contribuiscono a creare un'atmosfera magica nella stanza.
Lampade da tavolo preziose e ricercate che emanano una luce soffusa calda e confortevole rendendo ogni stanza un rifugio accogliente che trasmette pace e tranquillità.

The skill of craftsmen shapes the noblest of metals to create a collection of discreet and refined lighting elements.
Wall lamps like tiny luminous jewels help give the room a magical atmosphere. Elegant and refined table lamps give off a warm and comfortable soft light, making every room a cosy refuge that conveys peace and tranquillity.




VE 852



Ø 10 cm / 3.94”
W 0,5 kg / 1.10 lb


WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*


VE 856




Ø 10 cm / 3.94”
W 0,5 kg / 1.10 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*






VE 857 CE



Ø 12 cm / 4.72”
W 0,5 kg / 1.10 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*


VE 854 CE



Ø 12 cm / 4.72”
W 0,5 kg / 1.10 lb


WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*

VE 853 CE




L 10X10 cm /
3.94”X3.94”
W 0,5 kg / 1.10 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*



VE 855 CE




L	10X10 cm / 3.94"X3.94"
W	0,5 kg / 1.10 lb


WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*








VE 866 CE



Ø 8 cm / 3.15”
W 0,5 kg / 1.10 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*


VE 865 CE



Ø 8 cm / 3.15”
W 0,5 kg / 1.10 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*

VE 856/G CE




Ø 16 cm / 6.30”
W 0,6 kg / 1.32 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*






VE 1103 CE



Ø	10 cm / 3.94"
H	2.8 cm / 1.10"
W	0.4 kg / 0.88 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*


VE 1104 CE



Ø	10 cm / 3.94"
H	3 cm / 1.18"
W	0.7 kg / 1.54 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*


VE 1080/PL1 CE



Ø	16 cm / 6.30"
H	12 cm / 4.72"
W	2 kg / 4.40 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max *(not included)*

VE 1081/PL1 CE




Ø	16 cm / 6.30"
H	12 cm / 4.72"
W	2 kg / 4.40 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max *(not included)*



VE 1105


VE 1105 CE



L	16 cm / 6.29"
SP	9 cm /3.54"
H	5.5 cm / 2.17"
W	0,2 kg / 0.44 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*

VE 1106 CE




Ø	22 cm / 8.66"
H	2.5 kg /0.98 lb
W	0,4 kg / 0.88 lb

WW 1×GU10×50 W max *(not included)*
USA 1×GU10×50 W max *(not included)*




VE 1106






VE 1191 CE



Ø 10 cm / 3.94"
W 0,5 kg / 1.10 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*


VE 1192 CE



Ø 10 cm / 3.94"
W 0,5 kg / 1.10 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*


VE 859 CE



L 10 x 10 cm /
3.94" x 3.94
W 0.5 kg / 1.10 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*

VE 1190 CE




L 10 x 10 cm /
3.94" x 3.94
W 0.5 kg / 1.10 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*




VE 1193



Ø 10 cm / 3.94"
W 0,5 kg / 1.10 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*

VE 1194



Ø 10 cm / 3.94"
W 0,5 kg / 1.10 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*




VE 1080/PL3 40 CE



Ø	40 cm / 15.75"
H	15 cm /5.91"
W	6 kg / 13.22 lb

WW	3×E14×40 W max *(not included)*
USA	3×E12×40 W max *(not included)*

VE 1080/PL3 50 CE




Ø	50 cm / 19.71"
H	15 cm /5.91"
W	8.5 kg / 18.73 lb

WW	3×E27×60 W max *(not included)*
USA	3×E26×60 W max *(not included)*

VE 1080/PL3 50




VE 1081/PL3 50



VE 1081/PL6


VE 1081/PL3 40 CE



Ø	40 cm / 15.75"
H	12 cm /4.72"
W	6 kg / 13.22 lb

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*


VE 1081/PL3 50 CE



Ø	50 cm / 19.71"
H	12 cm /4.72"
W	8.5 kg / 18.73 lb

WW 3×E27×60 W max *(not included)*
USA 3×E26×60 W max *(not included)*

VE 1081/PL6 CE




Ø	80 cm / 31.50"
H	17 cm /6.69"
W	16 kg / 32.27 lb

WW 6×E27×60 W max *(not included)*
USA 6×E26×60 W max *(not included)*




VE 1107 MC



Ø	9.5 cm / 3.74″
H	20 cm / 7.87″
W	0.6 kg / 1.32 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*


VE 1107 TR




Ø	9.5 cm / 3.74″
H	20 cm / 7.87″
W	0.6 kg / 1.32 lb

WW 1×GU10×50 W max*(not included)*
USA 1×GU10×50 W max *(not included)*





VE 1069/S4



Ø	42 cm / 16.54"
H	44 cm / 17.32"
W	8 kg / 17.63 lb


WW 4×E14×40 W max*(not included)*
USA 4×E12×40 W max *(not included)*



VE 1069/S4




VE 1066/S6



VE 1066/S3


VE 1066/S3



Ø	20 cm / 7.87"
H	44 cm / 17.32"
W	5 kg / 11.02 lb

WW 3×E14×40 W max*(not included)*
USA 3×E12×40 W max *(not included)*


VE 1066/S4



Ø	44 cm / 17.32"
H	85 cm / 33.46"
W	8 kg / 17.63 lb

WW 4×E14×40 W max*(not included)*
USA 4×E12×40 W max *(not included*

VE 1066/S6




Ø	62 cm / 24.41"
H	120 cm / 47.24"
W	18 kg / 39.68 lb

WW 6×E14×40 W max*(not included)*
USA 6×E12×40 W max *(not included)*




VE 1066/A3




L	20 cm / 7.87"
SP	30 cm / 11.81"
H	48 cm / 18.90"
W	6 kg / 13.22 lb


WW 3×E14×40 W max*(not included)*
USA 3×E12×40 W max *(not included)*



VE 1066/A3




VE 858/A1 P



L	20 cm / 7.87″
SP	20 cm / 7.87″
H	15 cm / 5.91″
W	1.5 kg / 3.30 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max *(not included)*


VE 858/A2 G



L	30 cm / 11.81″
SP	20 cm / 7.87″
H	15 cm / 5.91″
W	1.5 kg / 3.30 lb

WW 2×E14×40 W max*(not included)*
USA 2×E12×40 W max *(not included)*

VE 858/A4




L	60 cm / 23.62″
SP	20 cm / 7.87″
H	15 cm / 5.91″
W	5 kg / 11.02 lb

WW 4×G9×40 W max*(not included)*
USA 4×G9×40 W max *(not included)*






VE 868/P CE



L	12 cm / 4.72"
SP	15 cm / 5.91"
H	15 cm / 5.91"
W	3 kg / 6.61 lb

WW LED X 3 W 3000K
USA LED X 3 W 3000K


VE 868/G CE




L	31 cm / 12.20"
SP	15 cm / 5.91"
H	10 cm / 3.94"
W	4.5 kg / 9.92 lb

WW LED X 5 W 3000K
USA LED X 5 W 3000K






VE 860/A1 P



L	20 cm / 7.87″
SP	26 cm / 10.24″
H	15 cm / 5.91″
W	2 kg / 4.40 lb


WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max *(not included)*

VE 860/A2 G




L	31 cm / 12.20″
SP	26 cm / 10.24″
H	15 cm / 5.91″
W	2.2 kg / 4.84 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max *(not included)*





VE 860/A4 CE



L	60 cm / 23.62"
SP	26 cm / 10.24"
H	15 cm / 5.91"
W	5 kg / 11 lb


WW 4×G9 × 40 W max *(not included)*
USA 4×G9 × 40 W max *(not included)*





VE 1065/A2


VE 1065/A2



L	37 cm / 14.57″
SP	11 cm / 4.33″
H	28 cm / 11.02″
W	5 kg / 11.02 lb

WW 2×E14×40 W max*(not included)*
USA 2×E12×40 W max *(not included)*

VE 1002/A1



L	20 cm / 7.87″
SP	15 cm / 5.91″
H	55 cm / 21.65″
W	2.5 kg / 5.51 lb


WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max *(not included)*



VE 1002/A1




VE 1063/A2



VE 1067/A2


VE 1063/A2 CE ETL



L	30 cm / 11.81"
SP	16 cm / 6.30"
H	41 cm / 16.41"
W	5 kg / 11.02 lb


WW 2×E14×40 W max*(not included)*
USA 2×E12×40 W max *(not included)*

VE 1067/A2 CE ETL




L	37 cm / 14.57"
SP	11 cm / 4.33"
H	27 cm / 10.63"
W	3 kg / 6.61 lb

WW 2×E14×40 W max*(not included)*
USA 2×E12×40 W max *(not included)*



VE 1072/A2


VE 1072/A2



L	40 cm / 15.75”
SP	18 cm / 7.09”
H	70 cm / 27.56”
W	3 kg / 6.61 lb

WW 2×E14×40 W max*(not included)*
USA 2×E12×40 W max *(not included)*

VE 1074/A5



L	55 cm / 21.65”
SP	35 cm / 13.78”
H	65 cm / 25.59”
W	5 kg / 11.02 lb

WW 5×E14×40 W max*(not included)*
USA 5×E12×40 W max *(not included)*



VE 1074/A5




VE 1076/A2



VE 1078/A2


VE 1076/A2



L	35 cm / 13.78"
SP	18 cm / 7.09"
H	60 cm / 23.62"
W	4 kg / 8.81 lb


WW 2×E14×40 W max*(not included)*
USA 2×E12×40 W max *(not included)*

VE 1078/A2




L	40 cm / 15.75"
SP	25 cm / 9.84"
H	75 cm / 29.53"
W	4 kg / 8.81 lb

WW 2×E14×40 W max*(not included)*
USA 2×E12×40 W max *(not included)*



VE 1074/A2


VE 1074/A2



L	40 cm / 15.75”
SP	18 cm / 7.09”
H	40 cm / 15.75”
W	3 kg / 6.61 lb

WW 2×E14×40 W max*(not included)*
USA 2×E12×40 W max *(not included)*

VE 1074/A3



L	40 cm / 15.75”
SP	30 cm / 11.81”
H	45 cm / 17.72”
W	3.5 kg / 7.71 lb

WW 3×E14×40 W max*(not included)*
USA 3×E12×40 W max *(not included)*



VE 1074/A3




VE 1075/A2



VE 1075/A1


VE 1075/A2



L	28 cm / 11.02"
SP	12.5 cm / 4.92"
H	33 cm / 12.99"
W	3 kg / 6.61 lb


WW 2×E14×40 W max*(not included)*
USA 2×E12×40 W max *(not included)*

VE 1075/A1




L	13 cm / 5.12"
SP	14 cm / 5.51"
H	33 cm / 12.99"
W	2.2 kg / 4.85 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max *(not included)*



VE 1071/A2


VE 1071/A2



L	30 cm / 11.81"
SP	12 cm / 4.72"
H	55 cm / 21.65"
W	2.2 kg / 4.8 lb

WW 2×E14×40 W max*(not included)*
USA 2×E12×40 W max *(not included)*

VE 1077/A2



L	22 cm / 8.66"
SP	12 cm / 4.72"
H	60 cm / 23.62"
W	3 kg / 6.61 lb


WW 2×E14×40 W max*(not included)*
USA 2×E12×40 W max *(not included)*



VE 1077/A2




VE 1073/A2



VE 1073/A1


VE 1073/A2



L	22 cm / 8.66″
SP	12 cm / 4.72″
H	33 cm / 12.99″
W	5 kg / 11.02 lb


WW 2×E14×40 W max*(not included)*
USA 2×E12×40 W max *(not included)*

VE 1073/A1




L	15 cm / 5.91″
SP	15 cm / 5.91″
H	33 cm / 12.99″
W	3 kg / 6.61 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max *(not included)*



VE 1079/A1


VE 1079/A1



L	10 cm / 3.94″
SP	16 cm / 6.30″
H	36 cm / 14.17″
W	2.2 kg / 4.85 lb

WW 1×E14×40 W max *(not included).*
USA 1×E12×40 W max *(not included)*

VE 1079/A2



L	23 cm / 9.06″
SP	12 cm / 4.72″
H	36 cm / 14.17″
W	3 kg / 6.61 lb


WW 2×E14×40 W max*(not included)*
USA 2×E12×40 W max *(not included)*



VE 1079/A2




VE 1192/A1 P



L	11 cm / 4.33"
SP	14 cm / 5.51"
H	24 cm / 9.44"
W	1.5 kg / 3.30 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max *(not included)*

VE 1192/A1 G



L	16 cm / 6.30"
SP	14 cm / 5.51"
H	26 cm / 10.23"
W	3 kg / 6.61 lb


WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max *(not included)*

VE 1192/A1 G

VE 1192/A1 P




VE 1090/A1



L	20 cm / 7.87"
SP	34 cm / 13.39"
H	30 cm / 11.81"
W	3 kg / 6.61 lb

WW 1×E27×60 W max *(notincluded).*
USA 1×E26×60 W max *(not included)*

VE 1091/A1




L	26 cm / 10.24"
SP	48 cm / 18.90"
H	30 cm / 11.81"
W	3 kg / 6.61 lb

WW 1×E27×60 W max *(notincluded).*
USA 1×E26×60 W max *(not included)*






VE 1090/STL1



VE 1090/TL1


VE 1090/STL



L	36 cm / 14.17"
SP	70 cm / 27.56"
H	168 cm / 66.14"


WW 1×E27×60 W max *(notincluded)*
USA 1×E26×60 W max *(not included)*

VE 1090/TL1




L	30 cm / 11.81"
SP	70 cm / 27.56"
H	64 cm / 25.20"

WW 1×E27×60 W max *(notincluded)*
USA 1×E26×60 W max *(not included)*



VE 860/TL1





L	20 cm / 7.87"
SP	21 cm / 8.27"
H	35 cm / 13.78"

WW 1×E14×40 W max *(notincluded)*
USA 1×E12×40 W max*(not included)*




VE 860/TL1






VE 1018/TL1 G



L	25 cm / 9.84″
SP	25 cm / 9.84″
H	51 cm / 20.08″

WW 1×E27×60 W max *(notincluded)*
USA 1×E26×60 W max *(not included)*


VE 1018/TL1 P



L	17 cm / 6.69″
SP	17 cm / 6.69″
H	41 cm / 16.14″

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max *(not included)*


VE 1020/TL 1 P



Ø	18 cm / 7.09″
H	40 cm / 15.75″

WW 1×E14×40 W max *(notincluded)*
USA 1×E12×40 W max*(not included)*

VE 1020/TL 1 G




Ø	30 cm / 11.81″
H	54 cm / 21.26″

WW 1×E27×60 W max *(notincluded)*
USA 1×E26×60 W max *(not included)*




VE 1002/TL1



Ø 25 cm / 9.84"
H 55 cm / 21.65"


WW 1×E27×60 W max *(notincluded)*
USA 1×E26×60 W max *(not included)*








VE 1086/TL3




Ø 40 cm / 15.75"
H 65 cm / 25.59"

WW 3×E14×40 W max ***(notincluded)***
USA 3×E12×40 W max***(not included)***



VE 1087/TL1


VE 1087/TL1



Ø	25 cm / 9.84"
H	41 cm / 16.14"
W	1.8 kg / 3.97 lb"


WW 1×E27×60 W max *(notincluded)*
USA 1×E26×60 W max *(not included)*

VE 1086/TL1



Ø	18 cm / 7.09"
H	38 cm / 14.96"
W	1.2 kg / 2.64 lb

WW 1×E14×40 W max *(notincluded)*
USA 1×E12×40 W max*(not included)*



VE 1086/TL1

TECHNICAL INFO

FINITURE / FINISHING


Bagno galvanico / Galvanic Bath



G07 Nickel spazzolato
Brushed nickel



G06 Cromo opaco
Matt chrome



G04 Cromo lucido
Shiny chrome




G21 Cromo anticato
Antiqued chrome



G14 Ottone brunito
Burnished brass



G01 Brunito
Burnished



G05 Oro opaco
Matt gold



G03 Oro lucido
Shiny gold



G12 Oro spazzolato
Brushed gold



G20 Oro anticato
Antiqued gold



G18 Ottone spazzolato
Brushed brass

Verniciati / Painted



V71 Nickel opaco verniciato
Painted matt nickel



V93 Oro verniciato
Painted gold

Verificare la disponibilità di ciascuna finitura per specifici articoli / Availability of each finish to be confirmed for specific items.

Indice/Index

COD.	Ø/L-SP	H	PAG.
VE 852	Ø 10 cm		**5**
VE 853	L 10 - L 10 cm		**7**
VE 854	Ø 12 cm		**6**
VE 855	L 10 - L 10 cm		**8**
VE 856	Ø 10 cm		**5**
VE 856/G	Ø 16 cm		**11**
VE 857	Ø 12 cm		**6**
VE 858/A1P	L 20 - SP 20 cm	H 15 cm	**32**
VE 858/A2 G	L 30 - SP 20 cm	H 15 cm	**32**
VE 858/A4	L 60 - SP 20 cm	H 15 cm	**33**
VE 859	L 10 - L 1 0 cm		**17**
VE 860/ A1 P	L 20 - SP 26 cm	H 15 cm	**36**
VE 860/ A2 G	L 31 - SP 26 cm	H 15 cm	**37**
VE 860/ A4	L 60 - SP 26 cm	H 15 cm	**39**
VE 860/ TL1	L 20 - SP 21 cm	H 35 cm	**65**
VE 865	Ø 8 cm		**10**
VE 866	Ø 8 cm		**10**
VE 868/G	L 31 - SP 15 cm	H 10 cm	**35**
VE 868/P	L 12 - SP 15 cm	H 15 cm	**34**
VE 1002/A1	L 20 - SP 15 cm	H 55 cm	**41**
VE 1002/TL1	Ø 25 cm	H 55 cm	**69**
VE 1018/TL1 G	L 25 - SP 25 cm	H 51 cm	**66**
VE 1018/TL1 P	L 17 - SP 17 cm	H 41 cm	**66**
VE 1020/ TL1 G	Ø 30 cm	H 54 cm	**67**
VE 1020/ TL1 P	Ø 18 cm	H 40 cm	**67**
VE 1063/A2	L 30 - SP 16 cm	H 41 cm	**42**
VE 1065/A2	L 37 - SP 11 cm	H 28 cm	**40**
VE 1066/ A3	L 20 - SP 30 cm	H 48 cm	**31**
VE 1066/ S3	Ø 20 cm	H 44 cm	**29**
VE 1066/ S4	Ø 44 cm	H 85 cm	**29**
VE 1066/ S6	Ø 62 cm	H 120 cm	**28**
VE 1067/A2	L 37 - SP 11 cm	H 27 cm	**43**
VE 1069/S4	Ø 42 cm	H 44 cm	**27**
VE 1071/A2	L 30 - SP 12 cm	H 55 cm	**52**
VE 1072/A2	L 40 - SP 18 cm	H 70 cm	**44**
VE 1073/A1	L 15 - SP 15 cm	H 33 cm	**55**
VE 1073/A2	L 22 - SP 12 cm	H 33 cm	**54**

COD.	Ø/L-SP	H	PAG.
VE 1074/A2	L 40 - SP 18 cm	H 40 cm	**48**
VE 1074/A3	L 40 - SP 30 cm	H 45 cm	**49**
VE 1074/A5	L 55 - SP 35 cm	H 65 cm	**45**
VE 1075/A1	L 13 - SP 14 cm	H 33 cm	**51**
VE 1075/A2	L 28 - SP 12,5 cm	H 33 cm	**50**
VE 1076/A2	L 35 - SP 18 cm	H 60 cm	**46**
VE 1077/A2	L 22 - SP 12 cm	H 60cm	**53**
VE 1078/A2	L 40 - SP 25 cm	H 75 cm	**47**
VE 1079/A1	L 10 - SP 16 cm	H 36 cm	**56**
VE 1079/A2	L 23 - SP 12 cm	H 36 cm	**57**
VE 1080/ PL1	Ø 16 cm	H 12 cm	**13**
VE 1080/ PL3 40	Ø 40 cm	H 15 cm	**20**
VE 1080/ PL3 50	Ø 50 cm	H 15 cm	**21**
VE 1081/ PL1	Ø 16 cm	H 12 cm	**13**
VE 1081/ PL3 40	Ø 40 cm	H 12 cm	**23**
VE 1081/ PL3 50	Ø 50 cm	H 12 cm	**22**
VE 1081/ PL6	Ø 80 cm	H 17 cm	**23**
VE 1086/ TL1	Ø 18 cm	H 38 cm	**73**
VE 1086/ TL3	Ø 40 cm	H 65 cm	**70-71**
VE 1087/TL1	Ø 25 cm	H 41 cm	**72**
VE 1090/A1	L 20 - SP 34 cm	H 30 cm	**60**
VE 1090/STL1	L 36 - SP 70 cm	H 168 cm	**62**
VE 1090/TL1	L 30 - SP 70 cm	H 64 cm	**63**
VE 1091/A1	L 26 - SP 48 cm	H 30 cm	**61**
VE 1103	Ø 10 cm	H 2,8 cm	**12**
VE 1104	Ø 10 cm	H 3 cm	**12**
VE 1105	L 16 - SP 9 cm	H 5,5 cm	**14**
VE 1106	Ø 22 cm	H 2,5 cm	**15**
VE 1107/MC	Ø 9,5 cm	H 20 cm	**25**
VE 1107/TR	Ø 9,5 cm	H 20 cm	**25**
VE 1190	L 10 - L 10 cm		**17**
VE 1191	Ø 10 cm		**16**
VE 1192	Ø 10 cm		**16**
VE 1192/A1 G	L 16 - SP 14 cm	H 26 cm	**59**
VE 1192/A1 P	L 11 - SP 14 cm	H 24 cm	**59**
VE 1193	Ø 10 cm		**19**
VE 1194	Ø 10 cm		**19**

CE

Attesta la conformità del prodotto alle disposizioni delle Direttive comunitarie.

It certifies the conformity of the products to the European Commuinity provisions.

Il atteste la conformité du produit aux dispositions des directives communitaires.

Konformität des Produktes mit den Richtlinien der europäischen Gemeinschaft.

НАСТОЯЩИМ ПОДТВЕРЖДАЕТСЯ СООТВЕТСТВИЕ ПРОДУКЦИИ ПОЛОЖЕНИЯМ ДИРЕКТИВ ЕС.

Certifica la conformidad del producto según las disposiciones de las directivas comunitarias.

CE标记是指产品的制造商证明该产品符合适用的EC指令的所有基本要求.

يُشهد بمطابقة المنتج لأحكام توجيهات المجتمع الأوروبي.

Intertek

Il logo “ETL” si riferisce agli articoli che possono essere modificati con componenti certificati ETL. L’elenco degli articoli ETL si riferisce a prodotti testati e valutati in base agli standard di sicurezza del mercato statunitense. Per il mercato USA fare riferimento al listino dedicato.

“ETL” logos refers to articles which can be modified with ETL- compliance components. The “ETL” listing articles stands for tested and evaluated product to recorgnised US safety standards. For the US market, refer to the relevant price list.

“ETL” logo se réfère aux articles qui peuvent être modifiées par des composants certifiés ETL. la liste des articles ETL se réfère à des produits testés et évalués selon les normes de sécurité du marché américain. Pour le marché américain se référer à la liste des prix.

Das “ETL”-Logo bezieht sich auf Artikel, die mit ETL-zertifizierten Komponenten modifiziert werden können. Die Liste der ETL-Artikel bezieht sich auf Produkte, die nach den Sicherheitsstandards des US-Marktes getestet und bewertet wurden. Für den US-Markt beachten Sie bitte die entsprechende Preisliste.

ЛОГОТИП «ETL» ОТНОСИТСЯ К ЭЛЕМЕНТАМ, КОТОРЫЕ МОГУТ БЫТЬ МОДИФИЦИРОВАНЫ С ПОМОЩЬЮ СЕРТИФИЦИРОВАННЫХ ETL КОМПОНЕНТОВ. СПИСОК ЭЛЕМЕНТОВ ETL ОТНОСИТСЯ К ПРОДУКЦИИ, ПРОТЕСТИРОВАННОЙ И ОЦЕНЕННОЙ В СООТВЕТСТВИИ С ПРИЗНАННЫМИ СТАНДАРТАМИ БЕЗОПАСНОСТИ США. ДЛЯ ПОТРЕБИТЕЛЕЙ НАХОДЯЩИХСЯ В США СМ. СООТВЕТСТВУЮЩИЙ ПРАЙС-ЛИСТ.

El logo “ETL” indica los artículos, que pueden modificarse con componentes certificados ETL. La lista de los artículos ETL se refiere a los productos sometidos a prueba y evaluados en función de los estándares de seguridad del mercado estadounidense. Consultar la lista de precios específica para el mercado de los Estados Unidos.

“ETL” 徽标是指可以使用ETL认证的组件进行修改的项目。 ETL项目列表是指根据美国市场的安全标准进行测试和评估的产品。 对于美国市场，请参考美国市场价格表。

يشير شعار «ETL» إلى المنتجات التي يمكن تعديلها باستخدام مكونات مُعتمدة من ETL. تشير قائمة منتجات ETL إلى المنتجات التي تم اختبارها وتقييمها وفقًا لمعايير السلامة في السوق الأمريكي. بالنسبة لسوق الولايات المتحدة الأمريكية، يُرجى الرجوع إلى قائمة الأسعار المُخصصة.

lm

Flusso luminoso nominale.
L’indicazione si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente.

Nominal luminous flux.
It refers to the value without any refraction, as declared by the component manufacturer.

L’unité SI de flux lumineux.
L’indication corresponds à la valeur en l’absence de réfraction, comme indiqué par le fabricant du composant.

Die Maßeinheit für den Lichtstrom. Die Angabe bezieht sich auf den Wert in der Abwesenheit von Brechung, wie vom Hersteller der Komponente angegeben.

НОМИНАЛЬНЫЙ СВЕТОВОЙ ПОТОК. УКАЗАНИЕ ОТНОСИТСЯ К ЗНАЧЕНИЮ В ОТСУТСТВИЕ РЕФРАКЦИИ, КАК ЗАЯВЛЕНО ПРОИЗВОДИТЕЛЕМ КОМПОНЕНТОВ.

Flujo luminoso nominal.
La indicación se refiere al valor sin refracción, como declarado por el fabricante del componente.

标称光通量。
指示是指组件制造商声明的没有折射的值。

التدفق الضوئي الاسمي.يشير المؤشر إلى القيمة في حالة عدم وجود انكسار للضوء، كما هو مُعلن من قبل الشركة المصنعة للعنصر.

MASIERO

Masiero si riserva il diritto di apportare ai propri articoli, senza nessun preavviso, qualsiasi modifica ritenesse opportuna.

Masiero reserves the right to introduce any changes to its own products, without notice in advance.

Masiero se rèserve le droit d’apporter une quelconque modification à les modèles sans préavis.

Masiero behalt sich das Recht vor änderungen vorzunehmen, ohne sofortige Benachrichtigung.

КОМПАНИЯ MASIERO ОСТАВЛЯЕТ ЗА СОБОЙ ПРАВО БЕЗ ПРЕДВАРИТЕЛЬНОГО УВЕДОМЛЕНИЯ, ЕСЛИ ЭТО БУДЕТ СОЧТЕНО ЦЕЛЕСООБРАЗНЫМ, ВНОСИТЬ В СОБСТВЕННЫЕ МОДЕЛИ ЛЮБЫЕ ИЗМЕНЕНИЯ.

Masiero se reserva el derecho de aportar modificaciones consideradas oportunas a sus artículos sin preaviso.

Masiero保留对其认为适当的任何更改的权利，恕不另行通知。

تحتفظ شركة مازيرو "Masiero" بالحق في إجراء أي تعديلات تراها مناسبة على منتجاتها، دون إشعار مسبق.


Masiero srl

via Peschiere, 53
31032 Casale sul Sile
Treviso, Italy
T +39 0422 7861
F +39 0422 786250

info@masierogroup.com
masierogroup.com

Design by Masiero
Photo, Studio Pointer
Print Italy, April 2021
by Grafica Antiga

masierogroup.com



GLASS
ATELIER


MASIERO



GLASS
ATELIER

MASIERO








GLASS

L'antica arte vetraia veneziana tramanda la sua eccellenza nota in tutto il mondo.
L'originale tecnica della graniglia regala sorprendente profondità materica al vetro, creando un decoro volutamente mai uguale, che rende ogni pezzo unico.
La tradizione dei lampadari di cristallo di Bohemia disegna grandi cadute in vetro, la cui trasparenza dona effetti luminosi unici.

The ancient art of Venetian glass perpetuates its excellence, famous throughout the world. The original graniglia technique gives the glass surprising depth and substance, with each piece made unique by a purposely ever-different decoration. Unique lighting effects are created by the large glass pendants in the tradition of Bohemia crystal chandeliers.



VE 873/24



ø	145 cm / 57.10"
H	175 cm / 68.90"
W	48 kg / 105.82 lb


WW	24×E14×40 W max *(not included)*
USA	24×E12×40 W max *(not included)*



VE 873/24



VE 873/A5



L	53 cm / 20.90"
SP	30 cm / 11.80"
H	50 cm / 19.70"
W	4.5 kg / 9.92lb


WW 5×E14×40 W max ***(not included)***
USA 5×E12×40 W max ***(not included)***



VE 873/A5




VE 871/A5



VE 871/A3


VE 871/A3



L	50 cm / 19.70″
SP	28 cm / 11.05″
H	54 cm / 21.25″
W	3 kg / 6.61 lb

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*


VE 871/A5



L	50 cm / 19.70″
SP	28 cm / 11.05″
H	54 cm / 21.25″
W	4 kg / 8.81 lb

WW 5×E14×40 W max *(not included)*
USA 5×E12×40 W max *(not included)*

VE 871/A12




L	75 cm / 29.60″
SP	30 cm / 11.80″
H	140 cm / 55.20″
W	6 kg / 13.22 lb

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*




VE 871/32



Ø	110 cm / 43.30"
H	270 cm / 106.30"
W	64 kg / 110.23 lb

WW 32×E14×40 W max *(not included)*
USA 32×E12×40 W max *(not included)*

VE 871/64




Ø	140 cm / 55.20"
H	500 cm / 196.90"
W	100 kg / 220.46 lb

WW 64×E14×40 W max *(not included)*
USA 64×E12×40 W max *(not included)*



VE 871/32

VE 874/16+8




Ø	95 cm / 37.50”
H	110 cm / 43.30”
W	34 kg / 74.95 lb

WW 24×E14×40 W max *(not included)*
USA 24×E12×40 W max *(not included)*

VE 874/16+8




VE 874/5+5



VE 874/12


VE 874/5+5



Ø	88 cm / 34.64 "
H	112 cm / 44.09 "
W	19 kg / 41.88 lb


WW 10×E14×40 W max *(not included)*
USA 10×E12×40 W max *(not included)*

VE 874/12




Ø	103 cm / 40.55 "
H	80 cm / 31.49 "
W	17 kg / 15.43 lb

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*



VE 874/6


VE 874/6



Ø 77 cm / 30.31 "
H 63 cm / 24.80"
W 9 kg / 19.84 lb

WW 6×E14×40 W max *(not included)*
USA 6×E12×40 W max *(not included)*

VE 874/8



Ø 88 cm / 34.64 "
H 76 cm / 29.92 "
W 13 kg / 28.66 lb


WW 8×E14×40 W max *(not included)*
USA 8×E12×40 W max *(not included)*



VE 874/8




VE 874/A3



VE 874/A2


VE 874/A3



L	44 cm / 17.30"
SP	26 cm / 10.25"
H	26 cm / 10.25"
W	3 kg /6.61 lb

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*

VE 874/A2




L	35 cm / 13.80"
SP	22 cm / 8.70"
H	26 cm / 10.25"
W	2 kg / 4.41 lb

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*




VE 875/12



Ø	120 cm / 47.30"
H	120 cm / 47.30"
W	25 kg / 55.11 lb

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*

VE 875/16




Ø	145 cm / 57.09"
H	120 cm / 47.30"
W	32 kg / 70.54 lb

WW 16×E14×40 W max *(not included)*
USA 16×E12×40 W max *(not included)*



VE 875/16

VE 875/A3




L	48 cm / 18.90″
SP	35 cm / 13.78″
H	50 cm / 19.69″
W	3 kg / 6.61 lb

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*

VE 875/A3



VE 886/12



Ø	70 cm / 27.55”
H	130 cm / 51.20”
W	27 kg / 59.52 lb


WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*



VE 886/12




VE 886/A5



VE 886/A3


VE 886/A5



L	50 cm / 19.68"
SP	30 cm / 11.81"
H	60 cm / 23.62"
W	7 kg / 15.43 lb


WW 5×E14×40 W max *(not included)*
USA 5×E12×40 W max *(not included)*

VE 886/A3




L	48 cm / 18.90"
SP	28 cm / 11.05"
H	40 cm / 15.75"
W	4 kg / 8.81 lb

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*



VE 886/PL3




Ø 45 cm / 17.72"
H 40 cm / 15.75"
W 6 kg / 13.22 lb


WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*



VE 886/PL3




VE 1146/PL14



Ø 70 cm / 27.56”
H 140 cm / 55.20”
W 63 kg / 138.89 lb

WW 14×E27×60 W max*(not included)*
USA 14×E26×60 W max *(not included)*



VE 1146/PL14




VE 1146/A4



VE 1149/S7


VE 1146/A4



L	26 cm / 10.25″
SP	14 cm / 5.55″
H	70 cm / 27.56″
W	12 kg / 26.45 lb

WW 4×E14×40 W max *(not included)*
USA 4×E12×40 W max *(not included)*


VE 1149/S7



Ø	40 cm / 15.75″
H	90 cm / 35.50″
W	28 kg / 61.72 lb


WW 7×E14×40 W max *(not included)*
USA 7×E12×40 W max *(not included)*

VE 1149/S16




Ø	50 cm / 19.70″
H	160 cm / 63.00″
W	35 kg / 77.16 lb

WW 16×E14×40 W max *(not included)*
USA 16×E12×40 W max *(not included)*




VE 1144/S20



Ø 50 cm / 19.70″
H 230 cm / 90.55″
W 105 kg / 231 lb

WW 1×E14×40 W max +
19×E27×60 W max *(not included)*
USA 1×E12×40 W max +
19×E26×60 W max *(not included)*


VE 1144/S30



Ø 80 cm / 31.50″
H 360 cm / 141.73″
W 240 kg / 529.1 lb

WW 30×E27×60 W max*(not included)*
USA 30×E26×60 W max*(not included)*


VE 1144/S40



Ø 100 cm / 39.40″
H 450 cm / 177.20″
W 360 kg / 793.6 lb

WW 40×E27×60 W max*(not included)*
USA 40×E26×60 W max*(not included)*

VE 1144/S52



Ø 120 cm / 47.30″
H 500 cm / 196.90″
W 580 kg / 1278 lb

WW 52×E27×60 W max*(not included)*
USA 52×E26×60 W max*(not included)*




VE 1144/S20



VE 1120/PL16


VE 1120/PL12



L	80 cm / 31.50″
SP	80 cm / 31.50″
H	80 cm / 31.50″
W	45 kg / 99.20 lb

WW 12×E27×60 W max *(not included)*
USA 12×E26×60 W max *(not included)*


VE 1120/PL14



L	100 cm / 39.40″
SP	100 cm / 39.40″
H	80 cm / 31.50″
W	55 kg / 121.25 lb


WW 14×E27×60 W max *(not included)*
USA 14×E26×60 W max *(not included)*

VE 1120/PL16




L	120 cm / 47.30″
SP	120 cm / 47.30″
H	80 cm / 31.50″
W	71 kg / 156.52 lb

WW 16×E27×60 W max*(not included)*
USA 16×E26×60 W max *(not included)*



VE 1147/PL16




L	120 cm / 47.30"
SP	60 cm / 23.70"
H	50 cm / 19.70"
W	80 kg / 176.36 lb


WW 16×E14×40 W max *(not included)*
USA 16×E12×40 W max *(not included)*



VE 1147/PL16




VE 1120/28




Ø	170 cm / 67.00"
H	150 cm / 59.10"
W	263 kg / 579.8 lb


WW 28×E27×60 W max*(not included)*
USA 28×E26×60 W max *(not included)*



VE 1120/28




VE 1120/A2



L	38 cm / 15.00"
SP	20 cm / 7.90"
H	40 cm / 15.75"
W	8 kg / 17.63 lb

WW 2×E27×60 W max*(not included)*
USA 2×E26x60 W max *(not included)*








VE 1145/S14 OV


VE 1145/S8 OV



L 85 cm / 33.46″
SP 52 cm / 20.50″
H 50 cm / 19.70″
W 50 kg / 110.23 lb

WW 8×E27×60 W max *(not included)*
USA 8×E26×60 W max *(not included)*


VE 1145/S14 OV



L 120 cm / 47.24″
SP 52 cm / 20.50″
H 50 cm / 19.70″
W 68 kg / 149.91 lb


WW 14×E27×60 W max *(not included)*
USA 14×E26×60 W max *(not included)*

VE 1145/S20 OV



L 155 cm / 61.00″
SP 52 cm / 20.50″
H 50 cm / 19.70″
W 95 kg / 209.44 lb

WW 20×E27×60 W max *(not included)*
USA 20×E26×60 W max *(not included)*




VE 1145/S6



VE 1145/S14


VE 1145/S6



Ø	52 cm / 20.47″
H	50 cm / 19.69″
W	29 kg / 63.93 lb

WW 6×E27×60 W max *(not included)*
USA 6×E26×60 W max *(not included)*


VE 1145/S14



Ø	80 cm / 31.50″
H	75 cm / 29.53″
W	65 kg / 143.3 lb

WW 14×E27×60 W max *(not included)*
USA 14×E26×60 W max *(not included)*

VE 1145/S20




Ø	100 cm / 39.37″
H	110 cm / 43.31″
W	100 kg / 220.4 lb

WW 20×E27×60 W max*(not included)*
USA 20×E26×60 W max*(not included)*



VE 1110/A1+1




L	45 cm / 17.72″
SP	23 cm / 9.06″
H	60 cm / 23.62″
W	12.5 kg / 27.55 lb

WW 1×E27×60 W max +
1×E14×40 W max *(not included)*
USA 1×E26×60 W max +
1×E12×40 W max *(not included)*




VE 1110/A1+1



VE 1110/PL5+3+2


VE 1110/PL5+3+2 CE ETL



Ø	100 cm / 39.37"
H	60 cm / 23.62"
W	33 kg / 72.75 lb

WW 10×E27×60 W max *(not included)*
USA 10×E26×60 W max*(not included)*

VE 1110/PL12+2 CE ETL



Ø	140 cm / 55.12"
H	85 cm / 33.46"
W	47 kg / 103.61 lb

WW 14×E27×60 W max *(not included)*
USA 14×E26×60 W max *(not included)*



VE 1110/PL12+2




VE 1112/PL6+3+3



VE 1112/A1+1


VE 1112/PL6+3+3



Ø	110 cm / 43.30″
H	70 cm / 27.56″
W	40 kg / 88.18 lb


WW 12×E27×60 W max (*not included)*
USA 12×E26×60 W max (*not included)*


VE 1112/A1+1




L	40 cm / 21.65″
SP	20 cm / 7.87″
H	55 cm / 21.65″
W	12.5 kg / 27.55 lb

WW 1×E27×60 W max +
1×E14×40 W max (*not included)*
USA 1×E26×60 W max+
1×E12×40 W max (*not included)*






VE 1114/PL3 AMB CE



Ø	45 cm / 17.80″
H	12 cm / 4.80″
W	8.5 kg / 18.73 lb

WW 3×E27×60 W max*(not included)*
USA 3×E26×60 W max*(not included)*


VE 1114/PL3 TR CE



Ø	45 cm / 17.80″
H	12 cm / 4.80″
W	8.5 kg / 18.73 lb

WW 3×E27×60 W max*(not included)*
USA 3×E26×60 W max*(not included)*


VE 1115/PL5 AMB CE



Ø	65 cm / 25.60″
H	15 cm / 6.00″
W	14 kg / 30.86 lb

WW 5×E27×60 W max *(not included)*
USA 5×E26×60 W max *(not included)*

VE 1115/PL5 TR CE




Ø	65 cm / 25.60″
H	15 cm / 6.00″
W	14 kg / 30.86 lb

WW 5×E27×60 W max *(not included)*
USA 5×E26×60 W max *(not included))*




VE 1116/A2 AMB



VE 1116/A2 TR


VE 1116/A2 AMB CE ETL



L	28 cm / 11.10"
SP	15 cm / 6.00"
H	38 cm / 15.00"
W	3 kg / 6.61 lb

WW 2×E14×40 W max (*not included*)
USA 2×E12×40 W max (*not included*)

VE 1116/A2 TR CE ETL




L	28 cm / 11.10"
SP	15 cm / 6.00"
H	38 cm / 15.00"
W	3 kg / 6.61 lb

WW 2×E14×40 W max (*not included*)
USA 2×E12×40 W max (*not included*)




VE 1057/TL1



Ø	29 cm / 11.40″
H	49 cm / 19.30″
W	3 kg / 6.61 lb

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*


VE 1058/TL1




Ø	29 cm / 11.40″
H	49 cm / 19.30″
W	3 kg / 6.61 lb


WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*








VE 1056/TL1 BLU



Ø 18 cm / 7.00″
H 35 cm / 13.80″

WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*


VE 1056/TL1 YEL



Ø 18 cm / 7.00″
H 35 cm / 13.80″


WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*

VE 1055/TL1




Ø 18 cm / 7.00″
H 35 cm / 13.80″

WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*




VE 1052/TL1 P



Ø 25 cm / 9.80″
H 38 cm / 15.00″
W 1.6 kg / 3.53 lb

WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*


VE 1052/TL1 G



Ø 32 cm / 12.59″
H 50 cm / 19.68″
W 2.6 kg / 5.73 lb

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*


VE 1053/TL1 P



Ø 25 cm / 9.80″
H 38 cm / 15.00″
W 1.6 kg / 3.53 lb

WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*

VE 1053/TL1 G




Ø 32 cm / 12.59″
H 50 cm / 19.68″
W 2.6 kg / 5.73 lb

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*


VE 1052/TL1 G

VE 1053/TL1 P






VE 1050/TL1 P



Ø 20 cm / 7.90″
H 22 cm / 8.70″
W 1.8 kg / 3.97 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max*(not included)*


VE 1050/TL1 G



Ø 30 cm / 11.90″
H 26 cm / 10.25″
W 2 kg / 4.40 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max*(not included)*


VE 1051/TL1 P



Ø 20 cm / 7.90″
H 22 cm / 8.70″
W 1.8 kg / 3.97 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max*(not included)*

VE 1051/TL1 G



Ø 30 cm / 11.90″
H 26 cm / 10.25″
W 2 kg / 4.40 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max*(not included)*






VE 1054/TL1 MOK

VE 1054/TL1 TRS


VE 1054/TL1 MOK



Ø	23 cm / 9.00"
H	37 cm / 14.60"
W	2.6 kg / 5.73 lb

WW	1×E27×60 W max *(not included)*
USA	1×E26×60 W max *(not included)*

VE 1054/TL1 TRS




Ø	23 cm / 9.00"
H	37 cm / 14.60"
W	2.6 kg / 5.73 lb

WW	1×E27×60 W max *(not included)*
USA	1×E26×60 W max *(not included)*




VE 1049/TL1 G G14



VE 1049/TL1 P G04 VE 1049/TL1 G G04


VE 1049/TL1 P G14



Ø	11 cm / 4.30″
H	23 cm / 9.00″
W	1 kg / 2.20 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max*(not included)*


VE 1049/TL1 G G14



Ø	14 cm / 5.50″
H	30 cm / 11.90″
W	1.5 kg / 3.31 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max*(not included)*


VE 1049/TL1 P G04



Ø	11 cm / 4.30″
H	23 cm / 9.00″
W	1 kg / 2.20 lb


WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max*(not included)*

VE 1049/TL1 G G04



Ø	14 cm / 5.50″
H	30 cm / 11.90″
W	1.5 kg / 3.31 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max*(not included)*




VE 1059/TL1 TRS



VE 1023/TL1 G

VE 1023/TL1 P


VE 1059/TL1 TRS



Ø 20 cm / 7.90″
H 30 cm / 11.90″
W 2 kg / 4.41 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max*(not included)*


VE 1023/TL1 G



Ø 32 cm / 12.59″
H 58 cm / 22.80″
W 4 kg / 8.82 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max*(not included)*

VE 1023/TL1 P




Ø 20 cm / 7.90″
H 37 cm / 14.60″
W 1.5 kg / 3.30 lb

WW 1×E14×40 W max*(not included)*
USA 1×E12×40 W max*(not included)*




VE 1007/TL1



VE 1005/TL1


VE 1007/TL1



Ø	32 cm / 12.59”
H	58 cm / 22.80”

WW 1×E27×60 W max ***(not included)***
USA 1×E26×60 W max ***(not included)***

VE 1005/TL1



Ø	23 cm / 9.00”
H	34 cm / 14.00”
W	2 kg / 4.40 lb

WW 1×E27×60 W max ***(not included)***
USA 1×E26×60 W max ***(not included)***




VE 1008/TL1



VE 1010/TL1


VE 1008/TL1



Ø 30 cm / 11.80″
H 41 cm / 16.20


WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*

VE 1010/TL1




Ø 40 cm / 15.74″
H 65 cm / 25.59″

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*





VE 1022/TL1



Ø 48 cm / 18.90″
H 76 cm / 30.00″

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*





TECHNICAL INFO

FINITURE / FINISHING


Bagno galvanico / Galvanic Bath



G07 Nickel spazzolato
Brushed nickel



G06 Cromo opaco
Matt chrome



G04 Cromo lucido
Shiny chrome



G21 Cromo anticato
Antiqued chrome



G14 Ottone brunito
Burnished brass



G01 Brunito
Burnished



G05 Oro opaco
Matt gold



G03 Oro lucido
Shiny gold



G12 Oro spazzolato
Brushed gold



G20 Oro anticato
Antiqued gold



G18 Ottone spazzolato
Brushed brass

Verniciati / Painted



V71 Nickel opaco verniciato
Painted matt nickel



V93 Oro verniciato
Painted gold

Verificare la disponibilità di ciascuna finitura per specifici articoli / Availability of each finish to be confirmed for specific items.

Indice/Index

COD.	Ø/L-SP	H	PAG.
VE 871/32	Ø 110 cm	H 270 cm	**11**
VE 871/64	Ø 140 cm	H 500 cm	**10**
VE 871/A3	L 50 - SP 28 cm	H 54 cm	**9**
VE 871/A5	L 50 - SP 28 cm	H 54 cm	**8**
VE 871/A12	L 75 - SP 30 cm	H 140 cm	**9**
VE 873/24	Ø 145 cm	H 175 cm	**5**
VE 873/A5	L 53 - SP 30 cm	H 50 cm	**7**
VE 874/6	Ø 77 cm	H 63 cm	**16**
VE 874/8	Ø 88 cm	H 76 cm	**17**
VE 874/5+5	Ø 88 cm	H 112 cm	**14**
VE 874/12	Ø 103 cm	H 80 cm	**15**
VE 874/16+8	Ø 95 cm	H 110cm	**13**
VE 874/A2	L 35 - SP 22 cm	H 26 cm	**19**
VE 874/A3	L 44 - SP 26 cm	H 26 cm	**18**
VE 875/12	Ø 120 cm	H 120 cm	**20**
VE 875/16	Ø 145 cm	H 120 cm	**21**
VE 875/A3	L 48 - SP 35 cm	H 50 cm	**23**
VE 886/12	Ø 70 cm	H 130 cm	**25**
VE 886/A3	L 48 - SP 28 cm	H 40 cm	**27**
VE 886/A5	L 50 - SP 30 cm	H 60 cm	**26**
VE 886/PL3	Ø 45 cm	H 40 cm	**29**
VE 1005/TL1	Ø 23 cm	H 34 cm	**73**
VE 1007/TL1	Ø 32 cm	H 58 cm	**72**
VE 1008/TL1	Ø 30 cm	H 41 cm	**74**
VE 1010/TL1	Ø 40 cm	H 65 cm	**75**
VE 1022/TL1	Ø 48 cm	H 76 cm	**77**
VE 1023/TL1 G	Ø 32 cm	H 58 cm	**71**
VE 1023/TL1 P	Ø 20 cm	H 37 cm	**71**
VE 1049/TL1 G G04 - G G14	Ø 14 cm	H 30 cm	**68-69**
VE 1049/TL1 P G04 - P G14	Ø 11 cm	H 23 cm	**69**
VE 1050/TL1 G	Ø 30 cm	H 26 cm	**64**
VE 1050/TL1 P	Ø 20 cm	H 22 cm	**64**
VE 1051/TL1 G	Ø 30 cm	H 26 cm	**64**
VE 1051/TL1 P	Ø 20 cm	H 22 cm	**65**
VE 1052/TL1 G	Ø 32 cm	H 50 cm	**63**
VE 1052/TL1 P	Ø 25 cm	H 38 cm	**62**

COD.	Ø/L-SP	H	PAG.
VE 1053/TL1 G	Ø 32 cm	H 50 cm	**62**
VE 1053/TL1 P	Ø 25 cm	H 38 cm	**63**
VE 1054/TL1 MOK - TRS	Ø 23 cm	H 37 cm	**67**
VE 1055/TL1	Ø 18 cm	H 35 cm	**61**
VE 1056/TL1 BLU - YEL	Ø 18 cm	H 35 cm	**60**
VE 1057/TL1	Ø 29 cm	H 49 cm	**59**
VE 1058/TL1	Ø 29 cm	H 49 cm	**59**
VE 1059/TL1 TRS	Ø 20 cm	H 30 cm	**70**
VE 1110/A1+1	L 45 - SP 23 cm	H 60 cm	**49**
VE 1110/PL5+3+2	Ø 100 cm	H 60 cm	**50**
VE 1110/PL12+2	Ø 140 cm	H 85 cm	**51**
VE 1112/A1+1	L 40 - SP 20 cm	H 55 cm	**53**
VE 1112/PL6+3+3	Ø 110 cm	H 70 cm	**52**
VE 1114/PL3 AMB - TR	Ø 45 cm	H 12 cm	**54**
VE 1115/PL5 AMB - TR	Ø 65 cm	H 15 cm	**54-55**
VE 1116/A2 AMB - TR	L 28 - SP 15 cm	H 38 cm	**56-57**
VE 1120/28	Ø 170 cm	H 150 cm	**41**
VE 1120/A2	L 38 - SP 20 cm	H 40 cm	**43**
VE 1120/PL12	L 80 - SP 80 cm	H 80 cm	**36**
VE 1120/PL14	L 100 - SP 100 cm	H 80 cm	**36**
VE 1120/PL16	L 120 - SP 120 cm	H 80 cm	**37**
VE 1144/S20	Ø 50 cm	H 230 cm	**35**
VE 1144/S30	Ø 80 cm	H 360 cm	**34**
VE 1144/S40	Ø 100 cm	H 450 cm	**34**
VE 1144/S52	Ø 120 cm	H 500 cm	**34**
VE 1145/S6	Ø 52 cm	H 50 cm	**46**
VE 1145/S14	Ø 80 cm	H 75 cm	**47**
VE 1145/S20	Ø 100 cm	H 110 cm	**46**
VE 1145/S8 OV	L 85 - SP 52 cm	H 50 cm	**44**
VE 1145/S14 OV	L 120 - SP 52 cm	H 50 cm	**45**
VE 1145/S20 OV	L 155 - SP 52 cm	H 50 cm	**44**
VE 1146/A4	L 26 - SP 14 cm	H 70 cm	**32**
VE 1146/PL14	Ø 70 cm	H 140 cm	**31**
VE 1147/PL16	L 120 - SP 60 cm	H 50 cm	**39**
VE 1149/S7	Ø 40 cm	H 90 cm	**33**
VE 1149/S16	Ø 50 cm	H 160 cm	**32**

CE

Attesta la conformità del prodotto alle disposizioni delle Direttive comunitarie.

It certifies the conformity of the products to the European Commuinity provisions.

Il atteste la conformité du produit aux dispositions des directives communitaires.

Konformität des Produktes mit den Richtlinien der europäischen Gemeinschaft.

НАСТОЯЩИМ ПОДТВЕРЖДАЕТСЯ СООТВЕТСТВИЕ ПРОДУКЦИИ ПОЛОЖЕНИЯМ ДИРЕКТИВ ЕС.

Certifica la conformidad del producto según las disposiciones de las directivas comunitarias.

CE标记是指产品的制造商证明该产品符合适用的EC指令的所有基本要求.

يُشهد بمطابقة المنتج لأحكام توجيهات المجتمع الأوروبي.

Intertek

Il logo “ETL” si riferisce agli articoli che possono essere modificati con componenti certificati ETL. L’elenco degli articoli ETL si riferisce a prodotti testati e valutati in base agli standard di sicurezza del mercato statunitense. Per il mercato USA fare riferimento al listino dedicato.

“ETL” logos refers to articles which can be modified with ETL- compliance components. The “ETL” listing articles stands for tested and evaluated product to recorgnised US safety standards. For the US market, refer to the relevant price list.

“ETL” logo se réfère aux articles qui peuvent être modifiées par des composants certifiés ETL. la liste des articles ETL se réfère à des produits testés et évalués selon les normes de sécurité du marché américain. Pour le marché américain se référer à la liste des prix.

Das “ETL”-Logo bezieht sich auf Artikel, die mit ETL-zertifizierten Komponenten modifiziert werden können. Die Liste der ETL-Artikel bezieht sich auf Produkte, die nach den Sicherheitsstandards des US-Marktes getestet und bewertet wurden. Für den US-Markt beachten Sie bitte die entsprechende Preisliste.

ЛОГОТИП «ETL» ОТНОСИТСЯ К ЭЛЕМЕНТАМ, КОТОРЫЕ МОГУТ БЫТЬ МОДИФИЦИРОВАНЫ С ПОМОЩЬЮ СЕРТИФИЦИРОВАННЫХ ETL КОМПОНЕНТОВ. СПИСОК ЭЛЕМЕНТОВ ETL ОТНОСИТСЯ К ПРОДУКЦИИ, ПРОТЕСТИРОВАННОЙ И ОЦЕНЕННОЙ В СООТВЕТСТВИИ С ПРИЗНАННЫМИ СТАНДАРТАМИ БЕЗОПАСНОСТИ США. ДЛЯ ПОТРЕБИТЕЛЕЙ НАХОДЯЩИХСЯ В США СМ. СООТВЕТСТВУЮЩИЙ ПРАЙС-ЛИСТ.

El logo “ETL” indica los artículos, que pueden modificarse con componentes certificados ETL. La lista de los artículos ETL se refiere a los productos sometidos a prueba y evaluados en función de los estándares de seguridad del mercado estadounidense. Consultar la lista de precios específica para el mercado de los Estados Unidos.

“ETL” 徽标是指可以使用ETL认证的组件进行修改的项目。 ETL项目列表是指根据美国市场的安全标准进行测试和评估的产品。 对于美国市场，请参考美国市场价格表。

يشير شعار «ETL» إلى المنتجات التي يمكن تعديلها باستخدام مكونات مُعتمدة من ETL. تشير قائمة منتجات ETL إلى المنتجات التي تم اختبارها وتقييمها وفقًا لمعايير السلامة في السوق الأمريكي. بالنسبة لسوق الولايات المتحدة الأمريكية، يُرجى الرجوع إلى قائمة الأسعار المُخصصة.

lm

Flusso luminoso nominale.
L’indicazione si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente.

Nominal luminous flux.
It refers to the value without any refraction, as declared by the component manufacturer.

L’unité SI de flux lumineux.
L’indication corresponds à la valeur en l’absence de réfraction, comme indiqué par le fabricant du composant.

Die Maßeinheit für den Lichtstrom. Die Angabe bezieht sich auf den Wert in der Abwesenheit von Brechung, wie vom Hersteller der Komponente angegeben.

НОМИНАЛЬНЫЙ СВЕТОВОЙ ПОТОК. УКАЗАНИЕ ОТНОСИТСЯ К ЗНАЧЕНИЮ В ОТСУТСТВИЕ РЕФРАКЦИИ, КАК ЗАЯВЛЕНО ПРОИЗВОДИТЕЛЕМ КОМПОНЕНТОВ.

Flujo luminoso nominal.
La indicación se refiere al valor sin refracción, como declarado por el fabricante del componente.

标称光通量。
指示是指组件制造商声明的没有折射的值。

التدفق الضوئي الاسمي.يشير المؤشر إلى القيمة في حالة عدم وجود انكسار للضوء، كما هو مُعلن من قبل الشركة المصنعة للعنصر.

MASIERO

Masiero si riserva il diritto di apportare ai propri articoli, senza nessun preavviso, qualsiasi modifica ritenesse opportuna.

Masiero reserves the right to introduce any changes to its own products, without notice in advance.

Masiero se rèserve le droit d’apporter une quelconque modification à les modèles sans préavis.

Masiero behalt sich das Recht vor änderungen vorzunehmen, ohne sofortige Benachrichtigung.

КОМПАНИЯ MASIERO ОСТАВЛЯЕТ ЗА СОБОЙ ПРАВО БЕЗ ПРЕДВАРИТЕЛЬНОГО УВЕДОМЛЕНИЯ, ЕСЛИ ЭТО БУДЕТ СОЧТЕНО ЦЕЛЕСООБРАЗНЫМ, ВНОСИТЬ В СОБСТВЕННЫЕ МОДЕЛИ ЛЮБЫЕ ИЗМЕНЕНИЯ.

Masiero se reserva el derecho de aportar modificaciones consideradas oportunas a sus artículos sin preaviso.

Masiero保留对其认为适当的任何更改的权利，恕不另行通知。

تحتفظ شركة مازيرو "Masiero" بالحق في إجراء أي تعديلات تراها مناسبة على منتجاتها، دون إشعار مسبق.

Masiero srl

via Peschiere, 53
31032 Casale sul Sile
Treviso, Italy
T +39 0422 7861
F +39 0422 786250

info@masierogroup.com
masierogroup.com

Design by Masiero
Photo, Studio Pointer
Print Italy, April 2021
by Grafica Antiga

masierogroup.com

PROGRAMS


ATELIER


MASIERO

PROGRAMS

ATELIER

MASIERO





PROGRAMS


Progettare significa scegliere e scegliere una lampada significa mettere in scena le proprie emozioni.
I prodotti Masiero sono al servizio del progettista, per aiutarlo a tradurre le idee in spazi illuminati.
L'esistenza di moduli combinabili su misura permette la realizzazione di soluzioni inedite, che costruiscono il sistema illuminante in base allo spazio, che da vincolo diventa opportunità.

Designing means choosing and choosing your lighting means acting out your emotions.
Masiero products are at the service of designers to help them translate ideas into illuminated spaces.
The existence of customised modular elements allows creation of unique solutions to construct lighting systems according to the space available, transforming it from constraint into opportunity.

RAQAM
design by Marc Sadler


Raqam è il lampadario contemporaneo ad illuminazione Led costruito con combinazioni modulari personalizzabili.
E' declinabile su tutte le tipologie di superfici, senza limiti di dimensione. Dalla combinazione dei moduli si possono realizzare sospensioni verticali, chandelier, decorazioni a parete e a soffitto, sia per uso residenziale che contract.

Raqam is a contemporary chandelier with LED lighting available in customisable modular combinations.
It can be used on all types of surface, with no size limits. Combinations of modules can be used to create vertical suspensions, chandeliers and wall and ceiling decorations for both residential and contract use.



MODULES


Module 1



H	51,5 cm / 20.30”
L	114,5 cm / 45.10”
SP	5 cm / 1.96”
kg	3,1

8 LED LIGHTS CRI>80
3000 K - 12W - 1560 Nominal Lumen


Module 2



H	37,5 cm / 14.80”
L	68,5 cm / 27.00”
SP	5 cm / 1.96”
kg	2

6 LED LIGHTS CRI>80
3000K - 9W - 1170 Nominal Lumen


Module 3



H	32 cm / 12.60”
L	79,5 cm / 31.30”
SP	5 cm / 1.96”
kg	1,2

6 LED LIGHTS CRI>80
3000K - 9W - 1170 Nominal Lumen


Module 4



H	49 cm / 19.30”
L	47,5 cm / 18.70”
SP	5 cm / 1.96”
kg	1,5

8 LED LIGHTS CRI>80
3000K - 12W - 1560 Nominal Lumen


Module 5



H	55 cm / 21.65”
L	36 cm / 14.20”
SP	5 cm / 1.96”
kg	1,2

6 LED LIGHTS CRI>80
3000K - 9W - 1170 Nominal Lumen


Module 6



H	17,5 cm / 6.90”
L	92 cm / 36.25”
SP	5 cm / 1.96”
kg	1,5

8 LED LIGHTS CRI>80
3000 K - 12W - 1560 Nominal Lumen

Module 7



H	3,8 cm / 1.50”
L	58 cm / 22.85”
SP	5 cm / 1.96”
kg	1


6 LED LIGHTS CRI>80
3000K - 9W - 1170 Nominal Lumen

THE POSSIBILITIES OF RAQAM MODULES

INFINITE ANGLES

The modules can be tilted to obtain different shapes and sizes.

Example: Module 1 x 12



Ø 165 cm / 64.96"
H 110 cm / 43.30"



Ø 220 cm / 86.61"
H 88 cm / 34.64"



Ø 245 cm / 96.45"
H 55 cm / 21.65"

RADIAL REPETITIONS

The same module, or different modules, can be positioned along a circumference.


Example: Module 3 x 8



Example: Module 3 x 12



Example: Module 3 x 8 + Module 4 x 8




THE POSSIBILITIES OF RAQAM MODULES


HEIGHT, LENGTH AND WIDTH REPEATS

The same or different modules can be positioned along walls or ceilings.

Example: Module 2



Example: Module 4




ONE MODULE, ENDLESS POSSIBILITIES

The same module can be used in different ways to create infinite combinations.


Example: Module 7



Radial repetitions



Height and width repeats



Height repeats with module inclination

THE POSSIBILITIES OF RAQAM MODULES


Raqam provides endless possibilities for combining modules to decorate residential or contract environments with different shapes.


CHANDELIER SHAPE






WALL SHAPE






VERTICAL SHAPE






CEILING SHAPE





M1 CONCEPT Chandelier arrangement


MODULES



MODULE 3

RADIAL REPETITION

MODULE 3 X 10




Front view



Top view


COMPOSITION





RAQAM M1 COMPOSITION


RAQAM M1 BASIC BATCH - MODULE 3 X 10




Ø 65 cm / 25.59”
H 85 cm / 33.46”
W 20 kg / 44.1 lb

60 LED LIGHTS CRI > 80
3000K - 90W - 11700 Nominal Lumen
Dimmable PUSH or DMX on request.


Fixing: 1 x canopy.
The canopy contains:
1 x driver




The box contains:
1 x control board



RAQAM M1 BASIC BATCH A - (MODULE 3 X 10) X 5







Ø 65 cm / 25.59 ”
H 85 cm / 33.46”
W 100 kg / 220.46lb


300 LED LIGHTS - 450W - 58500 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing:5 x canopy.
Each canopy contains:
1 x driver



Each box contains:
1 x control board






RAQAM M1 COMPOSITION


M6_M7 CONCEPT

Vertical arrangement


MODULES



RADIAL REPETITION




COMPOSITION





RAQAM M7 COMPOSITION


RAQAM M6 BASIC BATCH A - MODULE 6 X 20




Ø 60 cm / 23.62”
H 200 cm / 78.74”
W 45 kg / 99.20 lb

LED x 240W CRI > 80
3000K - 31200 Nominal Lumen
Dimmable PUSH + DMX on request.


Fixing: 1 x canopy.
The canopy contains:
2 x driver



Each box contains:
1 x control board




RAQAM M7 BASIC BATCH A - MODULE 6 X 20 + MODULE 7 X 10




Ø 62 cm / 24.40”
H 263 cm / 103.54”
W 62 kg / 136.68 lb

220 LED LIGHTS CRI > 80
3000 K - 330 W- 42900 Nominal Lumen
Dimmable PUSH or DMX on request.


Fixing: 1 x canopy.
10x single steel cables
The canopy contains:
2 x drivers




Each box contains:
1 x control board.



Any additional element made of Module 7x10, requires one additional cup with driver and control board.




RAQAM M7 ADDITIONAL ELEMENT TO INCREASE THE OVERALL HEIGHT - MODULE 7 X 10



Ø 62 cm / 24.40”
H 58 cm / 22.85”
W 18 kg / 39.68 lb

60 LED LIGHTS CRI > 80
3000 K - 90W- 11700 Nominal Lumen
Dimmable PUSH or DMX on request.

Any additional element made of Module 7x10, requires one additional cup with driver and control board





N2 CONCEPT Horizontal/Vertical arrangement

MODULES


HORIZONTAL / VERTICAL REPETITION

COMPOSITION




MODULE 6


MODULE 6 X 8




Front view



MODULE 6 X 16




Front view



MODULE 6 X 8



Front view




MODULE 6 X 16




Front view





RAQAM N2 COMPOSITION


RAQAM N2 BASIC BATCH A8 - MODULE 6 X 8




L 224,6 cm / 88.42”
H 76 cm / 29.92”
W 16 kg/ 35.27 lb

64 LED LIGHTS CRI > 80
3000 K - 96 W- -12480 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x canopy
4 x single steel cables.
The canopy contains:
1 x driver
1 x control board




RAQAM N2 BASIC BATCH A16 - MODULE 6 X 16




L 224,6 cm / 88.42”
H 155 cm / 61.02”
W 28 kg / 61.72 lb

128 LED LIGHTS CRI > 80
3000 K - 192 W- 24960 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x canopy
4 x single steel cables.
The canopy contains:
1 x driver
1 x control board




RAQAM N2 BASIC BATCH B8 - MODULE 6 X 8




L 121, 3 cm / 47.75”
H 155cm / 61.02 ”
W 16 kg / 35.27 lb

64 LED LIGHTS CRI > 80
3000 K - 96 W- 12480 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x canopy.
The canopy contains:
1 x driver
1 x control board




RAQAM N2 BASIC BATCH B16 - MODULE 6 X 16




L 121,3 cm / 47.75”
H 311 cm / 112.44”
W 28 cm / 61.72 lb

128 LED LIGHTS CRI > 80
3000 K - 192 W - 24960 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x canopy.
The canopy contains:
1 x driver
1 x control board






RAQAM N2 COMPOSITION

N3 CONCEPT

Linear arrangement

MODULES



MODULE 5

REPETITION IN LENGTH AND WIDTH

Front view


Repeat and rotate



MODULE 5 X 8

Top view

Repeat in lenght



Front view


Repeat and rotate




MODULE 5 X 16


Top view


Repeat in lenght



COMPOSITION








RAQAM N3 COMPOSITION


RAQAM N3 BASIC BATCH A - MODULO 5 X 8




L 125 x 35 cm / 49.21" x 13.77"
H 25 cm / 9.84"
W 15 kg / 33.06 lb

48 LED LIGHTS CRI > 80
3000 K - 72 W - 9360 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x canopy
16 x single steel cables.
The canopy contains:
1 x driver
1 x control board




RAQAM N3 BASIC BATCH B - MODULO 5 X 16



L 125 x 75 cm / 49.21" x 29.52"
H 25 cm / 9.84"
W 25 kg / 55.11 lb

96 LED LIGHTS CRI > 80
3000 K - 144 W - 18720 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x canopy
32 x single steel cables.
The canopy contains:
1 x driver
1 x control board






RAQAM N3 COMPOSITION

N4 CONCEPT

Linear arrangement


MODULES



MODULE 4

REPEAT IN LENGTH

MODULE 4 X 8



Front view




Repeat along
a curved line



Top view


MODULE 4 X 16



Front view





Repeat along
a curved line




Top view

COMPOSITION








RAQAM N4 COMPOSITION

RAQAM N4 BASIC BATCH A - MODULO 4 X 8




L 90 x 145 cm / 35.43”x 57.08”
H 48 cm / 18.89”
W 14 kg / 30.86 lb

64 LED LIGHTS CRI > 80
3000 K - 96 W - 12480 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing:
16 x single steel cables.
8 x main power supply
(1 driver + 1 control
board recessed)


RAQAM N4 BASIC BATCH B - MODULO 4 X 16



L 100 x 305 cm / 39.37”x 18.89”
H 48 cm / 18.89”
W 26 kg / 57.32 lb

128 LED LIGHTS CRI > 80
3000 K - 192 W - 24960 Nominal Lumen
Dimmable PUSH or DMX on request.


Fixing:
32 x single steel cables.
16 x main power supply
(1 driver + 1 control
board recessed)



RAQAM N4 COMPOSITION

N5_N6 CONCEPT Area arrangement

MODULES



MODULE 1

HORIZONTAL ARRANGEMENT


Front view

MODULE 1 X 16



Top view


COMPOSITION




VERTICAL ARRANGEMENT

Front view

MODULE 1 X 8




Top view





RAQAM MODULE 1

RAQAM N5 BASIC BATCH A - MODULO 1 X 16




L 450 x 260 cm / 177.16" x 102.36"
H 5 cm / 1.96"
W 52 kg / 114.64 lb

128 LED LIGHTS CRI > 80
3000 K - 192 W - 24960 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing:
48 x single steel cables.
16 x main power supply
(1 driver + 1 control
board recessed)

RAQAM N6 BASIC BATCH A - MODULO 1 X 8




L 369 x 290 cm / 145.27"x 114.17"
H 57 cm / 22.44"
W 27 kg / 59.52 lb

64 LED LIGHTS CRI > 80
3000 K - 96 W - 12480 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing:
16 x single steel cables.
8 x main power supply
(1 driver + 1 control
board recessed)

RAQAM N6 BASIC BATCH B - MODULO 1 X 16



L 500 x 580 cm / 196.85"x 228.34"
H 57 cm / 22.44"
W 52 kg / 114.64 lb

128 LED LIGHTS CRI > 80
3000 K - 192 W- -24960 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing:
32 x single steel cables.
16 x main power supply
(1 driver + 1 control
board recessed)



RAQAM N6 COMPOSITION


N7 CONCEPT Area arrangement

MODULES


MODULE 7

INCLINED ARRANGEMENT

MODULE 7 X 8




Front view



Top view


COMPOSITION





RAQAM N7


RAQAM N7 BASIC BATCH A - MODULO 7 X 8



L 117 cm / 46.06”
SP 60 cm / 23.62”
H 50 cm / 19.68”
W 12 kg / 26.45 lb

48 LED x 72W CRI>80 3000 K -
9360 Nominal Lumen
DIMMABLE: PUSH + DMX on request.

Fixing:
16 x single steel cables.
8 x main power supply
(1 driver + 1 control
board recessed)




RAQAM N7

O1_P3 CONCEPT

Vertical arrangement

MODULES



MODULE 5

RADIAL / VERTICAL REPETITION

Vertical repetition



Front view


MODULE 5 X 16

Radial repetition




Top view

COMPOSITION




RADIAL / VERTICAL REPETITION



MODULE 3


Vertical repetition




Front view


MODULE 5 X 16

Radial repetition




Top view





RAQAM P3 COMPOSITION


RAQAM 01 BASIC BATCH A - MODULO 5 X 8




L 93,5 x 93,5 cm / 36,81 x 36,81”
H 20 cm / 7.87”
W 16 kg / 35.27 lb

48 LED LIGHTS CRI > 80
3000 K - 72 W - 9360 Nominal Lumen
Dimmable PUSH or DMX on request.


Fixing: 1 x canopy
12 x single steel cables.
The canopy contains:
1 x driver
1 x control board



Any additional element requires one additional cup with driver and control board.




RAQAM 01 BASIC BATCH B - MODULO 5 X 16




L 93,5 x 93,5 cm / 36,81 x 36,81”
H 50 cm / 19.68”
W 26 kg/ 57.32 lb

96 LED LIGHTS CRI > 80
3000 K - 144W- 18720- Nominal Lumen
Dimmable PUSH or DMX on request.


Fixing: 1 x canopy
12 x single steel cables.
The canopy contains:
1 x driver
1 x control board



Any additional element requires one additional cup with driver and control board.




RAQAM 01 COMPOSITION - BASIC BATCH B X 5




L 93,5 x 93,5 cm / 36,81 x 36,81”
H 250 cm / 98.42”
W 135 kg / 297.62 lb


480 LED LIGHTS CRI > 80
3000 K - 720W- 93600 Nominal Lumen
Dimmable PUSH or DMX on request

Fixing: 1 x canopy
12 x single steel cables.
The canopy contains:
1 x driver
1 x control board




4 cups requires one additional cup with drivers and control boards.





RAQAM 01 COMPOSITION


RAQAM P3 BASIC BATCH A - MODULO 3 X 8




Ø 220 cm / 86.61”
H 47 cm / 18.50”
W 17 kg / 37.47 lb

48 LED LIGHTS CRI > 80
3000 K - 72W- 9360 Nominal Lumenx
Dimmable PUSH or DMX on request.

Fixing: 1 x central bracket
19 x single steel cables.
The cup contains:
1 x driver
1 x control board




RAQAM P3 BASIC BATCH B - MODULO 3 X 16



Ø 220 cm / 86.61”
H 147 cm / 57.87”
W 26 kg / 57.32 lb


96 LED LIGHTS CRI > 80
3000 K - 144W-
18720 Nominal Lumen
Dimmable PUSH or
DMX on request..

Fixing: 1 x central bracket
19 x single steel cables.
The cup contains:
1 x driver
1 x control board



Any additional element requires one additional cup with driver and control board.

RAQAM P3 COMPOSITION - BASIC BATCH B X 5




Ø 220 cm / 86.61”
H 946 cm / 372.44”
W 135 kg / 297.62 lb

480 LED LIGHTS - CRI > 80
3000 K - 720W- 93600 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x central bracket
19 x single steel cables.

Each cup contains:
1 x driver
1 x control board



Any additional element requires one additional cup with driver and control board.



P4 CONCEPT

Vertical arrangement

MODULES




MODULE 7


RADIAL / VERTICAL REPETITION

MODULE 7 X 32


Front view




Top view




COMPOSITION





RAQAM P4


RAQAM P4 BASIC BATCH A - MODULO 7 X 32



Ø 126 cm /49.60”
H 223 cm / 87.79”
W 42 kg / 92.59 lb

192 LED LIGHTS CRI > 80
3000 K - 288W- 37440 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x canopy
32 x single steel cables.
The canopy contains:
2 x drivers
2 x control boards





RAQAM P4

Q1_Q3_Q4 CONCEPT Chandelier arrangement

MODULES




MODULE 3




MODULE 4

RADIAL REPETITION

MODULE 3 X 10
+
MODULE 4 X 10





Front view



Top view

COMPOSITION





MODULE 6




MODULE 5




MODULE 2

RADIAL REPETITION


MODULE 6 X 10
+
MODULE 5 X 10
+
MODULE 2 X 10



Front view



Top view





MODULE 6




MODULE 5




MODULE 4

RADIAL REPETITION


MODULE 6 X 10
+
MODULE 5 X 10
+
MODULE 4 X 10



Front view




Top view





RAQAM Q1 - BASIC BATCH B


RAQAM Q1 BASIC BATCH A – MODULO 3 X 10 + MODULO 4 X 10




Ø 195cm/76.77”
H 121cm /47.63”
W 45 kg / 99.20 lb

140 LED LIGHTS CRI > 80
3000 K - 210 W- 27300 Nominal Lumen
Dimmable PUSH or DMX on request.


Fixing: 1 x canopy
30 x single steel cables.
The canopy contains:
1 x driver




The box contains:
1 x control board



The cup contains:
1 x driver
1 x control board




RAQAM Q1 BASIC BATCH B – MODULO 3 X 10 + MODULO 4 X 10 + MODULO 3 X 10




Ø 195 cm / 76.77”
H 173 cm / 68.11”
W 65 kg / 143.3 lb

200 LED LIGHTS CRI > 80
3000 K - 300 W- 39000 Nominal Lumen
Dimmable PUSH or DMX on request.


Fixing: 1 x canopy
50 x single steel cables.
The canopy contains:
1 x driver




The box contains:
1 x control board



Each cup contains:
1 x drivers
1 x control boards




RAQAM Q3 BASIC BATCH A – MODULO 2 X 10 + MODULO 5 X 10 + MODULO 6 X 10




Ø 270 cm / 106.29”
H 192 cm / 75.59”
W 70 kg / 154.32lb

200 LED LIGHTS CRI>80
3000K - 300 W- 39000 Nominal Lumen
Dimmable PUSH or DMX on request.


Fixing: 1 x canopy
30 x single steel cables.
The canopy contains:
1 x driver




The box contains:
1 x control board



Each cup contains:
1 x drivers
1 x control boards




RAQAM Q4 BASIC BATCH A – MODULO 4 X 10 + MODULO 5 X 10 + MODULO 6 X 10




Ø 219 cm / 86.22”
H 200 cm / 78.74”
W 65 kg / 143.3 lb

220 LED LIGHTS CRI>80
3000K - 330 W- 42900 Nominal Lumen
Dimmable PUSH or DMX on request.


Fixing: 1 x canopy
30 x single steel cables.
The canopy contains:
1 x driver




The box contains:
1 x control board



Each cup contains:
1 x drivers
1 x control boards





RAQAM Q1 - BASIC BATCH B

Q5 CONCEPT Chandelier arrangement

MODULES



MODULE 1

*Ruotando il modulo è possibile ottenere composizioni di altezze differenti - é possibile sommare in altezza le diverse composizioni.
/By rotating the Module it is possible to obtain compositions of different heights - the different compositions can be added in height.




RADIAL / VERTICAL REPETITION

COMPOSITION


MODULE 1 X 16



Front view




Top view




MODULE 1 X 8



Front view



Top view




MODULE 1 X 8
+
MODULE 1 X 8




Front view

Top view



MODULE 1 X 8
+
MODULE 1 X 8
+
MODULE 1 X 16




Front view

Top view




RAQAM Q5 - BASIC BATCH D



RAQAM Q5 BASIC BATCH A – MODULE 1 X 16


CE ETL



Ø 291 cm /114.56”
H 55 cm / 21.65”
W 60 kg / 132.28 lb


128 LED LIGHTS CRI>80
3000K - 192 W- 24960 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x central bracket
35 x single steel cables.
The cup contains:
1 x driver
1 x control board



RAQAM Q5 BASIC BATCH E - MODULE 1 X 10

CE ETL



Ø 266 cm / 104.72”
H 55 cm / 21.65”
W 38 kg / 83.77 lb

80 LED LIGHTS CRI>80
3000 K - 120 W - 15600 Nominal Lumen
DIMMABLE: PUSH + DMX on request.


Fixing: 1 x canopy
10 x single steel cables.
The canopy contains:
1 x driver
1 x control board

The box contains:
1 x control board



RAQAM Q5 - BASIC BACH E


RAQAM Q5 BASIC BATCH B – MODULE 1 X 8




Ø 170 cm / 66.92”
H 112 cm /44.09”
W 32 kg / 70.54 lb

64 LED LIGHTS CRI>80
3000K - 96W- 12480 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x central bracket
19 x single steel cables.
The cup contains:
1 x driver
1 x control board




RAQAM Q5 BASIC BATCH C – MODULE 1 X 8 + MODULE 1 X 8




Ø 250 cm / 98.42”
H 170 cm /66.92”
W 60 kg / 132.28 lb

128 LED LIGHTS CRI>80
3000K - 192 W- 24960 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x central bracket
35 x single steel cables.
The cup contains:
1 x driver
1 x control board




RAQAM Q5 BASIC BATCH D – MODULE 1 X 16 + MODULE 1 X 8 + MODULE 1 X 8




Ø 385 cm / 151.57”
H 209 cm / 82.28”
W 120 kg / 264.55 lb

256 LED LIGHTS CRI>80
3000K - 384 W- 49920 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x central bracket
67 x single steel cables.
Each cup contains:
1 x driver
1 x control board







RAQAM Q5 - BASIC BATCH D

Q6_Q7_Q8 CONCEPT Chandelier arrangement

MODULES



MODULE 2




MODULE 3

MODULE 5

RADIAL REPETITION


MODULE 2 x 16



Front view

Top view


MODULE 3 x 16



Front view

Top view

MODULE 5 x 16





Front view


Top view

*Ruotando il modulo è possibile ottenere composizioni di altezze differenti - é possibile sommare in altezza le diverse composizioni.
/By rotating the Module it is possible to obtain compositions of different heights - the different compositions can be added in height.

COMPOSITION








RAQAM Q6


RAQAM Q6 BASIC BATCH A – MODULE 2 X 16




Ø 204 cm / 80.31”
H 35 cm / 13.77”
W 40 kg / 88.18 lb

96 LED LIGHTS CRI>80
3000K - 144 W- 18720 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x central bracket
35 x single steel cables.
The cup contains:
1 x driver
1 x control board




RAQAM Q7 BASIC BATCH A – MODULE 3 X 16




Ø 225 cm / 88.58”
H 37 cm / 14.56”
W 26 kg / 57.32 lb

96 LED LIGHTS CRI>80
3000K - 144 W- 18720 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x central bracket
35 x single steel cables.
The cup contains:
1 x driver
1 x control board




RAQAM Q8 BASIC BATCH A – MODULE 5 X 16



Ø 185 cm / 72.83”
H 26 cm / 10.23”
W 26 kg / 57.32 lb

96 LED LIGHTS CRI>80
3000K - 144 W- 18720 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing: 1 x central bracket
35 x single steel cables.
The cup contains:
1 x driver
1 x control board






RAQAM Q6

R1 CONCEPT Linear arrangement


MODULES




MODULE 1

RADIAL AND LENGTH REPETITION

Front view





MODULE 1 X 32




Top view

COMPOSITION





RAQAM R1 BASIC BATCH A – MODULO 1 X 16




L 163 x 230 cm / 64.17" x 90.55"
H 200 cm / 78.74"
W 52 kg / 114.64 lb

128 LED LIGHTS CRI>80
3000K - 192 W- 24960 Nominal Lumen
Dimmable PUSH or DMX on request

Fixing:
32 x single steel cables.
16 x main power supply
(1 x driver + 1 x control board
recessed)


RAQAM R1 BASIC BATCH B – MODULO 1 × 32



L 227 x 470 cm / 89.37 x 185.03"
H 223 cm / 87.79"
W 104 kg / 229.28 lb

256 LED LIGHTS CRI>80
3000K - 384 W-49920 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing:
64 x single steel cables.
32 x main power supply
(2 x drivers + 2 x control
boards recessed)



RAQAM R1 COMPOSITION




RAQAM R1 COMPOSITION

R2 CONCEPT


Linear arrangement

MODULES





MODULE 5

REPETITION IN LENGTH AND WIDTH




COMPOSITION





RAQAM R2 COMPOSITION


RAQAM R2 BASIC BATCH B – MODULO 5 X 48



L 200 x 96cm / 78.74"x 37.79"
H 60 cm /23.62"
W 62 kg / 136.68 lb

288 LED LIGHTS CRI>80
3000K - 432 W - 56160 Nominal Lumen
Dimmable PUSH or DMX on request.


Fixing:
48 x single steel cables.
24 x main power supply
(3 x drivers + 3 x control boards recessed)



RAQAM R2 COMPOSITION

R3 CONCEPT Vertical arrangement


MODULES




MODULE 1

RADIAL / VERTICAL REPETITION

MODULE 1 X 16




Front view



Top view


COMPOSITION





RAQAM R3 COMPOSITION

RAQAM R3 BASIC BATCH A - MODULO 1 X 16



Ø 125 cm / 49.21”
H 530 cm / 208.66”
W 52 kg / 114.64 lb

128 LED LIGHTS CRI>80
3000K - 192 W - 24960 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing:
16 x single steel cables.
8 x main power supply
(1 x driver + 1 x control
board recessed)




RAQAM R3 COMPOSITION

R4 CONCEPT Vertical/Linear arrangement

MODULES




MODULE 7



MODULE 3


VERTICAL / LINEAR REPETITION




MODULE 7 X 56

+

MODULE 3 X 16




COMPOSITION





RAQAM R4 COMPOSITION

RAQAM R4 BASIC BATCH A – MODULO 3 X 6 + MODULO 7 X 21




L 227 x 58 cm / 89.37 x 22.83”
H 250 cm / 98.42”
W 32 kg / 70.54 lb

162 LED LIGHTS CRI>80
3000K - 243 W - 31590 Nominal Lumen
Dimmable PUSH or DMX on request.

Fixing:
18 x single steel cables.
15 x main power supply
(2 x drivers + 2 x control
boards recessed)

RAQAM R4 BASIC BATCH B – MODULO 3 X 16 + MODULO 7 X 56



L 227 x 191 cm / 89.37” x 75.19”
H 250 cm / 98.42”
W 84 kg / 185.18 lb

432 LED LIGHTS CRI>80
3000K - 648 W-84240 Nominal Lumen
Dimmable PUSH or DMX on request

Fixing:
48 x single steel cables.
40 x main power supply
(5 x drivers + 5 x control
boards recessed)



RAQAM R4 COMPOSITION

RAQAM FINISHING

Struttura in metallo ricoperto in vetro. Illuminazione LED.

Metal frame covered with glass: LED lighting system.

Metallstruktur mit transparentem Glas bedeckt. LED Lichtsystem.

Structure métallique recouverte de verrel. Éclairage LED.

МЕТАЛЛИЧЕСКИЙ КАРКАС, ПОКРЫТЫЙ СТЕКЛОМ, СВЕТОДИОДНОЕ ОСВЕЩЕНИЕ.

Estructura metálica recubierta de vidrio. Iluminación LED.

这种灯具有金属跟玻璃放在一起的结构。LED照明。

إطار معدني مُغطى بالزجاج. إضاءة ليد.


Finishings



G04 Chrome Frame
Transparent Glass



G03 Gold Frame
Transparent Glass




G14 Burnished brass
Transparent Glass

CUBO

design by Masiero Lab

Cubo è il sistema illuminante a soffitto o sospensione costruito con moduli su base quadrata o rettangolare, dai quali scendono cadute di pendagli.
Dotato di illuminazione tradizionale è adatto a decorare qualsiasi area grazie alla sua modularità.

Cubo is a ceiling or suspension lighting system made up of pendants suspended from modules with a square or rectangular base.
Fitted with traditional lighting, the availability of modules makes it ideal for decorating any space.





CUBO COMBO S 175 SQ

CUBO CEILING MODULES

Cubo combo luminaires are created by combining individual modules. Individually electrified square or rectangular modules are available in a range of sizes.

SQUARE MODULES






AVAILABLE SIZES

L = SP	Min	12.5 cm / 4.92″
	Max	50 cm / 19.68″
H	Min	20 cm / 7.87″
	Max	80 cm / 31.49″

RECTANGULAR MODULES






AVAILABLE SIZES


L	Min	25 cm / 9.84"
	Max	100 cm / 39.37"
SP	Min	12.5 cm / 4.92″
	Max	50 cm / 19.68
H	Min	20 cm / 7.87"
	Max	80 cm / 31.49"


CUBO CEILING COMBO


Any space can be decorated with Cubo modules, creating compositions to suit the setting. Several identical modules, or combinations of different modules, can be used in the same area, or the same mix of modules can be used to decorate different surfaces.

SAME AREA _ DIFFERENT MODULES











DIFFERENT AREAS _ SAME MODULES











CEILING MODULES




CUBO PL/SQUARE/SMALL/20



SQUARE

L	12.5 cm / 4.92″
SP	12.5 cm / 4.92″
H	20 cm / 7.87″
WW	1×E14×40 W *(not included)*
USA	1×E12×40 W *(not included)*


CUBO PL/SQUARE/SMALL/40



SQUARE

L	12.5 cm / 4.92″
SP	12.5 cm / 4.92″
H	40 cm / 15.74″
WW	1×E14×40 W *(not included)*
USA	1×E12×40 W *(not included)*


CUBO PL/SQUARE/SMALL/60



SQUARE

L	12.5 cm / 4.92″
SP	12.5 cm / 4.92″
H	60 cm / 23.62″
WW	3×E14×40 W *(not included)*
USA	3×E12×40 W *(not included)*


CUBO PL/SQUARE/SMALL/80



SQUARE

L	12.5 cm / 4.92″
SP	12.5 cm / 4.92″
H	80 cm / 31.49″
WW	3×E14×40 W *(not included)*
USA	3×E12×40 W *(not included)*


CUBO PL/SQUARE/MEDIUM/20



SQUARE

L	25 cm / 9.84″
SP	25 cm / 9.84″
H	20 cm / 7.87″
WW	4×E14×40 W *(not included)*
USA	4×E12×40 W *(not included)*


CUBO PL/SQUARE/MEDIUM/40



SQUARE

L	25 cm / 9.84″
SP	25 cm / 9.84″
H	40 cm / 15.74″
WW	7×E14×40 W *(not included)*
USA	7×E12×40 W *(not included)*


CUBO PL/SQUARE/MEDIUM/60



SQUARE

L	25 cm / 9.84″
SP	25 cm / 9.84″
H	60 cm / 23.62″
WW	8×E14×40 W *(not included)*
USA	8×E12×40 W *(not included)*


CUBO PL/SQUARE/MEDIUM/80



SQUARE

L	25 cm / 9.84″
SP	25 cm / 9.84″
H	80 cm / 31.49″
WW	10×E14×40 W *(not included)*
USA	10×E12×40 W *(not included)*


CUBO PL/SQUARE/LARGE/20



SQUARE

L	50 cm / 19.68″
SP	50 cm / 19.68″
H	20 cm / 7.87″
WW	12×E14×40 W *(not included)*
USA	12×E12×40 W *(not included)*


CUBO PL/SQUARE/LARGE/40



SQUARE

L	50 cm / 19.68″
SP	50 cm / 19.68″
H	40 cm / 15.74″
WW	12×E14×40 W *(not included)*
USA	12×E12×40 W *(not included)*

CUBO PL/LONG/A




RECTANGULAR

L 50 cm / 19.68″
SP 12.5 cm / 4.92″
H 20 cm / 7.87″

WW 4×E14×40 W *(not included)*
USA 4×E12×40 W *(not included)*

CUBO PL/LONG/B




RECTANGULAR

L 50 cm / 19.68″
SP 12.5 cm / 4.92″
H 40 cm / 15.74″

WW 7×E14×40 W *(not included)*
USA 7×E12×40 W *(not included)*

CUBO PL/LONG/C




RECTANGULAR

L 50 cm / 19.68″
SP 12.5 cm / 4.92″
H 60 cm / 23.62″

WW 7×E14×40 W *(not included)*
USA 7×E12×40 W *(not included)*

CUBO PL/LONG/D




RECTANGULAR

L 75 cm / 29.52″
SP 12.5 cm / 4.92″
H 20 cm / 7.87″

WW 5×E14×40 W *(not included)*
USA 5×E12×40 W *(not included)*

CUBO PL/LONG/E




RECTANGULAR

L 75 cm / 29.52″
SP 12.5 cm / 4.92″
H 40 cm / 15.74″

WW 9×E14×40 W *(not included)*
USA 9×E12×40 W *(not included)*

CUBO PL/LONG/F




RECTANGULAR

L 75 cm / 29.52″
SP 12.5 cm / 4.92″
H 60 cm / 23.62″

WW 9×E14×40 W *(not included)*
USA 9×E12×40 W *(not included)*

CUBO PL/LONG/G




RECTANGULAR

L 100 cm / 39.37″
SP 12.5 cm / 4.92″
H 20 cm / 7.87″

WW 6×E14×40 W *(not included)*
USA 6×E12×40 W *(not included)*

CUBO PL/LONG/H




RECTANGULAR

L 100 cm / 39.37″
SP 12.5 cm / 4.92″
H 40 cm / 15.74″

WW 11×E14×40 W *(not included)*
USA 11×E12×40 W *(not included)*

CUBO PL/LONG/I




RECTANGULAR

L 100 cm / 39.37″
SP 12.5 cm / 4.92″
H 60 cm / 23.62″

WW 11×E14×40 W *(not included)*
USA 11×E12×40 W *(not included)*

CUBO PL/LONG/J




RECTANGULAR

L 50 cm / 19.68″
SP 25 cm / 9.84″
H 20 cm / 7.87″

WW 8×E14×40 W *(not included)*
USA 8×E12×40 W *(not included)*

CUBO PL/LONG/K




RECTANGULAR

L 50 cm / 19.68″
SP 25 cm / 9.84″
H 40 cm / 15.74″

WW 12×E14×40 W *(not included)*
USA 12×E12×40 W *(not included)*

CUBO PL/LONG/L




RECTANGULAR

L 50 cm / 19.68″
SP 25 cm / 9.84″
H 60 cm / 23.62″

WW 12×E14×40 W *(not included)*
USA 12×E12×40 W *(not included)*

CUBO PL/LONG/M




RECTANGULAR

L 75 cm / 29.52″
SP 25 cm / 9.84″
H 20 cm / 7.87″

WW 9×E14×40 W *(not included)*
USA 9×E12×40 W *(not included)*

CUBO PL/LONG/N




RECTANGULAR

L 75 cm / 29.52″
SP 25 cm / 9.84″
H 40 cm / 15.74″

WW 17×E14×40 W *(not included)*
USA 17×E12×40 W *(not included)*

CUBO PL/LONG/O




RECTANGULAR

L 75 cm / 29.52″
SP 25 cm / 9.84″
H 60 cm / 23.62″

WW 17×E14×40 W *(not included)*
USA 17×E12×40 W *(not included)*

CUBO PL/LONG/P




RECTANGULAR

L 100 cm / 39.37″
SP 25 cm / 9.84″
H 20 cm / 7.87″

WW 12×E14×40 W *(not included)*
USA 12×E12×40 W *(not included)*

CUBO PL/LONG/Q




RECTANGULAR

L 100 cm / 39.37″
SP 25 cm / 9.84″
H 40 cm / 15.74″

WW 18×E14×40 W *(not included)*
USA 18×E12×40 W *(not included)*

CUBO PL/LONG/R




RECTANGULAR

L 100 cm / 39.37″
SP 25 cm / 9.84″
H 60 cm / 23.62″

WW 18×E14×40 W *(not included)*
USA 18×E12×40 W *(not included)*

CUBO PL/LONG/S




RECTANGULAR

L 100 cm / 39.37″
SP 50 cm / 19.68″
H 20 cm / 7.87″

WW 12×E14×40 W *(not included)*
USA 12×E12×40 W *(not included)*

CUBO PL/LONG/T



RECTANGULAR

L 100 cm / 39.37″
SP 50 cm / 19.68″
H 40 cm / 15.74″

WW 18×E14×40 W *(not included)*
USA 18×E12×40 W *(not included)*

CUBO COMBO PL 100 SQ

CE




L 100 cm / 39.37”
SP 100 cm / 39.37”
H 80 cm / 31.49”

WW 43×E14×40 W *(not included)*
USA 43×E12×40 W *(not included)*


Composition

A 1 x Cubo/PL/Long/B
B 4 x Cubo/PL/Square/Small/20
C 3 x Cubo/PL/Square/Small/40
D 2 x Cubo/PL/Square/Small/80
E 2 x Cubo/PL/Square/Medium/20
F 1 x Cubo/PL/Square/Medium/40
G 2 x Cubo/PL/Square/Medium/60



CUBO COMBO PL 150 RC

CE




L 75 cm / 29.52”
SP 150 cm / 59.05”
H 60 cm / 23.62”

WW 53×E14×40 W *(not included)*
USA 53×E12×40 W *(not included)*


Composition

A 1 x Cubo/PL/Long/K
B 2 x Cubo/PL/Long/M
C 2 x Cubo/PL/Square/Medium/20
D 1 x Cubo/PL/Square/Medium/40
E 1 x Cubo/PL/Square/Medium/60



CUBO COMBO PL 175 SQ

CE




L 175 cm / 68.89”
SP 175 cm / 68.89”
H 80 cm / 31.49”

WW 107×E14×40 W *(not included)*
USA 107×E12×40 W *(not included)*

Composition

- A 1 x Cubo PL/Long/P
- B 1 x Cubo PL/Long/Q
- C 1 x Cubo PL/Long/R
- D 1 x Cubo PL/Long/T
- E 1 x Cubo PL/Square/Medium/20
- F 1 x Cubo PL/Square/Medium/40
- G 1 x Cubo PL/Square/Medium/60
- H 1 x Cubo PL/Square/Medium/80
- I 1 x Cubo PL/Square/Large 40






CUBO COMBO PL 175 SQ

CUBO COMBO PL 21 200 SQ

CE




L 200 cm / 78.74”
SP 200 cm / 78.74”
H 80 cm / 31.49”

WW 151×E14×40 W *(not included)*
USA 151×E12×40 W *(not included)*

Composition

A 4 X Cubo Pl/Square/Medium/20
B 7 X Cubo Pl/Square/Medium/40
C 7 X Cubo Pl/Square/Medium/60
D 3 X Cubo Pl/Square/Medium/80





CUBO COMBO PL 21 200 SQ

CUBO COMBO PL 8 200 SQ




L 200 cm / 78.74”
SP 200 cm / 78.74”
H 60 cm / 23.62”


WW 95×E14×40 W *(not included)*
USA 95×E12×40 W *(not included)*

Composition

- A 1 x Cubo PL/Long/J
- B 1 x Cubo PL/Long/L
- C 1 x Cubo PL/Long/N
- D 1 x Cubo PL/Long/P
- E 1 x Cubo PL/Long/Q
- F 1 x Cubo PL/Long/S
- G 1 x Cubo PL/Square/Medium/20
- H 1 x Cubo PL/Square/Large 40



CUBO COMBO PL 300 RC




L 100 cm / 39.37”
SP 300 cm / 118.11”
H 80 cm / 31.49”

WW 195×E14×40 W *(not included)*
USA 195×E12×40 W *(not included)*


Composition

- A 6 x Cubo/PL/Long/J
- B 3 x Cubo/PL/Long/K
- C 2 x Cubo/PL/Long/L
- D 1 x Cubo/PL/Long/O
- E 1 x Cubo/PL/Long/Q
- F 1 x Cubo/PL/Square/Medium/20
- G 1 x Cubo/PL/Square/Medium/60
- H 4 x Cubo/PL/Square/Medium/80



CUBO COMBO PL 16 200 RC

CE




L 200 cm / 78.74”
SP 400 cm / 157.48”
H 60 cm / 23.62”

WW 190×E14×40 W *(not included)*
USA 190×E12×40 W *(not included)*

Composition

A 2 x Cubo PL/Long/J
B 2 x Cubo PL/Long/L
C 2 x Cubo PL/Long/N
D 2 x Cubo PL/Long/P
E 1 x Cubo PL/Long/Q
F 2 x Cubo PL/Long/S
G 1 x Cubo PL/Long/T
H 2 x Cubo PL/Square/Medium/20
I 2 x Cubo PL/Square/Large/40






CUBO COMBO PL 16 200 RC
COMPOSITION

CUBO SUSPENSION MODULES

The Cubo combo suspensions are created by using combinations of individual modules. Individually electrified square or rectangular modules are available in a range of sizes.

SQUARE MODULES






AVAILABLE SIZES

L = SP Min 12.5 cm / 4.92″
Max 50 cm / 19.68″

H Min 20 cm / 7.87″
Max 80 cm / 31.49″

RECTANGULAR MODULES





AVAILABLE SIZES

L Min 25 cm / 9.84"
Max 100 cm / 39.37"


SP Min 12.5 cm / 4.92″
Max 50 cm / 19.68

H Min 20 cm / 7.87"
Max 80 cm / 31.49"


CUBO SUSPENSION COMBO

Any space can be decorated with Cubo modules, creating compositions to suit the setting. Several identical modules, or combinations of different modules, can be used in the same area, or the same mix of modules can be used to decorate different surfaces.

SAME AREA _DIFFERENT MODULES











DIFFERENT AREAS _ SAME MODULES










MODULES SUSPENSION



CUBO S/SQUARE/SMALL/20




SQUARE

L 12.5 cm / 4.92″
SP 12.5 cm / 4.92″
H 20 cm / 7.87″

WW 1×E14×40 W *(not included)*
USA 1×E12×40 W *(not included)*

CUBO S/SQUARE/SMALL/40




SQUARE

L 12.5 cm / 4.92″
SP 12.5 cm / 4.92″
H 40 cm / 15.74″

WW 1×E14×40 W *(not included)*
USA 1×E12×40 W *(not included)*

CUBO S/SQUARE/SMALL/60




SQUARE

L 12.5 cm / 4.92″
SP 12.5 cm / 4.92″
H 60 cm / 23.62″

WW 3×E14×40 W *(not included)*
USA 3×E12×40 W *(not included)*

CUBO S/SQUARE/SMALL/80




SQUARE

L 12.5 cm / 4.92″
SP 12.5 cm / 4.92″
H 80 cm / 31.49″

WW 3×E14×40 W *(not included)*
USA 3×E12×40 W *(not included)*

CUBO S/SQUARE/MEDIUM/20




SQUARE

L 25 cm / 9.84″
SP 25 cm / 9.84″
H 20 cm / 7.87″

WW 4×E14×40 W *(not included)*
USA 4×E12×40 W *(not included)*

CUBO S/SQUARE/MEDIUM/40




SQUARE

L 25 cm / 9.84″
SP 25 cm / 9.84″
H 40 cm / 15.74″

WW 7×E14×40 W *(not included)*
USA 7×E12×40 W *(not included)*

CUBO S/SQUARE/MEDIUM/60




SQUARE

L 25 cm / 9.84″
SP 25 cm / 9.84″
H 60 cm / 23.62″

WW 8×E14×40 W *(not included)*
USA 8×E12×40 W *(not included)*

CUBO S/SQUARE/MEDIUM/80




SQUARE

L 25 cm / 9.84″
SP 25 cm / 9.84″
H 80 cm / 31.49″

WW 10×E14×40 W *(not included)*
USA 10×E12×40 W *(not included)*

CUBO S/SQUARE/LARGE/20




SQUARE

L 50 cm / 19.68″
SP 50 cm / 19.68″
H 20 cm / 7.87″

WW 12×E14×40 W *(not included)*
USA 12×E12×40 W *(not included)*

CUBO S/SQUARE/LARGE/40




SQUARE

L 50 cm / 19.68″
SP 50 cm / 19.68″
H 40 cm / 15.74″

WW 12×E14×40 W *(not included)*
USA 12×E12×40 W *(not included)*

CUBO S/LONG/A




RECTANGULAR

L 50 cm / 19.68″
SP 12.5 cm / 4.92″
H 20 cm / 7.87″

WW 4×E14×40 W *(not included)*
USA 4×E12×40 W *(not included)*

CUBO S/LONG/B




RECTANGULAR

L 50 cm / 19.68″
SP 12.5 cm / 4.92″
H 40 cm / 15.74″

WW 7×E14×40 W *(not included)*
USA 7×E12×40 W *(not included)*

CUBO S/LONG/C




RECTANGULAR

L 50 cm / 19.68″
SP 12.5 cm / 4.92″
H 60 cm / 23.62″

WW 7×E14×40 W *(not included)*
USA 7×E12×40 W *(not included)*

CUBO S/LONG/D




RECTANGULAR

L 75 cm / 29.52″
SP 12.5 cm / 4.92″
H 20 cm / 7.87″

WW 5×E14×40 W *(not included)*
USA 5×E12×40 W *(not included)*

CUBO S/LONG/E




RECTANGULAR

L 75 cm / 29.52″
SP 12.5 cm / 4.92″
H 40 cm / 15.74″

WW 9×E14×40 W *(not included)*
USA 9×E12×40 W *(not included)*

CUBO S/LONG/F




RECTANGULAR

L 75 cm / 29.52″
SP 12.5 cm / 4.92″
H 60 cm / 23.62″

WW 9×E14×40 W *(not included)*
USA 9×E12×40 W *(not included)*

CUBO S/LONG/G




RECTANGULAR

L 100 cm / 39.37″
SP 12.5 cm / 4.92″
H 20 cm / 7.87″

WW 6×E14×40 W *(not included)*
USA 6×E12×40 W *(not included)*

CUBO S/LONG/H




RECTANGULAR

L 100 cm / 39.37″
SP 12.5 cm / 4.92″
H 40 cm / 15.74″

WW 11×E14×40 W *(not included)*
USA 11×E12×40 W *(not included)*

CUBO S/LONG/I




RECTANGULAR

L 100 cm / 39.37″
SP 12.5 cm / 4.92″
H 60 cm / 23.62″

WW 11×E14×40 W *(not included)*
USA 11×E12×40 W *(not included)*

CUBO S/LONG/J




RECTANGULAR

L 50 cm / 19.68″
SP 25 cm / 9.84″
H 20 cm / 7.87″

WW 8×E14×40 W *(not included)*
USA 8×E12×40 W *(not included)*

CUBO S/LONG/K




RECTANGULAR

L 50 cm / 19.68″
SP 25 cm / 9.84″
H 40 cm / 15.74″

WW 12×E14×40 W *(not included)*
USA 12×E12×40 W *(not included)*

CUBO S/LONG/L




RECTANGULAR

L 50 cm / 19.68″
SP 25 cm / 9.84″
H 60 cm / 23.62″

WW 12×E14×40W *(not included)*
USA 12×E12×40 W *(not included)*

CUBO S/LONG/M




RECTANGULAR

L 75 cm / 29.52″
SP 25 cm / 9.84″
H 20 cm / 7.87″

WW 9×E14×40 W *(not included)*
USA 9×E12×40 W *(not included)*

CUBO S/LONG/N




RECTANGULAR

L 75 cm / 29.52″
SP 25 cm / 9.84″
H 40 cm / 15.74″

WW 17×E14×40 W *(not included)*
USA 17×E12×40 W *(not included)*

CUBO S/LONG/O




RECTANGULAR

L 75 cm / 29.52″
SP 25 cm / 9.84″
H 60 cm / 23.62″

WW 17×E14×40 W *(not included)*
USA 17×E12×40 W *(not included)*

CUBO S/LONG/P




RECTANGULAR

L 100 cm / 39.37″
SP 25 cm / 9.84″
H 20 cm / 7.87″

WW 12×E14×40 W *(not included)*
USA 12×E12×40 W *(not included)*

CUBO S/LONG/Q




RECTANGULAR

L 100 cm / 39.37″
SP 25 cm / 9.84″
H 40 cm / 15.74″

WW 18×E14×40 W *(not included)*
USA 18×E12×40 W *(not included)*

CUBO S/LONG/R




RECTANGULAR

L 100 cm / 39.37″
SP 25 cm / 9.84″
H 60 cm / 23.62″

WW 18×E14×40 W *(not included)*
USA 18×E12×40 W *(not included)*

CUBO S/LONG/S




RECTANGULAR

L 100 cm / 39.37″
SP 50 cm / 19.68″
H 20 cm / 7.87″

WW 12×E14×40 W *(not included)*
USA 12×E12×40 W *(not included)*

CUBO S/LONG/T



RECTANGULAR

L 100 cm / 39.37″
SP 50 cm / 19.68″
H 40 cm / 15.74″

WW 18×E14×40 W *(not included)*
USA 18×E12×40 W *(not included)*

CUBO COMBO S 100 SQ




L 100 cm / 39.37”
SP 100 cm / 39.37”
H 80 cm / 31.49”


WW 48×E14×40 W *(not included)*
USA 48×E12×40 W *(not included)*

Composition

- A 2 x Cubo S/Long/A
- B 1 x Cubo S/Long/B
- C 2 x Cubo S/Square/Small/40
- D 2 x Cubo S/Square/Small/60
- E 1 x Cubo S/Square/Medium/20
- F 3 x Cubo S/Square/Medium/40



CUBO COMBO S 150 RC




L 75 cm / 29.52”
SP 150 cm / 59.05”
H 60 cm / 23.62”


WW 69×E14×40 W *(not included)*
USA 69×E12×40 W *(not included)*

Composition

- A 2 x Cubo/S/Long/J
- B 1 x Cubo/S/Long/L
- C 2 x Cubo/S/Long/M
- D 2 x Cubo/S/Square/Medium/20
- E 1 x Cubo/S/Square/Medium/40
- F 1 x Cubo/S/Square/Medium/60




CUBO COMBO S 175 SQ



L	175 cm / 68.89”	**WW**	80×E14×40 W *(not included)*
SP	175 cm / 68.89”	**USA**	80×E12×40 W *(not included)*
H	100 cm / 39.37”		

Composition

A 2 x Cubo/S/Long/L
B 3 x Cubo/S/Long/P
C 2 x Cubo/S/Square/Medium/80





CUBO COMBO S175 SQ

CUBO COMBO S 64 100 SQ



L 100 cm / 39.37”
SP 100 cm / 39.37”
H 600 cm / 236.22”

WW 106×E14×40 W *(not included)*
USA 106×E12×40 W *(not included)*

Composition

A 21 X Cubo S/Square/Small/20
B 22 X Cubo S/Square/Small/40
C 21 X Cubo S/Square/Small/60

A	B	C	A	B	C	A	C
C	A	B	C	A	C	B	B
B	A	B	C	B	B	C	A
A	C	A	B	C	A	C	B
B	A	B	C	A	C	B	A
C	B	C	A	B	A	C	B
C	A	A	B	C	B	A	C
A	B	B	C	A	A	C	B

SP

L



CUBO COMBO S64 100 SQ

CUBO COMBO S12 200 SQ




L 200 cm / 78.74”
SP 200 cm / 78.74”
H 225 cm / 88.58”


WW 158×E14×40 W *(not included)*
USA 158×E12×40 W *(not included)*

Composition

- A 3 x Cubo S/Long/K
- B 2 x Cubo S/Long/N
- C 1 x Cubo S/Long/O
- D 1 x Cubo S/Long/Q
- E 1 x Cubo S/Long/R
- F 1 x Cubo S/Square/Medium/40
- G 1 x Cubo S/Square/Medium/60
- H 2 x Cubo S/Square/Medium/80



CUBO COMBO S 40 200 RC





L 200 cm / 78.74”
SP 400 cm / 157.48”
H 140 cm / 55.12”

WW 332×E14×40 W *(not included)*
USA 332×E12×40 W *(not included)*

Composition


- A 12 X Cubo S/Square/Medium/40
- B 16 X Cubo S/Square/Medium/60
- C 12 X Cubo S/Square/Medium/80





CUBO COMBO S40 200 RC

CUBO COMBO S300 RC




L 100 cm / 39.37”
SP 300 cm / 118.11”
H 120 cm / 47.24”


WW 192×E14×40 W *(not included)*
USA 192×E12×40 W *(not included)*

Composition

- A 3 x Cubo/S/Long/J
- B 2 x Cubo/S/Long/K
- C 1 x Cubo/S/Long/L
- D 1 x Cubo/S/Long/O
- E 2 x Cubo/S/Long/Q
- F 1 x Cubo/S/Square/Medium/40
- G 6 x Cubo/S/Square/Medium/80
- H 1 x Cubo/S/Square/Large/40



CUBO COMBO S 24 200 RC




L 200 cm / 78.74”
SP 400 cm / 157.48”
H 145 cm / 57.08”

WW 316×E14×40 W *(not included)*
USA 316×E12×40 W *(not included)*

Composition

- A 6 x Cubo/S/Long/K
- B 2 x Cubo/S/Long/O
- C 4 x Cubo/S/Long/N
- D 2 x Cubo/S/Long/Q
- E 2 x Cubo/S/Long/R
- F 2 x Cubo/S/Square/Medium/40
- G 2 x Cubo/S/Square/Medium/60
- H 4 x Cubo/S/Square/Medium/80



CUBO FINISHING

Struttura in metallo in finitura cromo e pendagli in cristallo trasparente o colorato.

Metal frame in chrome finishing with transparent or coloured crystal pendants.

Metallstruktur, Ausführung Chrom. Anhänger aus transparentem oder farbigem Kristall.

Structure en métal chromé, pampilles en cristal transparent ou coloré.


МЕТАЛЛИЧЕСКАЯ СТРУКТУРА, В ОТДЕЛКЕ ХРОМ, С ПОДВЕСКАМИ ИЗ ПРОЗРАЧНОГО ИЛИ ЦВЕТНОГО КРИСТАЛЛА.

Estructura metálica en acabado cromado y colgantes de cristal transparente o coloreado.

这种灯具有金属结构（铬色），而且水晶的吊坠们（有色的和透明的）。

إطار معدني بلمسات نهائية من الكروم مع دلايات كريستال شفافة أو ملونة.

Finishings



G04 Cromo lucido
Shiny chrome

Pendants

TRANSPARENT
Half cut glass /
Cut crystal /
Crystals from Swarovski®



TR Trasparente
Transparent

COLOURED
Half cut glass /
Cut crystal



SA Sapphire



VI Viola
Violet




GR Light Peridot



AM Ambra
Amber



RE Rosso
Red



SM Fumé
Smocky

GALASSIA

design by Masiero Lab

Galassia rappresenta una nuova era dei sistemi illuminanti modulari a soffitto.
Grazie alla combinazione dei moduli è possibile decorare qualsiasi superficie, creando forme aperte o chiuse dalle quali scenderanno piogge di pendagli.

Galassia represents a new era of modular ceiling lighting systems.
The modules can be combined to decorate any surface, creating open or closed shapes with showers of hanging pendants.




GALASSIA T2 SNG

GALASSIA CEILING MODULES


Galassia is a modular LED ceiling system with remote driver, consisting of a combination of angular, arched or straight metal modules with chains of hanging pendants that allow the height to be adjusted. There are seven arched modules, two straight modules and a corner module that can be combined into an infinite number of solutions to create the desired lighting path to decorate surfaces of any shape.

Compositions with open or closed lines can be created.


CORNER MODULE



STRAIGHT MODULES



CURVED MODULES




DECORABLE AREAS

Galassia can be used to decorate any area




HOW TO ARRANGE THE MODULES

The modules can create open or closed lines. In this case, they must be positioned in such a way as to ensure junction points.





HEIGHT



H	Min	25 cm / 9.84″
	Max	100 cm / 7.87″

You can customise the height of the product by choosing the length of the pendants chains.

MODULES

Curved Modules

ARCH 50



R 25 cm / 9.84”
SP 4,7 cm / 1.85”
H **Frame** 3 cm / 1.18”

***H** **Pendants Chain**
min. 25 cm / 9.84”
max. 100 cm / 39.37”

LED X 4,2W CRI>95
3000K - 540 Nominal lumen

ARCH 75




R 38 cm / 14.96”
SP 4,7 cm / 1.85”
H **Frame** 3 cm / 1.18”

***H** **Pendants Chain**
min. 25 cm / 9.84”
max. 100 cm / 39.37”

LED X 6W CRI>95
3000K - 772 Nominal lumen

ARCH 100




R 50,5 cm / 19.88”
SP 4,7 cm / 1.85”
H **Frame** 3 cm / 1.18”

***H** **Pendants Chain**
min. 25 cm / 9.84”
max. 100 cm / 39.37”

LED X 8W CRI>95
3000K - 1081 Nominal lumen

ARCH 125



R 63 cm / 24.80”
SP 4,7 cm / 1.85”
H **Frame** 3 cm / 1.18”

***H** **Pendants Chain**
min. 25 cm / 9.84”
max. 100 cm / 39.37”

LED X 11W CRI>95
3000K - 1390 Nominal lumen

Corner Module

CORNER 20X20




L 19,7 cm / 7.75”
SP 4,7 cm / 1.85”
H **Frame** 3 cm / 1.18”

***H** **Pendants Chain**
min. 25 cm / 9.84”
max. 100 cm / 39.37”

LED X 3,6W CRI>95
3000K - 463 Nominal lumen

Curved Modules

ARCH 150




R 76 cm / 29.92”
SP 4,7 cm / 1.85”
H **Frame** 3 cm / 1.18”

***H** **Pendants Chain**
min. 25 cm / 9.84”
max. 100 cm / 39.37”

LED X 13W CRI>95
3000K - 1700 Nominal lumen

ARCH 175




R 88 cm / 34.64”
SP 4,7 cm / 1.85”
H **Frame** 3 cm / 1.18”

***H** **Pendants Chain**
min. 25 cm / 9.84”
max. 100 cm / 39.37”

LED X 15W CRI>95
3000K - 2008 Nominal lumen

ARCH 200



R 101 cm / 39.76”
SP 4,7 cm / 1.85”
H **Frame** 3 cm / 1.18”

***H** **Pendants Chain**
min. 25 cm / 9.84”
max. 100 cm / 39.37”

LED X 18W CRI>95
3000K - 2317 Nominal lumen

*You can customise the height of the product by choosing the length of the pendants chains.

Straight Modules

STRAIGHT 100



L 101 cm / 39.76”
SP 4,7 cm / 1.85”
H **Frame** 3 cm / 1.18”

***H** **Pendants Chain**
min. 25 cm / 9.84”
max. 100 cm / 39.37”

LED X 12W CRI>95
3000K - 1545 Nominal lumen

STRAIGHT 50




L 50,5 cm / 19.88”
SP 4,7 cm / 1.85”
H **Frame** 3 cm / 1.18”

***H** **Pendants Chain**
min. 25 cm / 9.84”
max. 100 cm / 39.37”

LED X 6W CRI>95
3000K - 772 Nominal lumen

*You can customise the height of the product by choosing the length of the pendants chains.

GALASSIA M1 TPL




L	319 cm / 125.59"	LED x 180W CRI>95 3000K -
SP	180 cm / 70.86"	23154 Nominal lumen
H	50 cm / 19.68"	**Dimmable:** 1-10V
W	130 kg / 286.60 lb	*(1 x driver recessed)*

Composition :

A **Outside**
36 x Corner 20x20


B **Inside**
4 x Corner 20x20
2 x Straight 100
2 x Straight 50





GALASSIA M1 TPL COMPOSITION

GALASSIA M1 SNG




L 180 cm / 70.86"
SP 180 cm / 70.86"
H 50 cm / 19.68"
W 70 kg / 154.32 lb

LED x 86,4 W CRI>95 3000K - 11112 Nominal lumen
Dimmable: 1-10V
(1 x driver recessed)


Composition :

A **Outside**
20 x Corner 20x20

B **Inside**
4 x Corner 20x20



GALASSIA N1 DBL



L 945 cm / 372.04"
SP 125 cm / 49.21"
H 100 cm / 39.37"
W 370 kg / 815.71 lb


LED x 451,2 W CRI>95 3000K - 58092 Nominal lumen
Dimmable: 1-10V
(2 x driver recessed)

Composition :


A **Combo A** H100 (x2)
4 x Corner 20x20

B **Combo B** H100 (x3)
4 x Corner 20x20
2 x Straight 100

C **Combo C** H50 (x4)
8 x Corner 20x20
2 x Straight 100
4 x Straight 50



GALASSIA N2 DBL




L	700 cm / 275.59"	LED x 456W CRI>95 3000K -
SP	160 cm / 62.99"	58710 Nominal lumen
H	100 cm / 39.37"	**Dimmable:** 1-10V
W	350 kg / 771.61 lb	*(2 x driver recessed)*

Composition :

A **Combo A** H50 (x4)
12 x Corner 20x20
2 x Straight 100
4 x Straight 50

B **Combo B** H100 (x2)
4 x Corner 20x20
2 x Straight 50


C **Combo C** H100 (x1)
4 x Corner 20x20
2 x Straight 100





GALASSIA N2 DBL COMPOSITION

GALASSIA 01 SNG




L	201 cm / 79.13”	LED x 93,6W CRI>95 3000K -
SP	201 cm / 79.13”	12051 Nominal lumen
H	100 cm / 39.37”	**Dimmable:** 1-10V
W	80 kg / 176.37 lb	*(1 x driver recessed)*

Composition :

A **Outside** H50
12 x Corner 20x20
8 x Arch 50


B **Inside** H100
4 x Arch 50





GALASSIA 01 SNG

GALASSIA O1 TPL




L	362 cm / 142.51”	LED x 204W CRI>95 3000K - 26265 Nominal lumen
SP	201 cm / 79.13”	**Dimmable:** 1-10V
H	100 cm / 39.37”	*(2 x drivers recessed)*
W	170 kg / 374.78 lb	

Composition :

A **Outside** H50
20 x Corner 20x20
16 x Arch 50


B **Inside** H100
4 x Arch 50
4 x Straight 100





GALASSIA O1 TPL


GALASSIA T1 SNG




L 320 cm / 125.98”
SP 320 cm / 125.98”
H 50 cm / 19.68”
W 160 kg / 352.74 lb

LED x 237,8W CRI>95 3000K - 30616 Nominal lumen
Dimmable: 1-10V
(1 x driver recessed)

Composition :
9 x Arch 50
13 x Arch 75
3 x Arch 100
4 x Arch 125
3 x Arch 150
1 x Arch 175




GALASSIA 02 DBL




L 453 cm / 178.34”
SP 252 cm / 99.21”
H 100 cm / 39.37”
W 170 kg / 374.78 lb

LED x 140W CRI>95 3000K - 17922 Nominal lumen
Dimmable: 1-10V
(1 x driver recessed)

Composition :
12 x Corner 20x20
4 x Straight 100
4 x Arch 50
4 x Arch 100




GALASSIA O3 SNG



L	257 cm / 101.18”	LED x 79,2W CRI>95 3000K - 10197 Nominal lumen
SP	156 cm / 61.41”	**Dimmable:** 1-10V
H	25 cm / 9.84”	*(1 x driver recessed)*
W	40 kg / 88.18 lb	


Composition :
4 x Corner 20x20
4 x Straight 50
4 x Arch 50
4 x Arch 75





GALASSIA O3 SNG

GALASSIA P1 SNG




L 252 cm / 99.21”
SP 226 cm / 88.97”
H 50 cm / 19.68”
W 110 kg / 242.50 lb

LED x 151,2W CRI>95 3000K - 19467 Nominal lumen
Dimmable: 1-10V
(1 x driver recessed)


Composition :

A **Outside** H50
16 x Corner 20x20
4 x Arch 50
8 x Arch 75

B **Inside** H50
2 x Straight 50
4 x Arch 50



GALASSIA P1 DBL




L 464 cm / 182.67”
SP 226 cm / 88.97”
H 50 cm / 19.68”
W 190 kg / 418.87 lb

LED x 276W CRI>95 3000K - 35535 Nominal lumen
Dimmable: 1-10V
(1 x driver recessed)


Composition :

A **Outside** H50
24 x Corner 20x20
4 x Arch 50
16 x Arch 75

B **Inside** H50
2 x Straight 50
4 x Straight 100
4 x Arch 50



GALASSIA R1 DBL



L	486 cm / 191.33”	LED x 601,6W CRI>95 3000K -
SP	202 cm / 79.52”	77404 Nominal lumen
H	100 cm / 39.37”	**Dimmable:** 1-10V
W	440 kg / 970.03 lb	*(2 x drivers recessed)*

Composition :

A **Combo A** H25
8 x Arch 200
8 x Arch 50

B **Combo B** H50
8 x Arch 175
8 x Arch 75

C **Combo C** H75
8 x Arch 150
8 x Arch 100

D **Combo D** H100
8 x Arch 125





GALASSIA R1 DBL COMPOSITION

GALASSIA Q1 SNG




L	227 cm / 89.37”	LED x 96,8W CRI>95 3000K - 12462 Nominal lumen
SP	126 cm / 49.60”	
H	100 cm / 39.37”	**Dimmable:** 1-10V
W	80 kg / 176.37 lb	*(1 x driver recessed)*


Composition :

A **Outside** H50
4 x Arch 125
2 x Straight 100

B **Inside** H100
4 x Arch 50
2 x Straight 50



GALASSIA Q1 TPL




L	461 cm / 181.49”	LED x 276W CRI>95 3000K - 35535 Nominal lumen
SP	227 cm / 89.37”	
H	100 cm / 39.37”	**Dimmable:** 1-10V
W	220 kg / 485.01 lb	*(1 x driver recessed)*


Composition :

A **Outside** H50
12 x Arch 125
8 x Arch 50
2 x Straight 100

B **Inside** H100 (x3)
4 x Arch 50
2 x Straight 50



GALASSIA R2 SNG



L	229 cm / 90.15”	LED x 150,4W CRI>95 3000K -
SP	116 cm / 45.66”	19363 Nominal lumen
H	100 cm / 39.37”	**Dimmable:** 1-10V
W	110 kg / 242.50 lb	*(1 x driver recessed)*


Composition :

A **Combo A** H25
2 x Arch 200
2 x Arch 50

B **Combo B** H50
2 x Arch 175
2 x Arch 75

C **Combo C** H75
2 x Arch 150
2 x Arch 100


D **Combo D** H100
2 x Arch 125






GALASSIA R2 SNG

GALASSIA T1 DBL



L	700 cm / 275.59”	LED x 475,6W CRI>95 3000K -
SP	320 cm / 125.98”	61233 Nominal lumen
H	50 cm / 19.68”	**Dimmable:** 1-10V
W	320 kg / 705.47 lb	*(2 x drivers recessed)*


Composition :
18 x Arch 50
26 x Arch 75
6 x Arch 100
8 x Arch 125
6 x Arch 150
2 x Arch 175






GALASSIA T1 DBL COMPOSITION

GALASSIA T2 SNG



L	200 cm / 78.74"	LED x 76W CRI>95 3000K -
SP	100 cm / 39.37"	9784 Nominal lumen
H	50 cm / 19.68"	**Dimmable:** 1-10V
W	50 kg / 110.23 lb	*(1 x driver recessed)*

Composition :
5 x Arch 50
2 x Arch 75
1 x Arch 100
2 x Arch 125
1 x Arch 150





GALASSIA T2 SNG

GALASSIA FINISHING

Telaio in metallo verniciato.
Pendagli in cristallo.
Illuminazione Led.

Painted metal frame.
Crystal pendants
LED lighting.

Struktur aus lackiertem Metall.
Kristallanhänger.
LED-Beleuchtung.

Structure en métal peint.
Pendentifs en cristal.
LED éclairage.

МЕТАЛЛИЧЕСКАЯ СТРУКТУРА, В ОТДЕЛКЕ ХРОМ, С ПОДВЕСКАМИ ИЗ ПРОЗРАЧНОГО ИЛИ ЦВЕТНОГО КРИСТАЛЛА.

Estructura metálica en acabado cromado y colgantes de cristal transparente o coloreado.

这种灯具有金属结构（铬色），而且水晶的吊坠们（有色的和透明的）。

إطار معدني بلمسات نهائية من الكروم مع دلايات كريستال شفافة أو ملونة.

Finishings

V98 Bianco goffrato
Embossed white


Pendants

TRANSPARENT
Half cut glass /
Cut crystal /
Crystals from Swarovski®




TR Trasparente
Transparent





TECHNICAL INFO



Indice/Index

ART.	COD.	PAG.
RAQAM MODULES		
RAQAM	Module 1	**6**
RAQAM	Module 2	**6**
RAQAM	Module 3	**7**
RAQAM	Module 4	**7**
RAQAM	Module 5	**6**
RAQAM	Module 6	**6**
RAQAM	Module 7	**7**
RAQAM COMPOSITION		
RAQAM	M1	**16**
RAQAM	M6	**20**
RAQAM	M7	**20**
RAQAM	N2	**24**
RAQAM	N3	**28**
RAQAM	N4	**32**
RAQAM	N5	**36**
RAQAM	N6	**36**
RAQAM	N7	**40**
RAQAM	O1	**44**
RAQAM	P3	**46**
RAQAM	P4	**50**
RAQAM	Q1	**54**
RAQAM	Q3	**54**
RAQAM	Q4	**54**
RAQAM	Q5	**58-60**
RAQAM	Q6	**64**
RAQAM	Q7	**64**
RAQAM	Q8	**64**
RAQAM	R1	**68**
RAQAM	R2	**74**
RAQAM	R3	**78**
RAQAM	R4	**82**
CUBO CEILING MODULES		
PL/SQUARE/SMALL	20	**91**
PL/SQUARE/SMALL	40	**91**
PL/SQUARE/SMALL	60	**91**
PL/SQUARE/SMALL	80	**91**
PL/SQUARE/MEDIUM	20	**91**
PL/SQUARE/MEDIUM	40	**91**
PL/SQUARE/MEDIUM	60	**91**
PL/SQUARE/MEDIUM	80	**91**
PL/SQUARE/LARGE	20	**91**
PL/SQUARE/LARGE	40	**91**
PL/LONG	A	**92**
PL/LONG	B	**92**
PL/LONG	C	**92**
PL/LONG	D	**92**
PL/LONG	E	**92**
PL/LONG	F	**92**
PL/LONG	G	**92**
PL/LONG	H	**92**
PL/LONG	I	**92**
PL/LONG	J	**92**
PL/LONG	K	**92**
PL/LONG	L	**92**
PL/LONG	M	**93**
PL/LONG	N	**93**
PL/LONG	O	**93**
PL/LONG	P	**93**
PL/LONG	Q	**93**
PL/LONG	R	**93**
PL/LONG	S	**93**
PL/LONG	T	**93**
CUBO COMBO CEILING		
CUBO COMBO	PL 100 SQ	**94**
CUBO COMBO	PL 150 RC	**95**
CUBO COMBO	PL 175 SQ	**96**
CUBO COMBO	PL 300 RC	**101**
CUBO COMBO	PL 8 200 SQ	**100**
CUBO COMBO	PL 16 200 RC	**102**
CUBO COMBO	PL 21 200 SQ	**98**
CUBO SUSPENSION MODULES		
S/SQUARE/SMALL	20	**107**
S/SQUARE/SMALL	40	**107**
S/SQUARE/SMALL	60	**107**
S/SQUARE/SMALL	80	**107**
S/SQUARE/MEDIUM	20	**107**
S/SQUARE/MEDIUM	40	**107**
S/SQUARE/MEDIUM	60	**107**
S/SQUARE/MEDIUM	80	**107**
S/SQUARE/LARGE	20	**107**
S/SQUARE/LARGE	40	**107**
S/LONG	A	**108**
S/LONG	B	**108**
S/LONG	C	**108**
S/LONG	D	**108**
S/LONG	E	**108**
S/LONG	F	**108**
S/LONG	G	**108**
S/LONG	H	**108**
S/LONG	I	**108**
S/LONG	J	**108**
S/LONG	K	**108**
S/LONG	L	**108**
S/LONG	M	**109**
S/LONG	N	**109**
S/LONG	O	**109**
S/LONG	P	**109**
S/LONG	Q	**109**
S/LONG	R	**109**
S/LONG	S	**109**
S/LONG	T	**109**
CUBO COMBO SUSPENSION		
CUBO COMBO	S 100 SQ	**110**
CUBO COMBO	S 150 RC	**111**
CUBO COMBO	S 175 SQ	**112**
CUBO COMBO	S 300 RC	**120**
CUBO COMBO	S 12 200 SQ	**116**
CUBO COMBO	S 24 200 RC	**121**
CUBO COMBO	S 40 200 RC	**117**
CUBO COMBO	S 64 100 SQ	**114**
GALASSIA MODULES		
CURVED MODULE	ARCH 50	**128**
CURVED MODULE	ARCH 75	**128**
CURVED MODULE	ARCH 100	**128**
CURVED MODULE	ARCH 125	**128**
CURVED MODULE	ARCH 150	**128**
CURVED MODULE	ARCH 175	**128**
CURVED MODULE	ARCH 200	**128**
CORNER MODULE	CORNER 20x20	**129**
STRAIGHT MODULE	STRAIGHT 100	**129**
STRAIGHT MODULE	STRAIGHT 50	**129**
GALASSIA		
GALASSIA	M1	SNG **132**
GALASSIA	M1	TPL **130**
GALASSIA	N1	DBL **133**
GALASSIA	N2	DBL **134**
GALASSIA	O1	SNG **136**
GALASSIA	O1	TPL **138**
GALASSIA	O2	DBL **141**
GALASSIA	O3	SNG **142**
GALASSIA	P1	SNG **144**
GALASSIA	P1	DBL **145**
GALASSIA	Q1	SNG **148**
GALASSIA	Q1	TPL **149**
GALASSIA	R1	DBL **146**
GALASSIA	R2	SNG **150**
GALASSIA	T1	SNG **140**
GALASSIA	T1	DBL **152**
GALASSIA	T2	SNG **154**

CE

Attesta la conformità del prodotto alle disposizioni delle Direttive comunitarie.

It certifies the conformity of the products to the European Commuinity provisions.

Il atteste la conformité du produit aux dispositions des directives communitaires.

Konformität des Produktes mit den Richtlinien der europäischen Gemeinschaft.

НАСТОЯЩИМ ПОДТВЕРЖДАЕТСЯ СООТВЕТСТВИЕ ПРОДУКЦИИ ПОЛОЖЕНИЯМ ДИРЕКТИВ ЕС.

Certifica la conformidad del producto según las disposiciones de las directivas comunitarias.

CE标记是指产品的制造商证明该产品符合适用的EC指令的所有基本要求.

يُشهد بمطابقة المنتج لأحكام توجيهات المجتمع الأوروبي.

Intertek

Il logo “ETL” si riferisce agli articoli che possono essere modificati con componenti certificati ETL. L’elenco degli articoli ETL si riferisce a prodotti testati e valutati in base agli standard di sicurezza del mercato statunitense. Per il mercato USA fare riferimento al listino dedicato.

“ETL” logos refers to articles which can be modified with ETL- compliance components. The “ETL” listing articles stands for tested and evaluated product to recorgnised US safety standards. For the US market, refer to the relevant price list.

“ETL” logo se réfère aux articles qui peuvent être modifiées par des composants certifiés ETL. la liste des articles ETL se réfère à des produits testés et évalués selon les normes de sécurité du marché américain. Pour le marché américain se référer à la liste des prix.

Das “ETL”-Logo bezieht sich auf Artikel, die mit ETL-zertifizierten Komponenten modifiziert werden können. Die Liste der ETL-Artikel bezieht sich auf Produkte, die nach den Sicherheitsstandards des US-Marktes getestet und bewertet wurden. Für den US-Markt beachten Sie bitte die entsprechende Preisliste.

ЛОГОТИП «ETL» ОТНОСИТСЯ К ЭЛЕМЕНТАМ, КОТОРЫЕ МОГУТ БЫТЬ МОДИФИЦИРОВАНЫ С ПОМОЩЬЮ СЕРТИФИЦИРОВАННЫХ ETL КОМПОНЕНТОВ. СПИСОК ЭЛЕМЕНТОВ ETL ОТНОСИТСЯ К ПРОДУКЦИИ, ПРОТЕСТИРОВАННОЙ И ОЦЕНЕННОЙ В СООТВЕТСТВИИ С ПРИЗНАННЫМИ СТАНДАРТАМИ БЕЗОПАСНОСТИ США. ДЛЯ ПОТРЕБИТЕЛЕЙ НАХОДЯЩИХСЯ В США СМ. СООТВЕТСТВУЮЩИЙ ПРАЙС-ЛИСТ.

El logo “ETL” indica los artículos, que pueden modificarse con componentes certificados ETL. La lista de los artículos ETL se refiere a los productos sometidos a prueba y evaluados en función de los estándares de seguridad del mercado estadounidense. Consultar la lista de precios específica para el mercado de los Estados Unidos.

“ETL” 徽标是指可以使用ETL认证的组件进行修改的项目。 ETL项目列表是指根据美国市场的安全标准进行测试和评估的产品。 对于美国市场，请参考美国市场价格表。

يشير شعار «ETL» إلى المنتجات التي يمكن تعديلها باستخدام مكونات مُعتمدة من ETL. تشير قائمة منتجات ETL إلى المنتجات التي تم اختبارها وتقييمها وفقًا لمعايير السلامة في السوق الأمريكي. بالنسبة لسوق الولايات المتحدة الأمريكية، يُرجى الرجوع إلى قائمة الأسعار المُخصصة.

lm

Flusso luminoso nominale.
L’indicazione si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente.

Nominal luminous flux.
It refers to the value without any refraction, as declared by the component manufacturer.

L’unité SI de flux lumineux.
L’indication corresponds à la valeur en l’absence de réfraction, comme indiqué par le fabricant du composant.

Die Maßeinheit für den Lichtstrom.
Die Angabe bezieht sich auf den Wert in der Abwesenheit von Brechung, wie vom Hersteller der Komponente angegeben.

НОМИНАЛЬНЫЙ СВЕТОВОЙ ПОТОК. УКАЗАНИЕ ОТНОСИТСЯ К ЗНАЧЕНИЮ В ОТСУТСТВИЕ РЕФРАКЦИИ, КАК ЗАЯВЛЕНО ПРОИЗВОДИТЕЛЕМ КОМПОНЕНТОВ.

Flujo luminoso nominal.
La indicación se refiere al valor sin refracción, como declarado por el fabricante del componente.

标称光通量。
指示是指组件制造商声明的没有折射的值。

التدفق الضوئي الاسمي.يشير المؤشر إلى القيمة في حالة عدم وجود انكسار للضوء، كما هو مُعلن من قبل الشركة المصنعة للعنصر.

MASIERO

Masiero si riserva il diritto di apportare ai propri articoli, senza nessun preavviso, qualsiasi modifica ritenesse opportuna.

Masiero reserves the right to introduce any changes to its own products, without notice in advance.

Masiero se rèserve le droit d’apporter une quelconque modification à les modèles sans préavis.

Masiero behalt sich das Recht vor änderungen vorzunehmen, ohne sofortige Benachrichtigung.

КОМПАНИЯ MASIERO ОСТАВЛЯЕТ ЗА СОБОЙ ПРАВО БЕЗ ПРЕДВАРИТЕЛЬНОГО УВЕДОМЛЕНИЯ, ЕСЛИ ЭТО БУДЕТ СОЧТЕНО ЦЕЛЕСООБРАЗНЫМ, ВНОСИТЬ В СОБСТВЕННЫЕ МОДЕЛИ ЛЮБЫЕ ИЗМЕНЕНИЯ.

Masiero se reserva el derecho de aportar modificaciones consideradas oportunas a sus artículos sin preaviso.

Masiero保留对其认为适当的任何更改的权利，恕不另行通知。

تحتفظ شركة مازيرو "Masiero" بالحق في إجراء أي تعديلات تراها مناسبة على منتجاتها، دون إشعار مسبق.

Masiero srl

via Peschiere, 53
31032 Casale sul Sile
Treviso, Italy
T +39 0422 7861
F +39 0422 786250

info@masierogroup.com
masierogroup.com

Design by Masiero
Photo, Studio Pointer
Print Italy, April 2021
by Grafica Antiga


masierogroup.com

CHANDELIERS

ATELIER



MASIERO



CHANDELIERS

ATELIER

MASIERO



CHANDELIERS


C'è un posto dove classico e moderno si incontrano, contaminandosi, fondendosi per bilanciare innovazione e tradizione.
La bellezza prende forma creando collezioni di lampade senza tempo, dedicate a chi guarda con piacere il mondo contemporaneo, senza dimenticarsi delle origini classiche.

There is a place where classic and modern meet in mutual contamination and merge to balance innovation and tradition.
Beauty takes shape to create timeless collections of lighting elements, dedicated to all those who like to look at the contemporary world without forgetting their classical origins.


Indice/Index



Acantia
26



Chic
16




Elegantia
40




Odessa
110




Primadonna
72




Rosemary
88



Eternity
62



Galá
100




Glassé
122




Zaira
82



Imperial
132




Lizzi
6




Noblesse
54

LIZZI

design by Masiero Lab






Lizzi 6+6



Lizzi S1



Lizzi A2




Lizzi PL3



Lizzi SPOT


Lizzi 3+3



LIZZI

Struttura in metallo con pendagli in cristallo colorato.

Metal frame with coloured crystal pendants.

Metallstruktur mit Behang aus farbigem Kristall.

Structure en métal avec pampilles en cristal coloré.

Estructura de metal con piezas colgantes en cristal de color.

МЕТАЛЛИЧЕСКИЙ КАРКАС С ПОДВЕСАМИ ИЗ ЦВЕТНОГО ХРУСТАЛЯ

这个灯具的结构是金属。而且这种系列也有彩色水晶的吊坠。

هيكل معدني مع دلايات من الكريستال الملون.

Standard finishings



V13
Beige e Oro
Ivory and Gold

Family



Chandelier



Suspension



Spot





Applique




Ceiling

Standard chain/cable for all chandelier/suspension






LIZZI 6+6



Ø 105 cm / 41.34″
H 85 cm / 33.46″

WW 12×G9×40 W max *(not included)*
USA 12×G9×40 W max *(not included)*


LIZZI 4+4



Ø 90 cm / 35.43″
H 75 cm / 29.53″

WW 8×G9×40 W max *(not included)*
USA 8×G9×40 W max *(not included)*


LIZZI 3+3



Ø 75 cm / 29.53″
H 65 cm / 25.59″

WW 6×G9×40 W max *(not included)*
USA 6×G9×40 W max *(not included)*


LIZZI S1



Ø 36 cm / 14.17″
H 53 cm / 20.86″

WW 1×GU10×50W max *(not included)*
USA 1×GU10×50W max *(not included)*


LIZZI PL5



Ø 70 cm / 27.56″
H 40 cm / 15.75″

WW 5×E27×60 W max *(not included)*
USA 5×E26×60 W max *(not included)*


LIZZI PL3



Ø 55 cm / 21.65″
H 40 cm / 15.75″

WW 3×E27×60 W max *(not included)*
USA 3×E26×60 W max *(not included)*


LIZZI SPOT



Ø 13 cm / 5.12″
H 12 cm / 4.72″

WW 1×GU10×50W max *(not included)*
USA 1×GU10×50W max *(not included)*


LIZZI A4



L 32 cm / 12.60″
SP 20 cm / 7.87″
H 42 cm / 16.54″

WW 4×G9×40 W max *(not included)*
USA 4×G9×40 W max *(not included)*

LIZZI A2




L 25 cm / 9.84″
SP 13 cm / 5.51″
H 38 cm / 15″

WW 2×G9×40 W max *(not included)*
USA 2×G9×40 W max *(not included)*

: For the US market, refer to the relevant price list.

CHIC

design by Masiero Lab





Chic 12



Chic 3



Chic STL3



Chic A2 N



Chic TL1 G

Chic TL1 P



Chic 8



CHIC

Struttura in metallo con inserti in fusione d'ottone e cristallo colorato.
Pendagli in cristallo colorato.

Metal frame with cast brass and coloured crystal inserts.
Coloured crystal pendants.

Metallstruktur mit Einsätzen aus Messingguss und farbigem Kristall.
Behang aus farbigem Kristall.

Structure en métal avec inserts en laiton moulé et cristal coloré.
Pampilles en cristal coloré.

Estructura de metal con insertos realizados en fundición de latón y cristal de color.
Piezas colgantes en cristal de color.

**МЕТАЛЛИЧЕСКИЙ КАРКАС С ЛИТЫМИ ЛАТУННЫМИ ВСТАВКАМИ И ЦВЕТНЫМ ХРУСТАЛЕМ.
ПОДВЕСЫ ИЗ ЦВЕТНОГО ХРУСТАЛЯ.**

这个灯具的结构是金属，而且有黄铜铸件与彩色水晶的装饰。这个系列也有水晶吊坠和合成材料的灯罩。

هيكل معدني مع مدخلات من صب النحاس الأصفر والكريستال الملون.
دلايات من الكريستال الملون.

Standard finishings



F01
Foglia d'oro
Gold leaf



F02
Foglia d'argento
Silver leaf

Family



Chandelier



Applique




Table lamp




Floor lamp

Standard chain for all chandeliers




CHIC 12



Ø 115 cm / 45.28"
H 82 cm / 32.28"

WW 12×G9×40 W max *(not included)*
USA 12×G9×40 W max *(not included)*


CHIC 8



Ø 80 cm / 31.49"
H 70 cm / 27.55"

WW 8×G9×40 W max *(not included)*
USA 8×G9×40 W max *(not included)*


CHIC 5



Ø 50 cm / 19.69"
H 60 cm / 23.62"

WW 5×G9×40 W max *(not included)*
USA 5×G9×40 W max *(not included)*


CHIC 3



Ø 43 cm / 16.93"
H 45 cm / 17.72"

WW 3×G9×40 W max *(not included)*
USA 3×G9×40 W max *(not included)*


CHIC A2 N



L 37 cm / 14.57"
SP 12 cm / 4.72"
H 60 cm / 23.62"

WW 2×G9×40 W max *(not included)*
USA 2×G9×40 W max *(not included)*


CHIC TL1 G



Ø 16 cm / 6.30"
H 55 cm / 21.65"

WW 1×G9×40 W max *(not included)*
USA 1×G9×40 W max *(not included)*


CHIC TL1 P



Ø 12 cm / 4.72"
H 30 cm / 11.81"

WW 1×G9×40 W max *(not included)*
USA 1×G9×40 W max *(not included)*

CHIC STL 3




Ø 40 cm / 15.75"
H 170 cm / 66.93"

WW 3×G9×40 W max *(not included)*
USA 3×G9×40 W max *(not included)*

: For the US market, refer to the relevant price list.


ACANTIA

design by Masiero Lab





Acantia 12




Acantia 8



Acantia A2



Acantia 12




Acantia A2 N



Acantia TL1 N



Acantia PL40



Acantia PL8






Acantia 15

ACANTIA

Telaio in metallo e fusione d'ottone.
Paralumi in tessuto damascato.

Cast brass and metal frame.
Damask fabric lampshades.

Metallstruktur mit Messingguss
Lampenschirme aus Damast.

Structure en métal et laiton moulé Abat-jours damassés.


Estructura de metal y fundición de latón.
Pantallas en tejido adamascado.

МЕТАЛЛИЧЕСКИЙ КАРКАС И ЛАТУННОЕ ЛИТЬЕ АБАЖУРЫ ИЗ ТКАНИ С КАМЧАТНЫМ УЗОРОМ.


这个灯具的结构是金属跟黄铜铸件。而且这种灯具也有锦缎面料的灯罩。

إطار معدني وصب نحاس أصفر.
عاكس ضوء (أباجورة) من قماش دمقس.

Finishings Cut Crystal



V95 Matt white + transparent pendants




G03+F01 Shiny gold + Gold leaf + transparent pendants




V90 Matt black + black pendants


Finishings Swarovski / Half cut glass*



V95 Matt white + transparent pendants



G03+F01 Shiny gold + Gold leaf + transparent pendants



V90 Matt black + trasparent pendants

*Only available for ACANTIA PL4/ ACANTIA PL6/ACANTIA PL8

Family



Chandelier



Applique





Ceiling




Table lamp

Standard chain for all chandeliers






ACANTIA 15



Ø 120 cm / 47.24"
H 150 cm / 59.06"

WW 15×E14×40 W max *(not included)*
USA 15×E12×40 W max *(not included)*

ACANTIA 12




Ø 120 cm / 47.24"
H 60 cm / 27.55"

WW 12×E14×40 Wmax *(not included)*
USA 12×E12×40 Wmax *(not included)*

Paralumi / Shade DAM/14/WH
Paralumi / Shade DAM/14/BK

ACANTIA 8




Ø 85 cm / 33.46"
H 50 cm / 19.68"

WW 8×E14×40 Wmax *(not included)*
USA 8×E12×40 W max *(not included)*

Paralumi / Shade DAM/14/WH
Paralumi / Shade DAM/14/BK


ACANTIA PL40



Ø 40 cm / 15.74"
H 9 cm / 3.54

WW 3×G9×40 W max *(not included)*
USA 3×G9×40 W max *(not included)*

ACANTIA A2




L 45 cm / 17.71"
SP 18 cm / 7.08"
H 40 cm / 15.74"

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

Paralumi / Shade DAM/14/WH
Paralumi / Shade DAM/14/BKw

ACANTIA TL1N




Ø 30 cm / 11.81"
H 46 cm /18.11"

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*

Paralumi / Shade DAM/30/WH
Paralumi / Shade DAM/30/BK


ACANTIA PL4



Ø 50 cm / 19.68"
H 35 cm / 13.78"

WW 4×E27×60 W max *(not included)*
USA 4×E26×60 W max *(not included)*


ACANTIA PL6



Ø 70 cm / 27.56"
H 40 cm / 15.75"

WW 6×E27×60 W max *(not included)*
USA 6×E26×60 W max *(not included)*


ACANTIA PL8



Ø 90 cm / 35.43"
H 50 cm / 19.68"

WW 8×E27×60 W max *(not included)*
USA 8×E26×60 W max *(not included)*

ACANTIA A2N




L 40 cm / 15.75"
SP 20 cm / 7.87"
H 40 cm / 15.75"

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

: For the US market, refer to the relevant price list.

ELEGANTIA

design by Masiero Lab






Elegantia 8+1



Elegantia 1



Elegantia A2+1




Elegantia TL1 P



Elegantia STL3

Elegantia TL1 G



Elegantia PL1



Elegantia 8+1



Elegantia 3+1



Elegantia PL4



ELEGANTIA

Struttura di metallo in finitura galvanica con pendagli trasparenti.

Galvanic Bath Metal Frame with trasparent crystal pendants.

Metallstruktur in galvanischer Ausführung.
Transparente Kristall-Anhänger.

Structure en métal, finition galvanique avec pampille transparent.

Estructura de metal con acabado galvanizado y piezas colgantes transparentes.

МЕТАЛЛИЧЕСКИЙ КАРКАС С ГАЛЬВАНИЧЕСКОЙ ОТДЕЛКОЙ С ПРОЗРАЧНЫМИ ХРУСТАЛЬНЫМИ ПОДВЕСАМИ.

这个灯具的结构是金属跟电镀表面。而且这种系列也有透明的水晶吊坠。

هيكل معدني بتشطيب جلفاني مع دلايات شفافة.

Standard finishings



G03+G05
Oro lucido+Oro opaco
Shiny gold+ Matt gold

G04+G06
Cromo lucido+Cromo opaco
Shiny chrome+Matt chrome

Family



Chandelier



Suspension



Applique



Ceiling



Table lamp




Floor lamp

Standard chain for all chandeliers

: For the US market, refer to the relevant price list.

ELEGANTIA 12+1




Ø 110 cm / 43.40”
H 65 cm / 25.60”

WW 12×E14×40 W max *(not included)*
1×E27×60 W max *(not included)*
USA 12×E12×40 W max *(not included)*
1×E26×60 W max *(not included)*

NO LAMPSHADES INCLUDED

ELEGANTIA 8+1




Ø 85 cm / 33.46”
H 65 cm / 25.60”

WW 8×E14×40 W max *(not included)*
1×E27×60 W max *(not included)*
USA 8×E12×40 W max *(not included)*
1×E26×60 W max *(not included)*

NO LAMPSHADES INCLUDED

ELEGANTIA 3+1




Ø 45 cm / 17.72”
H 60 cm / 23.62”

WW 3×E14×40 W max *(not included)*
1×E27×60 W max *(not included)*
USA 3×E12×40 W max *(not included)*
1×E26×60 W max *(not included)*

NO LAMPSHADES INCLUDED


ELEGANTIA 1



Ø 20 cm / 7.87”
H 55 cm / 21.65”

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*

ELEGANTIA TL1 P *




Ø 20 cm / 7.87”
H 35 cm / 13.78”

WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*

Paralumi / Shade PON-BD/20/WH
Paralumi / Shade PON-BD/20/IV


ELEGANTIA PL4



Ø 60 cm / 23.62”
H 22 cm / 8.66”

WW 4×E27×60 W max *(not included)*
USA 4×E26×60 W max *(not included)*


ELEGANTIA PL3



Ø 40 cm / 15.75”
H 20 cm / 7.87””

WW 3×E27×60 W max *(not included)*
USA 3×E26×60 W max *(not included)*


ELEGANTIA PL1



Ø 20 cm / 7.87”
H 25 cm / 9.84”

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*


ELEGANTIA PLV4



Ø 60 cm / 23.62”
H 22 cm / 8.66”

WW 4×E27×60 W max *(not included)*
USA 4×E26×60 W max *(not included)*


ELEGANTIA PLV3



Ø 40 cm / 15.75”
H 20 cm / 7.87”

WW 3×E27×60 W max *(not included)*
USA 3×E26×60 W max *(not included)*


ELEGANTIA A2+1



L 38 cm / 14.96”
SP 20 cm / 7.87”
H 60 cm / 23.62”

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*

ELEGANTIA STL3 *




Ø 45 cm / 17.72”
H 180 cm / 70.87”

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*

Paralumi / Shade PON -BD/16/WH
Paralumi / Shade PON-BD/16/IV

ELEGANTIA TL2 G *



Ø 40 cm / 15.75”
H 75 cm / 29.53”

WW 2×E27×60 W max *(not included)*
USA 2×E26×60 W max *(not included)*


Paralumi / Shade PON-BD/40/WH
Paralumi / Shade PON-BD/40/IV

: For the US market, refer to the relevant price list.
* ETL only for US market.

: For the US market, refer to the relevant price list.
* ETL only for US market.

NOBLESSE

design by Masiero Lab





Noblesse 12



Noblesse TL1 G



Noblesse PL6



Noblesse A2



Noblesse 8

NOBLESSE

Il telaio in metallo verniciato è decorato da perle di vetro trasparente.
Paralumi in tessuto shantung.
Pendagli in foglia oro o argento.

Metal frame decorated with transparent glass beads.
Shantung fabric lampshades.
Gold or silver leaf pendants.

Der Rahmen aus lackiertem Metall ist mit transparenten Glasperlen dekoriert.
Lampenschirme aus Shantung.
Blattgold oder Blattsilber Gehängen.

Le châssis en métal verni est décoré avec des perles en verre transparent. Abat-jours en tissu shantung.
Pampilles en feuille d'or ou d'argent.

La estructura de metal pintada está decorada con perlas de vidrio transparente.
Pantallas en tejido Shantung.
Piezas colgantes de pan de oro o plata.

МЕТАЛЛИЧЕСКИЙ КАРКАС УКРАШЕН ПРОЗРАЧНЫМИ СТЕКЛЯННЫМИ БУСИНАМИ. АБАЖУРЫ ИЗ ТКАНИ ШАНТУНГ, ПОДВЕСЫ ПОКРЫТЫ СУСАЛЬНЫМ ЗОЛОТОМ ИЛИ СЕРЕБРОМ.

这个灯具结构是金属跟装饰的透明玻璃的珍珠们。这种系列也有材料缎布的灯罩，然而金箔和银箔的吊坠。

إطار معدني مطلي مُزخرف بخرز زجاجي شفاف.عاكس ضوء (أباجورة) من قماش شانتونج. دلايات من أوراق الذهب أو الفضة.

Finishings



V13
Beige e Oro
Ivory and Gold



V97
Bianco e argento
White and silver

Family



Chandelier



Applique



Ceiling




Floor lamp




Table lamp

Standard chain for all chandeliers



NOBLESSE 12




Ø 115 cm / 45.28"
H 72 cm / 28.35"

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*

Paralumi / Shade SHA-BD/14/IV
Paralumi / Shade SHA-BD/14/WH

NOBLESSE 8




Ø 86 cm / 33.86"
H 62 cm / 24.41"

WW 8×E14×40 W max *(not included)*
USA 8×E12×40 W max *(not included)*

Paralumi / Shade SHA-BD/14/IV
Paralumi / Shade SHA-BD/14/WH

NOBLESSE 6




Ø 76 cm / 29.92"
H 62 cm / 24.41"

WW 6×E14×40 W max *(not included)*
USA 6×E12×40 W max *(not included)*

Paralumi / Shade SHA-BD/14/IV
Paralumi / Shade SHA-BD/14/WH


NOBLESSE PL6



Ø 62 cm / 24.41"
H 30 cm / 11.81"

WW 6×E14×40 W max *(not included)*
USA 6×E12×40 W max *(not included)*


NOBLESSE STL2



Ø 33 cm / 12.99"
H 180 cm / 70.87"

WW 2×R7s×100 W max *(not included)*
USA 2×R7s×100 W max *(not included)*

NOBLESSE TL1G




Ø 40 cm / 15.75"
H 85 cm / 33.46"

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*

Paralumi / Shade SHA-BD/40/IV
Paralumi / Shade SHA-BD/40/WH

NOBLESSE TL1P




Ø 14 cm / 5.51"
H 38 cm / 14.96"

WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*

Paralumi / Shade SHA-BD/14/IV
Paralumi / Shade SHA-BD/14/WH

NOBLESSE A2




L 46 cm / 17.94"
SP 18 cm / 7.02"
H 40 cm / 15.60"

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

Paralumi / Shade SHA-BD/14/IV
Paralumi / Shade SHA-BD/14/WH

NOBLESSE A4



L 50 cm / 19.69"
SP 24 cm / 9.45"
H 48 cm / 18.90"


WW 4×E14×40 W max *(not included)*
USA 4×E12×40 W max *(not included)*


Paralumi / Shade SHA-BD/14/IV
Paralumi / Shade SHA-BD/14/WH

: For the US market, refer to the relevant price list.
* ETL only for US market.

ETERNITY

design by Masiero Lab





Eternity 12+8+4






Eternity TL1



Eternity 8+4



Eternity A2

Eternity TL1





ETERNITY

Telaio in fusione di ottone, dischi e piatti di marmo verde Guatemala, o nero Marquina. Pendagli in cristallo trasparente.

Cast brass frame, discs and bobeches in Guatemala green or Marquina black marble. Trasparent crystal pendants.

Gestell aus Messingguss, Platten und Schalen aus grünem Guatemala oder schwarzem Marquina- Marmor. Transparente Kristall-Anhänger.

Structure en fusion de laiton, disques et bobeches de marbre vert Guatemala ou de marbre noir Marquina. Pampilles en cristal transparent.


Estructura realizada en fundición de latón, discos y bobeches de mármol verde Guatemala o negro Marquina. Piezas colgantes de cristal transparente.

КАРКАС ИЗ ЛАТУННОГО ЛИТЬЯ С ДИСКАМИ И БЛЮДЦАМИ ИЗ ЗЕЛЕНОГО ГВАТЕМАЛЬСКОГО МРАМОРА, ЛИБО, КАК ВАРИАНТ, ИЗ ЧЕРНОГО МАРКУИНСКОГО МРАМОРА.


这个灯具的结构是黄铜铸件与大理石板(绿色或者蓝色)。而且这种系列也有透明的水晶吊坠。

إطار من صب النحاس الأصفر، وأقراص وأطباق من رخام جواتيمالا الأخضر، أو رخام ماركينا الأسود. دلايات من الكريستال الشفاف.

Finishings



G04 Cromo lucido + marmo nero Marquina
Shiny chrome + Marquina black marble



G03 Oro lucido + marmo verde Guatemala
Shiny gold + Guatemala green marble

Family



Chandelier




Applique




Table lamp

Standard chain for all chandeliers



ETERNITY 12+8+4




Ø 150 cm / 56.06″
H 180 cm / 70.87″

WW 24×E14×40 W max *(not included)*
USA 24×E12×40 W max *(not included)*

Paralumi / Shade SAT/17/ECRU
Paralumi / Shade SAT/17/BK


ETERNITY 8+4



Ø 120 cm /47.24″
H 105 cm / 41.34″

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*


ETERNITY 6+3



Ø 90 cm / 35.43″
H 95 cm / 37.40″

WW 9×E14×40 W max *(not included)*
USA 9×E12×40 W max *(not included)*


ETERNITY A2



L 31 cm / 12.20″
SP 20 cm / 7.87″
H 36 cm / 14.17″

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

ETERNITY TL1



Ø 46 cm / 18.11″
H 62 cm / 24.40″


WW 1×E27×40 W max *(not included)*
USA 1×E26×40 W max *(not included)*

Paralumi / Shade SAT/46/WH
Paralumi / Shade SAT/46/BK

: For the US market, refer to the relevant price list.

PRIMADONNA

design by Masiero Lab





Primadonna 12




Primadonna TL1 G



Primadonna PL4



Primadonna A2



Primadonna 12



Primadonna TL1 G



Primadonna STL1

PRIMADONNA

Struttura in metallo e decori in fusione d'ottone.
Paralumi in Pongè, pendagli in cristallo trasparente.

Metal frame and brass fusion decorations. Pongè lampshades, trasparent crystal pendants.

Metallrahmen und Messingguss. Lampenschirme aus Pongè. Transparente Kristallanhänger.

Structure en métal et décors en. fusion en laiton.. Abat-jour en Pongè,. pendentifs en cristal transparent.

Estructura de metal y decoraciones realizadas en fundición de latón.
Pantallas de Pongé, piezas colgantes de cristal transparente.

МЕТАЛЛИЧЕСКИЙ КАРКАС И УКРАШЕНИЯ ИЗ ЛИТОЙ ЛАТУНИ.
АБАЖУРЫ ИЗ ТКАНИ PONGÈ, ПОДВЕСЫ ИЗ ПРОЗРАЧНОГО ХРУСТАЛЯ.

这个灯具的结构是金属，而且有黄铜铸件的装饰。这种系列也有水晶吊坠和合成材料的灯罩。

هياكل معدنية وزخارف من النحاس الأصفر.عاكس ضوء (أباجورة) من قماش بُنجي، دلايات من الكريستال الشفاف.

Finishings



G01
Brunito
Burnished

G03
Oro lucido
Shiny gold

Family



Chandelier



Ceiling



Applique




Table lamp




Floor lamp

Standard chain for all chandeliers



PRIMADONNA 12




Ø 120 cm / 47.24"
H 65 cm / 25.59"

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*

Paralumi / Shade PON-BD/16/IV

PRIMADONNA 8




Ø 85 cm / 33.46"
H 55 cm / 21.65"

WW 8×E14×40 W max *(not included)*
USA 8×E12×40 W max *(not included)*

Paralumi / Shade PON-BD/16/IV

PRIMADONNA 5




Ø 70 cm / 27.56"
H 50 cm / 19.69"

WW 5×E14×40 W max *(not included)*
USA 5×E12×40 W max *(not included)*

Paralumi / Shade PON-BD/16/IV


PRIMADONNA PL4



Ø 70 cm / 27.56"
H 25 cm / 9.84"

WW 4×E27×60 W max *(not included)*
USA 4×E26×60 W max *(not included)*


PRIMADONNA PL3



Ø 50 cm / 19.69"
H 23 cm / 9.06"

WW 3×E27×60 W max *(not included)*
USA 3×E26×60 W max *(not included)*

PRIMADONNA STL1




Ø 48 cm / 18.89"
H 180 cm / 70.87"

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*

Paralumi / Shade PON-BD/48/IV

PRIMADONNA TL1G




Ø 40 cm / 15.75"
H 75 cm / 29.53"

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*

Paralumi / Shade PON-BD/40/IV

PRIMADONNA TL1P




Ø 16 cm / 6.30"
H 30 cm / 11.81"

WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*

Paralumi / Shade PON-BD/16/IV

PRIMADONNA A2



L 40 cm / 15.75"
SP 20 cm / 7.87"
H 50 cm / 19.69"


WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

Paralumi / Shade PON-BD/16/IV

: For the US market, refer to the relevant price list.

ZAIRA

design by Masiero Lab





Zaira 27



Zaira A2



Zaira 27

ZAIRA

Telaio in metallo e fusione di ottone. Pendagli in cristallo trasparente.

Metal frame and cast brass. Trasparent Crystal pendants.

Metallrahmen und Messingguss. Transparente Kristallanhänger.

Structure en métal et fusion de laiton. Pendentifs en cristal transparent.

Estructura de metal y fundición de latón. Piezas colgantes de cristal transparente.

МЕТАЛЛИЧЕСКИЙ КАРКАС И ЛАТУННОЕ ЛИТЬЕ. ХРУСТАЛЬНЫЕ ПРОЗРАЧНЫЕ ПОДВЕСЫ.

这个灯具的结构是金属跟黄铜铸件。而且这种系列也有透明的水晶吊坠。

إطار معدني وصب نحاس أصفر. دلايات من الكريستال الشفاف

Finishings

G03
Oro Lucido
Shiny gold

Family



Chandelier



Applique

Standard chain for all chandeliers




ZAIRA 27



Ø 125 cm / 49.21″
H 130 cm / 51.18″

WW 27×E14×40 W max *(not included)*
USA 27×E12×40 W max *(not included)*


ZAIRA 18



Ø 125 cm / 49.21″
H 90 cm / 35.43″

WW 18×E14×40 W max *(not included)*
USA 18×E12×40 W max *(not included)*


ZAIRA 9



Ø 75 cm / 29.52″
H 70 cm / 27.56″

WW 9×E14×40 W max *(not included)*
USA 9×E12×40 W max *(not included)*

ZAIRA A2




L 28 cm / 11.02″
SP 15 cm / 5.91″
H 38 cm / 14.96″

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

: For the US market, refer to the relevant price list.

ROSEMERY

design by Masiero Lab






Rosemery 6




Rosemery 12



Rosemery A2



Rosemery PL6



Rosemery TL1 G



Rosemery 1



Rosemery TL1 P



Rosemery 4

Rosemery 2



Rosemery 12

ROSEMERY

Struttura in metallo con decori in vetro colorato. Pendagli in vetro colorato e paralumi in raso.

Metal frame with colored glass inserts.
Colorful glass pendants, satin shades.

Metallstruktur mit Einsätzen aus farbigen Kristallen.
Farbiger Glas Behang, Lampenschirme aus Satin.

Structure en métal avec inserts en verre coloré. Les pendentifs sont en verre coloré et les abat-jours sont en satin.

Estructura de metal con decoraciones realizadas en vidrio de color. Piezas colgantes de vidrio de color y pantallas de raso.

МЕТАЛЛИЧЕСКИЙ КАРКАС С ДЕКОРОМ ИЗ ЦВЕТНОГО СТЕКЛА. ПОДВЕСЫ ИЗ ЦВЕТНОГО СТЕКЛА И АТЛАСНЫЕ АБАЖУРЫ.

这个灯具结构是金属跟装饰的彩色玻璃。而且这种系列也有彩色的水晶吊坠与材料缎布的灯罩。

هيكل معدني مع زخارف زجاجية ملونة. دلايات من الزجاج الملون وعاكس ضوء (أباجورة) من الساتان.

Finishings



V13
Beige e Oro
Ivory and Gold




V97
Bianco e argento
White and silver

Family



Chandelier



Suspension



Applique



Applique



Ceiling



Table lamp

Standard chain/cable for all chandeliers/suspensions




H 50 cm / 19.68”
For Rosemary 12, Rosemery 6, Rosemery 4, Rosemery 2



H 120 cm / 47.24”
For only Rosemery 1

ROSEMERY 12




Ø 105 cm / 41.34”
H 55 cm / 21.65”

WW 16×E14×40 W max *(not included)*
USA 16×E12×40 W max *(not included)*

Paralumi / Shade SAT/17/ECRU
Paralumi / Shade SAT/17/WH

ROSEMERY 6



Ø 80 cm / 31.50”
H 50 cm / 19.69”

WW 8×E14×40 W max *(not included)*
USA 8×E12×40 W max *(not included)*

Paralumi / Shade SAT/17/ECRU
Paralumi / Shade SAT/17/WH

ROSEMERY 4



Ø 45 cm / 17.72”
H 22 cm / 8.66”

WW 4×E14×40 W max *(not included)*
USA 4×E12×40 W max *(not included)*


ROSEMERY 2



Ø 30 cm / 11.81”
H 16 cm / 6.30”

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*


ROSEMERY 1



Ø 23 cm / 9.06”
H 16 cm / 6.30”

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*


ROSEMERY PL6



Ø 54 cm / 21.26”
H 34 cm / 13.39”

WW 6×E14×40 W max *(not included)*
USA 6×E12×40 W max *(not included)*

ROSEMERY TL1 G




Ø 33 cm / 12.99”
H 54 cm / 21.26”

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*

Paralumi / Shade SAT/33/ECRU
Paralumi / Shade SAT/33//WH

ROSEMERY TL1 P *




Ø 20 cm / 7.87”
H 36 cm / 14.17”

WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*

Paralumi / Shade SAT/20/ECRU
Paralumi / Shade SAT/20/WH

ROSEMERY A2



L 32 cm / 12.60”
SP 17 cm / 6.69”
H 43 cm / 16.93”

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

Paralumi / Shade SAT/12/ECRU
Paralumi / Shade SAT/12//WH

ROSEMERY A1-2




L 30 cm / 11.81”
SP 15 cm / 5.91”
H 16 cm / 6.30”

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*

: For the US market, refer to the relevant price list.
* ETL only for US market.

GALÁ

design by Masiero Lab






Galá 8+2



Galá TL1 G




Galá A2





Galá 16+4+3



Galá TL1 P



Galá 8+2

GALÁ

Struttura in metallo decorata da perle e pendagli in cristallo trasparente.
Paralumi in satin.

Metal frame decorated with transparent glass beads and trasparent crystal pendants.
Shantung fabric lampshades.

Metallstruktur, verziert mit Perlen und Anhängern in transparentem Kristall.
Lampenschirme aus Satin.

Structure en métal avec des décorations en perles et pampille en cristaux transparent.
Abats jour en satin.

Estructura de metal decorada con perlas y piezas colgantes de cristal transparente.
Pantallas de satén.

МЕТАЛЛИЧЕСКИЙ КАРКАС УКРАШЕН БУСИНАМИ И ПОДВЕСАМИ ИЗ ПРОЗРАЧНОГО ХРУСТАЛЯ. АТЛАСНЫЕ АБАЖУРЫ.

这个灯具结构是金属，然而装饰是透明水晶与珍珠们。这种系列也有材料缎布的灯罩。

هيكل معدني مُزخرف باللؤلؤ ودلايات من الكريستال الشفاف. عاكس ضوء (أباجورة) من الساتان.

Finishings



V13
Beige e Oro
Ivory and Gold



V97
Bianco e argento
White and silver

Family



Chandelier



Applique




Ceiling




Table lamp

Standard chain for all chandeliers



H 50 cm / 19.68″

GALÁ 16+4+3




Ø 160 cm / 62.99″
H 115 cm / 45.28″

WW 16×E14×40 W max *(not included)*
7×G9×40 W max *(not included)*
USA 16×E12×40 W max *(not included)*

Paralumi / Shade SAT/17/ECRU
Paralumi / Shade SAT/17/WH

GALÁ 12+3+2




Ø 116 cm / 45.67″
H 76 cm / 29.92

WW 12×E14×40 W max *(not included)*
5×G9×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*

Paralumi / Shade SAT/17/ECRU
Paralumi / Shade SAT/17/WH

GALÁ 8+2




Ø 97 cm / 38.19″
H 67 cm / 26.38″

WW 8×E14×40 W max *(not included)*
2×G9×40 W max *(not included)*
USA 8×E12×40 W max *(not included)*

Paralumi / Shade SAT/17/ECRU
Paralumi / Shade SAT/17/WH

GALÁ 6+2




Ø 77 cm / 30.31″
H 55 cm / 21.65″

WW 6×E14×40 W max *(not included)*
2×G9×40 W max *(not included)*
USA 6×E12×40 W max *(not included)*

Paralumi / Shade SAT/17/ECRU
Paralumi / Shade SAT/17/WH


GALÁ PL3



Ø 36 cm / 14.17″
H 12 cm / 4.72″

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*

GALÁ TL1G 45




Ø 38 cm / 14.97″
H 45 cm / 17.71″

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*

Paralumi / Shade SAT/38/ECRU
Paralumi / Shade SAT/38/WH

GALÁ TL1P 22




Ø 17 cm / 6.69″
H 22 cm / 8.66″

WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*

Paralumi / Shade SAT/17/ECRU
Paralumi / Shade SAT/17/WH

GALÁ A2



L 35 cm / 13.77″
SP 18 cm / 7.08″
H 35 cm / 13.77″


WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

Paralumi / Shade SAT/12/ECRU
Paralumi / Shade SAT/12/WH

: For the US market, refer to the relevant price list.
* ETL only for US market.

ODESSA

design by Masiero Lab






Odessa 12 155



Odessa A5



Odessa A2



Odessa 18+9






Odessa PL8



Odessa 12 95

ODESSA

Telaio in metallo e fusione di ottone. Pendagli in cristallo trasparente.

Metal frame and cast brass. Trasparent Crystal pendants.

Metallrahmen und Messingguss. Kristallanhänger.

Structure en métal et fusion de laiton. Pendentifs en cristal transparent.

Estructura de metal y fundición de latón. Piezas colgantes de cristal transparente.

МЕТАЛЛИЧЕСКИЙ КАРКАС И ЛАТУННОЕ ЛИТЬЕ. ХРУСТАЛЬНЫЕ ПОДВЕСЫ

这个灯具的结构是金属跟黄铜铸件。而且这种系列也有透明的水晶吊坠。


إطار معدني وصب نحاس أصفر. دلايات من الكريستال الشفاف

Finishings

G03
Oro Lucido
Shiny gold



G21
Cromo anticato
Antiqued chrome



G20
Oro anticato
Antiqued gold

Family



Chandelier




Ceiling




Applique

Standard chain for all chandeliers




ODESSA 18+9 175



Ø 150 cm / 59.05"
H 175 cm / 68.89"

WW 27×E14×40 W max *(not included)*
USA 27×E12×40 W max *(not included)*


ODESSA 18 175



Ø 150 cm / 59.05"
H 175 cm / 68.89"

WW 18×E14×40 W max *(not included)*
USA 18×E12×40 W max *(not included)*


ODESSA 12 155



Ø 120 cm / 47.24"
H 155 cm / 61.02"

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*


ODESSA 8 100



Ø 90 cm / 35.43"
H 120 cm / 47.24"

WW 8×E14×40 W max *(not included)*
USA 8×E12×40 W max *(not included)*


ODESSA 6 65



Ø 70 cm / 27.55"
H 65 cm / 25.59"

WW 6×E14×40 W max *(not included)*
USA 6×E12×40 W max *(not included)*


ODESSA 8 80



Ø 90 cm / 35.43"
H 80 cm / 31.49"

WW 8×E14×40 W max *(not included)*
USA 8×E12×40 W max *(not included)*


ODESSA 12 95



Ø 120 cm / 47.24"
H 95 cm / 37.40"

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*

ODESSA 14 90



Ø 150 cm / 59.05"
H 90 cm / 35.43"

WW 14×E14×40 W max *(not included)*
USA 14×E12×40 W max *(not included)*


ODESSA PL6 70



Ø 70 cm / 27.56"
H 70 cm / 27.56"

WW 6×E14×40 W max *(not included)*
USA 6×E12×40 W max *(not included)*


ODESSA PL8 90



Ø 90 cm / 35.43"
H 70 cm / 27.56"

WW 8×E14×40 W max *(not included)*
USA 8×E12×40 W max *(not included)*


ODESSA A2



L 27 cm / 10.63"
SP 14 cm / 5.51"
H 45 cm / 17.72"

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

ODESSA A5




L 45 cm / 17.72"
SP 20 cm / 7.87"
H 50 cm / 19.69"

WW 5×E14×40 W max *(not included)*
USA 5×E12×40 W max *(not included)*

: For the US market, refer to the relevant price list.

GLASSÉ

design by Masiero Lab







Glassé 6+3



Glassé TL3



Glassé A2+1




Glassé PL8



Glassé STL3



Glassé 8+4



Glassé A4

GLASSÉ

Telaio in metallo impreziosito da pendenti in cristallo trasparente. Paralumi damascati.

The metal structure is enriched with trasparent crystal pendants. Damask lampshades.

Die Struktur aus Metall ist mit zahlreichen Prismen aus Bleiglas geschmückt. Lampenschirme aus Damast.

La structure métallique est agrémentée d'une pluie de pampilles en cristal transparent. Abat-jours damassés.

Estructura de metal embellecida con piezas colgantes de cristal transparente. Pantallas adamascadas.

МЕТАЛЛИЧЕСКИЙ КАРКАС УКРАШЕН НИСПАДАЮЩИМИ ХРУСТАЛЬНЫМИ ПОДВЕСАМИ. АБАЖУРЫ ИЗ ТКАНИ С КАМЧАТНЫМ УЗОРОМ.

这个灯具的结构是金属，而且有透明装饰的装饰。而且这种灯具也有锦缎面料的灯罩。

إطار معدني مُزخرف بدلايات من الكريستال الشفاف. عاكس ضوء (أباجورة) من قماش دمقس.

Finishings



V13
Beige e Oro
Ivory and Gold



G01
Brunito
Burnished

Family



Chandelier



Applique



Ceiling




Table lamp




Floor lamp

Standard chain for all chandeliers



GLASSÉ 8+4




Ø 90 cm / 35.43″
H 70 cm / 27.56″

WW 8×E14×40 W max *(not included)**
4×G9×40 W max *(not included)*
USA 8×E12×40 W max *(not included)**
4×G9×40 W max *(not included)*

Paralumi / Shade DAM/14/IV
**Candle shape necessary for lampshades*

GLASSÉ 6+3




Ø 75 cm / 29.53″
H 60 cm / 23.62″

WW 6×E14×40 W max *(not included)**
3×G9×40 W max *(not included)*
USA 6×E12×40 W max *(not included)**
3×G9×40 W max *(not included)*

Paralumi / Shade DAM/14/IV
**Candle shape necessary for lampshades*

GLASSÉ A2+1




L 40 cm / 15.75″
SP 25 cm / 9.84″
H 40 cm / 15.75″

WW 2×E14×40 W max *(not included)**
1×G9×40 W max *(not included)*
USA 2×E12×40 W max *(not included)**
1×G9×40 W max *(not included)*

Paralumi / Shade DAM/14/IV
**Candle shape necessary for lampshades*

GLASSÉ A4



L 50 cm / 19.69″
SP 15 cm / 5.91″
H 25 cm / 9.84″

WW 2×E14×40 W max *(not included)*
2×G9×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*
2×G9×40 W max *(not included)*

Paralumi / Shade DAM/IV

GLASSÉ PL8

Ø 60 cm / 23.62″
H 30 cm / 11.81″

WW 8×G9×40 W max *(not included)*
USA 8×G9×40 W max *(not included)*


GLASSÉ STL3

Ø 40 cm / 15.75″
H 170 cm / 66.93″

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*

Paralumi / Shade DAM/14/IV

GLASSÉ TL3



Ø 40 cm / 15.75″
H 60 cm / 23.62″


WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*

Paralumi / Shade DAM/IV

: For the US market, refer to the relevant price list.
* ETL only for US market.

IMPERIAL

design by Masiero Lab





Imperial 16+16+4







Imperial 12




Imperial PL2 G



Imperial PL12+3





Imperial A2



Imperial A1




Imperial TL1 G, TL1 M, TL1 P



Imperial TL3



Imperial 16





IMPERIAL

Telaio in metallo. Coppe e tazzine decorate con cristalli incastonati. Pendagli in cristallo trasparente.

Metal frames . The goblets and cups are decorated with embedded crystals. Trasparent Crystal pendants.

Metallrahmen. Die Lichtschalen und Tassen sind mit eingebetteten Kristallen verziert. Kristallanhänger.

Structures en métal. Les coupes et les bobeches sont décorées de cristaux sertis. Pendentifs en cristal transparent.

Estructura de metal. Copas y tazas decoradas con cristales engastados.
Piezas colgantes de cristal transparente.

МЕТАЛЛИЧЕСКИЙ КАРКАС. ЧАШКИ И БЛЮДЦА УКРАШЕНЫ ВКРАПЛЕННЫМИ КРИСТАЛЛАМИ. ПОДВЕСЫ ИЗ ХРУСТАЛЯ.

这个灯具结构是金属。这种系列也有透明水晶。

اطار معدني. أكواب وفناجين مُزخرفة بالكريستال المُرصع.
دلايات من الكريستال الشفاف.

Finishings



G08
Nickel nero
Black nickel



G04
Cromo lucido
Shiny chrome

G03
Oro lucido
Shiny gold

Family



Chandelier



Ceiling



Applique




Table lamp




Floor lamp

Standard chain for all chandeliers



IMPERIAL 16+16+4




Ø 250 cm / 98.43”
H 200 cm / 78.74”

WW 36×E14×40 W max *(not included)*
USA 36×E12×40 W max *(not included)*

Paralumi / Shade SAT/14/ECRU
Paralumi / Shade SAT/14/WH
Paralumi / Shade SAT/14/BK

IMPERIAL 16




Ø 140 cm / 55.12”
H 110 cm / 43.31”

WW 16×E14×40 W max *(not included)*
USA 16×E12×40 W max *(not included)*

Paralumi / Shade SAT/14/ECRU
Paralumi / Shade SAT/14/WH
Paralumi / Shade SAT/14/BK

IMPERIAL 12




Ø 120 cm /47.24”
H 90 cm / 35.43”

WW 12×E14×40 W max *(not included)*
USA 12×E12×40 W max *(not included)*

Paralumi / Shade SAT/14/ECRU
Paralumi / Shade SAT/14/WH
Paralumi / Shade SAT/14/BK

IMPERIAL 8




Ø 90 cm /35.43”
H 85 cm / 33.46”

WW 8×E14×40 W max *(not included)*
USA 8×E12×40 W max *(not included)*

Paralumi / Shade SAT/14/ECRU
Paralumi / Shade SAT/14/WH
Paralumi / Shade SAT/14/BK


IMPERIAL PL 12+2



Ø 90 cm / 35.43”
H 45 cm / 17.72”

WW 12×E14×40 W max *(not included)*
+2 ×G9×40 W max *(included)*
USA 12×E12×40 W max *(not included)*
+2×G9×40 W max *(included)*

IMPERIAL PL 10+2



Ø 60 cm / 23.62”
H 35 cm / 13.78”

WW 10×E14×40 W max *(not included)*
+2×G9×40 W max *(included)*
USA 10×E12×40 W max *(not included)*
+2×G9×40 W max *(included)*


IMPERIAL PL2 P



Ø 17 cm /6.69”
H 10 cm / 3.93”

WW 2×G9×40 W max *(not included)*
USA 2×G9×40 W max *(not included)*


IMPERIAL PL2 G



Ø 22 cm /8.66”
H 13 cm / 5.11”

WW 2×G9×40 W max *(not included)*
USA 2×G9×40 W max *(not included)*

IMPERIAL A2




L 50 cm /19.69”
SP 18 cm / 7.09”
H 46 cm / 18.11”

WW 2×E14×40 W max *(not included)*
USA 2×E12×40 W max *(not included)*

Paralumi / Shade SAT/14/ECRU
Paralumi / Shade SAT/14/WH
Paralumi / Shade SAT/14/BK

IMPERIAL A1



L 14 cm /5.51”
SP 17 cm / 6.69”
H 40 cm / 15.75”

WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*

Paralumi / Shade SAT/14/ECRU
Paralumi / Shade SAT/14/WH
Paralumi / Shade SAT/14/BK

IMPERIAL TL3



Ø 42 cm /16.54”
H 76 cm / 29.92”

WW 3×E14×40 W max *(not included)*
USA 3×E12×40 W max *(not included)*

Paralumi / Shade SAT/14/ECRU
Paralumi / Shade SAT/14/WH
Paralumi / Shade SAT/14/BK

IMPERIAL STL6




Ø 55 cm /21.65”
H 215 cm / 84.65”

WW 6×E14×40 W max *(not included)*
USA 6×E12×40 W max *(not included)*

Paralumi / Shade SAT/12/ECRU
Paralumi / Shade SAT/12/WH
Paralumi / Shade SAT/12/BK

: For the US market, refer to the relevant price list.
* ETL only for US market.

IMPERIAL TL1 G




Ø 33 cm / 12.99”
H 50 cm / 19.68”

WW 1×E27×60 W max *(not included)*
USA 1×E26×60 W max *(not included)*

Paralumi / Shade SAT/33/ECRU
Paralumi / Shade SAT/33/WH
Paralumi / Shade SAT/33/BK

IMPERIAL TL1 M




Ø 23 cm /9.05”
H 37 cm / 14.56”

WW 3×E27×60 W max *(not included)*
USA 3×E26×60 W max *(not included)*

Paralumi / Shade SAT/23/ECRU
Paralumi / Shade SAT/23/WH
Paralumi / Shade SAT/23/BK

IMPERIAL TL1 P



Ø 14 cm /5.51”
H 26 cm / 10.23”

WW 1×E14×40 W max *(not included)*
USA 1×E12×40 W max *(not included)*

Paralumi / Shade SAT/14/ECRU
Paralumi / Shade SAT/14/WH
Paralumi / Shade SAT/14/BK

: For the US market, refer to the relevant price list.
* ETL only for US market.



TECHNICAL INFO



FINITURE / FINISHING

Verniciati/ Painted



V13 Avorio e oro
Ivory and gold



V71 Nickel opaco verniciato
Painted matt nickel



V90 Nero opaco
Matt black

V95 Bianco opaco
Matt white



V97 Bianco e argento
White and silver

Decorazione a foglia / Leaf decoration



F01 Foglia oro
Gold leaf



F02 Foglia argento
Silver leaf

Verificare la disponibilità di ciascuna finitura per specifici articoli / Availability of each finish to be confirmed for specific items.

FINITURE / FINISHING


Bagno galvanico / Galvanic Bath




G01 Brunito
Burnished



G03 Oro lucido
Shiny gold



G04 Cromo lucido
Shiny chrome



G05 Oro opaco
Matt gold



G06 Cromo opaco
Matt chrome



G08 Nickel nero
Black nickel



G20 Oro anticato
Antiqued gold



G21 Cromo anticato
Antiqued chrome

Verificare la disponibilità di ciascuna finitura per specifici articoli / Availability of each finish to be confirmed for specific items.

CE

Attesta la conformità del prodotto alle disposizioni delle Direttive comunitarie.

It certifies the conformity of the products to the European Commuinity provisions.

Il atteste la conformité du produit aux dispositions des directives communitaires.

Konformität des Produktes mit den Richtlinien der europäischen Gemeinschaft.

НАСТОЯЩИМ ПОДТВЕРЖДАЕТСЯ СООТВЕТСТВИЕ ПРОДУКЦИИ ПОЛОЖЕНИЯМ ДИРЕКТИВ ЕС.

Certifica la conformidad del producto según las disposiciones de las directivas comunitarias.

CE标记是指产品的制造商证明该产品符合适用的EC指令的所有基本要求.

يُشهد بمطابقة المنتج لأحكام توجيهات المجتمع الأوروبي.

Intertek

Il logo “ETL” si riferisce agli articoli che possono essere modificati con componenti certificati ETL. L’elenco degli articoli ETL si riferisce a prodotti testati e valutati in base agli standard di sicurezza del mercato statunitense. Per il mercato USA fare riferimento al listino dedicato.

“ETL” logos refers to articles which can be modified with ETL- compliance components. The “ETL” listing articles stands for tested and evaluated product to recorgnised US safety standards. For the US market, refer to the relevant price list.

“ETL” logo se réfère aux articles qui peuvent être modifiées par des composants certifiés ETL. la liste des articles ETL se réfère à des produits testés et évalués selon les normes de sécurité du marché américain. Pour le marché américain se référer à la liste des prix.

Das “ETL”-Logo bezieht sich auf Artikel, die mit ETL-zertifizierten Komponenten modifiziert werden können. Die Liste der ETL-Artikel bezieht sich auf Produkte, die nach den Sicherheitsstandards des US-Marktes getestet und bewertet wurden. Für den US-Markt beachten Sie bitte die entsprechende Preisliste.

ЛОГОТИП «ETL» ОТНОСИТСЯ К ЭЛЕМЕНТАМ, КОТОРЫЕ МОГУТ БЫТЬ МОДИФИЦИРОВАНЫ С ПОМОЩЬЮ СЕРТИФИЦИРОВАННЫХ ETL КОМПОНЕНТОВ. СПИСОК ЭЛЕМЕНТОВ ETL ОТНОСИТСЯ К ПРОДУКЦИИ, ПРОТЕСТИРОВАННОЙ И ОЦЕНЕННОЙ В СООТВЕТСТВИИ С ПРИЗНАННЫМИ СТАНДАРТАМИ БЕЗОПАСНОСТИ США. ДЛЯ ПОТРЕБИТЕЛЕЙ НАХОДЯЩИХСЯ В США СМ. СООТВЕТСТВУЮЩИЙ ПРАЙС-ЛИСТ.

El logo “ETL” indica los artículos, que pueden modificarse con componentes certificados ETL. La lista de los artículos ETL se refiere a los productos sometidos a prueba y evaluados en función de los estándares de seguridad del mercado estadounidense. Consultar la lista de precios específica para el mercado de los Estados Unidos.

“ETL” 徽标是指可以使用ETL认证的组件进行修改的项目。 ETL项目列表是指根据美国市场的安全标准进行测试和评估的产品。 对于美国市场，请参考美国市场价格表。

يشير شعار «ETL» إلى المنتجات التي يمكن تعديلها باستخدام مكونات مُعتمدة من ETL. تشير قائمة منتجات ETL إلى المنتجات التي تم اختبارها وتقييمها وفقًا لمعايير السلامة في السوق الأمريكي. بالنسبة لسوق الولايات المتحدة الأمريكية، يُرجى الرجوع إلى قائمة الأسعار المُخصصة.

lm

Flusso luminoso nominale.
L’indicazione si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente.

Nominal luminous flux.
It refers to the value without any refraction, as declared by the component manufacturer.

L’unité SI de flux lumineux.
L’indication corresponds à la valeur en l’absence de réfraction, comme indiqué par le fabricant du composant.

Die Maßeinheit für den Lichtstrom. Die Angabe bezieht sich auf den Wert in der Abwesenheit von Brechung, wie vom Hersteller der Komponente angegeben.

НОМИНАЛЬНЫЙ СВЕТОВОЙ ПОТОК. УКАЗАНИЕ ОТНОСИТСЯ К ЗНАЧЕНИЮ В ОТСУТСТВИЕ РЕФРАКЦИИ, КАК ЗАЯВЛЕНО ПРОИЗВОДИТЕЛЕМ КОМПОНЕНТОВ.

Flujo luminoso nominal.
La indicación se refiere al valor sin refracción, como declarado por el fabricante del componente.

标称光通量。
指示是指组件制造商声明的没有折射的值。

التدفق الضوئي الاسمي.يشير المؤشر إلى القيمة في حالة عدم وجود انكسار للضوء، كما هو مُعلن من قبل الشركة المصنعة للعنصر.

MASIERO

Masiero si riserva il diritto di apportare ai propri articoli, senza nessun preavviso, qualsiasi modifica ritenesse opportuna.

Masiero reserves the right to introduce any changes to its own products, without notice in advance.

Masiero se rèserve le droit d’apporter une quelconque modification à les modèles sans préavis.

Masiero behalt sich das Recht vor änderungen vorzunehmen, ohne sofortige Benachrichtigung.

КОМПАНИЯ MASIERO ОСТАВЛЯЕТ ЗА СОБОЙ ПРАВО БЕЗ ПРЕДВАРИТЕЛЬНОГО УВЕДОМЛЕНИЯ, ЕСЛИ ЭТО БУДЕТ СОЧТЕНО ЦЕЛЕСООБРАЗНЫМ, ВНОСИТЬ В СОБСТВЕННЫЕ МОДЕЛИ ЛЮБЫЕ ИЗМЕНЕНИЯ.

Masiero se reserva el derecho de aportar modificaciones consideradas oportunas a sus artículos sin preaviso.

Masiero保留对其认为适当的任何更改的权利，恕不另行通知。

تحتفظ شركة مازيرو "Masiero" بالحق في إجراء أي تعديلات تراها مناسبة على منتجاتها، دون إشعار مسبق.

Masiero srl

via Peschiere, 53
31032 Casale sul Sile
Treviso, Italy
T +39 0422 7861
F +39 0422 786250

info@masierogroup.com
masierogroup.com

Design by Masiero
Photo, Studio Pointer
Styling NOOII
Print Italy, April 2021
by Grafica Antiga

Thanks to:
Paolo Utimpergher and
designer Franco Menna page 66

masierogroup.com